

DOJO

Table of content

1: JavaScript Fundamentals

- How does JavaScript fit in with HTML?
 - The DOM
 - The script tag
 - In the head
 - In the body
 - Inline in an element
 - Altering elements
- How do you create variables and strings?
 - Declaring variables
 - String concatenation
- How do you perform arithmetic?
- How do you read a method signature?
- How do you write a function?
 - Declaring functions
 - Passing data to functions
- How do you control the flow?
- What is an array, and why is it so important?
- How do you create an array?
 - Adding elements to an array
- How do you loop through array elements?
- For loops

2: Digging Deeper

- Manipulating the DOM
 - How do you get a reference to a node on the DOM?
 - How do you change the style of a DOM element?
 - How do you change the HTML content of an element?
- Events
 - What is a JavaScript event?
 - How do you attach an event listener?

3: Enhancing with Dojo

- What makes a good JavaScript toolkit?
 - What is a JavaScript toolkit?
 - What are some popular JavaScript toolkits?
 - What comprises a JavaScript toolkit?
- What is Dojo?
 - Developing to a pattern
 - Keeping it simple

- Why should I use Dojo over other libraries?
- Installing and configuring Dojo
 - How do you install Dojo?
 - How do you configure Dojo for your website?
 - How do I write my first bit of Dojo?
- Getting help
 - How do you debug Dojo and JavaScript?
 - If I get stuck, where can you find help?

4: Dojo DOM Basics

- How do you get an element by its ID?
 - Getting reference to a node
 - Checking whether a node exists
- How do you get an element using a CSS selector?
 - CSS Selectors
 - NodeList
 - dojo query ()
 - Chaining
- How do you loop through a NodeList or an array?
 - dojo forEach
- How do you filter an array of elements?
 - The importance of a data model
 - dojo filter ()
- How do you create an element?
 - Positions
 - dojo create ()
- How do you move elements around in the DOM?
- How do you set the attributes of an element?
- How do you get and set the style of an element?
 - Computed style
 - Getting the style of an element
 - Setting the style of an element
 - Styling many elements

5: Managing User Interaction with Dojo

- How do you listen for an event with Dojo?
- Connecting to DOM events
- Listening for keyboard events
- Listening to page events
- Please stop listening to me!
- What is the Dojo event object?
- How do you listen for an event from multiple elements?
- Taking it one step further
- Topical Events
- dojo subscribe ()
- dojo publish ()

- dojo unsubscribe ()

6:

- What is a Dojo animation?
- Using the dojo Animation class
- Built-in animations
- Fading in and out
- Sliding
- Wipes
- Adding Ease
- How do you animate certain properties of an element?
- How can I play more than one animation at a time?
- dojo fx combine ()
- How do I execute other functions during phases of an animation?
- dojo Animation callbacks
- How do you create simple drag-and-drop functionality?
- What can you do with drag-and-drop functionality?
- Setup
- The simplest form of drag and drop
- List reordering

7: Dynamic Data

- What is Ajax anyway?
 - Pros of Ajax
 - Cons of Ajax
- How do you load external data?
 - Using dojo xhrGet () to load external data
- How do you submit a form using Ajax?
 - Using dojo xhrPost () to submit a form
 - Making your code reusable
- How do you stay search engine friendly?
 - What is progressive enhancement?
 - What about search engines?

8: Widgets

- How does Dijit promote code reusability?
 - Accessibility
 - International support
- How do widgets get implemented?
 - Using HTML markup
 - Using JavaScript
 - Pros and cons
- How do you create powerful forms?
 - Standard Dijit form controls
 - dijit form Form
 - Form validation
- What are widget themes?

- Where do I find the theme assets?
- Using themes
- Creating your own theme
- How do you lay out widgets and other elements?
 - Using dijit layout TabContainer
 - Using dijit layout BorderContainer

9:

- How do I optimize my JavaScript code?
 - JavaScript minification
 - Minifying a JavaScript file with ShrinkSafe
 - Dojo build system
- Creating your own classes
 - Prototype-based programming
 - dojo declare
 - Extending Dijit widgets
- DojoX

10: Plug-ins

- What is a plug-in?
- What is a NodeList?
 - NodeList as an array
 - Iterating with a NodeList
 - What else does NodeList provide?
- A brief history of this
 - Using dojo hitch ()
 - Preserving this
 - The secret of chaining
- What is a prototype?
- Starting simple
- What is a closure?
 - How does this apply to plug-ins?
 - Functions as plug-ins?