



Oracle CPQ Configuration Essentials

Student Guide
D1107440GC10

Copyright © 2024, Oracle and/or its affiliates.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Trademark Notice

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

1003202024

Contents

1 Oracle CPQ Configuration Layout Editor

- Objectives 1-2
- Configuration Flow Layout Editor 1-3
- Accessing the Layout Editor 1-4
- Layout Editor Options 1-5
- Layout Properties 1-6
- Managing Editor Windows 1-7
- Adding Tabs 1-8
- Adding Grids 1-9
- Grid/Group Title: Example 1-10
- Grid Management 1-11
- Adding Attributes 1-12
- Boolean Attribute Display Options 1-13
- Numeric Attribute Display Options 1-14
- Image Menu Display Options 1-15
- Accessing Layout Element Editors 1-17
- Editing Layout Elements 1-18
- Attribute Properties 1-19
- Editing Elements 1-20
- Saving the Layout Editor 1-21
- Previewing the Layout 1-22
- Summary 1-23

2 Oracle CPQ Working with BOM Mapping Rules

- Objectives 2-2
- BOM Mapping Configuration Rules 2-3
- Creating a BOM Mapping Configuration Rule 2-4
- BOM Mapping Rule Name 2-5
- Table-Based BOM Mapping Configuration Rules 2-6
- BML-Based BOM Mapping Configuration Rules 2-7
- BOM Item Definition Tree References 2-8
- BOM Item Mapping Tree References 2-9
- Demonstration: Creating a BOM Mapping Rule 2-10
- Summary 2-11

3 Oracle CPQ Implementing BOM Mapping

- Objectives 3-2
- BOM Mapping Implementation Process 3-3
- Data Table Schemas for BOM Mapping: Sample 3-4
- Capturing the BOM Definition 3-6
- Demonstration – Creating BOM Mapping Data Tables 3-7
- Summary 3-8

4 Oracle CPQ Single Select Pick Lists (SSPL)

- Objectives 4-2
- Single Select Pick Lists (SSPLs) 4-3
- Basic SSPL Attribute Settings 4-4
- Example: Using a Data Table with an SSPL Attribute 4-5
- Using a Column in the Data Table for Image References 4-6
- Filters in SSPL Attribute Definitions 4-7
- Filtering Syntax 4-8
- Using \$and and \$or in Filters 4-9
- End Users Can Also Use “Type to Filter” 4-10
- Adding a Pick Map to an SSPL Attribute 4-11
- End User View of Multiple SSPL Attributes Used for Drill-Down 4-12
- Other Examples of Drill-Down 4-13
- Setting the Value of an SSPL 4-14
- Set the Value of an SSPL Using a Punch-In Value 4-15
- Set the Value of an SSPL by Using a Recommendation Rule Action 4-16
- Apply Message Properties to SSPL in Configuration 4-17
- Set the Value of an SSPL Attribute by Using a SOAP API 4-18
- Sort the Order of Display Values for Data Table-Based SSPL 4-19
- Single Select Pick List Result Limit 4-21
- Use SSPL Attributes in Simple Conditions for Config Rules 4-22
- Use SSPL Attributes in Advanced Conditions for Config Rules – Add Attributes 4-23
- Use SSPL Attributes in Advanced Conditions for Config Rules – Add Row 4-24
- Summary 4-25

5 Oracle CPQ Working with BOM Mapping Tables

- Objectives 5-2
- Activating BOM Platform Tables 5-3
- Mapping BOM Data Tables to BOM Platform Tables 5-4
- Successful BOM Mapping 5-5
- Validating BOM Definitions 5-6

Validation Example: BOM Item Tree Administration Page 5-7
Validation Example: BOM Item Administration 5-8
Validation Example: BOM Attribute Administration Page 5-10
Summary 5-11

6 Oracle CPQ BOM Mapping Essentials

Objectives 6-2
Bill of Materials (BOM): Introduction 6-3
BOM Mapping: Overview 6-4
BOM Mapping 6-5
Hierarchical Relationships in BOM Mapping 6-6
BOM Platform Tables 6-7
BOM Item Definition Table 6-8
BOM Item Mapping Table 6-9
Product Lines and Models 6-10
BOM Attribute Mapping Table 6-11
BOM Attribute Translation Table 6-12
BOM Mapping Table Relationships 6-13
BOM Mapping Use Cases 6-14
Basic BOM Mapping Configuration Process Flow 6-16
Basic BOM Mapping Reconfiguration Process Flow 6-17
Full-Service BOM Mapping Configuration Process Flow 6-18
Full-Service BOM Mapping Reconfiguration Process Flow 6-19
Summary 6-20

7 Oracle CPQ Configuration Flow Essentials

Objectives 7-2
What Are Configuration Flows? 7-3
Wizard Node Types 7-4
Multiple Configuration Flows 7-5
Configuration Flows: Example 1 7-6
Multiple Configuration Flows: Example 2 7-7
Configuration Flow: Example User Side 7-8
Creating a Configuration Flow 7-9
Summary 7-11

8 Oracle CPQ Managing Configurable Attributes

Objectives 8-2
Attribute – Related Rules 8-3
Attribute - Related Rules 8-4

Ordering and Deleting Attributes 8-5
Attributes: Best Practices 8-6
Variable Name Notes 8-7
Summary 8-8

9 Oracle CPQ Working with Configurable Attributes

Objectives 9-2
Adding a New Configurable Attribute 9-3
Adding New Attributes 9-5
Menu Attribute Types 9-6
Editing an Attribute - Attribute Editor 9-7
Attribute Properties 9-8
Attribute Display Options 9-9
Attribute Menu Images 9-10
HTML Attributes: Basics 9-11
HTML Attributes and BML 9-12
HTML Attributes: Use Case 9-13
Summary 9-14

10 Oracle CPQ Configurable Attribute Essentials

Objectives 10-2
What Are Configurable Attributes? 10-3
Configurable Attributes 10-4
Configurable Attribute Data Types 10-5
Configurable Attribute Types 10-6
Summary 10-10

11 Oracle CPQ Product Hierarchy

Objectives 11-2
Product Definition and Catalog Definition 11-3
Linear Hierarchy 11-4
Tree-like Hierarchy 11-5
Product Hierarchy: Best Practices 11-6
Defining a Product Family 11-8
Add Support (Activate) the Product Family 11-9
Home Page Deploy 11-10
Product Lines and Models 11-11
Adding a Product Line 11-12
Adding a Model 11-13
Configuration Quick Links 11-14
Summary 11-15

12 Oracle CPQ Part Essentials

- Objectives 12-2
- What Is a Part? 12-3
- Part Data 12-4
- Creating Part Data 12-5
- Adding Parts to a Quote 12-6
- Adding Parts to a Quote Via Data Table Query 12-7
- Table-Based Rule Example: User Side 12-8
- Parts Link 12-9
- Adding a Part 12-10
- Entering Part Information and Adding a Part 12-11
- Part-Attribute Associations 12-13
- Part-Attribute Notes 12-14
- Summary 12-15

13 Oracle CPQ BOM Mapping Rules Essentials

- Objectives 13-2
- BOM Item Configuration Rules 13-3
- BOM Attribute Configuration Rules 13-4
- BOM Mapping Rule Execution 13-6
- Multiple BML Rules 13-7
- Effective Dates 13-8
- Mapping to Array Type Attributes 13-9
- BOM Pricing 13-10
- Define BOM Prices 13-11
- JavaScript Object Notation (JSON) 13-12
- JSON Syntax 13-13
- JSON Data Structures 13-14
- JSON Data Types 13-15
- BOM Instance 13-18
- BOM Instance Structure 13-19
- BOM Instance System Fields 13-20
- BOM Structure 13-22
- Quantity Fields 13-23
- Summary 13-24

14 Oracle CPQ Managing Configuration Rules

- Objectives 14-2
- Related Rules – Configuration Attributes 14-3
- Configuration Rule Precedence 14-5
- Recommendation Rule Order 14-6

- Attribute Dependencies 14-7
- Identify Conflicts 14-8
- Related Rule Components 14-9
- Recommendation Rule Conflicts 14-10
- Recommendation Rule Priority 14-11
- Recommendation Rule Priority: Example 14-12
- Recommendation Rule Set Type: Conflicts 14-13
- Hiding and Constraint Conflicts 14-14
- Resolving Internal Constraints 14-15
- Summary 14-16

15 Oracle CPQ Configuration Recommended Items Rules

- Objectives 15-2
- Recommended Items Rules 15-3
- Types of Recommended Items Rule 15-4
- Recommended Items Rule Use Case 15-5
- Accessing Configuration Recommended Items Rules 15-6
- Rule Editor Window 15-7
- Recommended Items Rules: Properties 15-8
- Recommended Items Rule Use Case 15-9
- Recommended Items Rule Use Case Results 15-10
- Table-Based Rule Use Case: Multiple Inputs 15-11
- Steps to Create a Table-Based Rule 15-12
- Summary 15-17

16 Oracle CPQ Configuration Recommendation Rules

- Objectives 16-2
- Recommendation Rules 16-3
- Recommendation Rule Use Case 16-4
- Accessing Configuration Recommendation Rules 16-5
- Rule Editor Window 16-6
- Recommendation Rules: Properties 16-7
- Recommendation Rule Use Case 16-8
- Recommendation Rule - BML Script 16-9
- Recommendation Rule Use Case Results 16-10
- Summary 16-11

17 Oracle CPQ Configuration Hiding Rules

- Objectives 17-2
- Hiding Rules 17-3
- Hiding Rule Use Case 17-4

- Accessing Configuration Hiding Rules 17-5
- Rule Editor Window 17-6
- Hiding Rules: Properties 17-7
- Hiding Rule Use Case 17-8
- Hiding Rule Use Case Results 17-9
- Summary 17-10

18 Oracle CPQ Configuration Constraint Rules

- Objectives 18-2
- Constraint Rules 18-3
- Constraint Rule Use Case 18-4
- Accessing Configuration Constraint Rules 18-5
- Rule Editor Window 18-6
- Constraint Rules: Properties 18-7
- Constraint Rule Use Case 18-8
- Constraint Rule Use Case Results 18-10
- Summary 18-11

19 Oracle CPQ Working with Configuration Rules

- Objectives 19-2
- Creating Rules 19-3
- Adding a Rule 19-4
- Rule Conditions 19-5
- Condition Types 19-6
- Simple Conditions 19-7
- Simple Logic with Grouping 19-8
- Row Grouping 19-9
- Action Attributes 19-10
- Rule: Best Practices 19-11
- Summary 19-13

20 Oracle CPQ Configuration Rules Essentials

- Objectives 20-2
- What Are Configuration Rules? 20-3
- How Configuration Rules Work 20-4
- Constraint Rules 20-5
- Recommendation Rules 20-6
- Hiding Rules 20-7
- Recommended Items Rules 20-8

Recommendation Rules Versus Recommended Items Rules	20-9
Simple Rules and Table-Based Rules	20-10
What Are Table-Based Rules?	20-11
Table-Based Rule Example	20-12
Table-Based Rule Example: User Side	20-13
Table Structure/Schema	20-14
Table Lookup Rules: Basics	20-15
When Is BMQL Required?	20-16
BML Table Lookup: Use Case	20-17
Rule List Administration Interface	20-18
AJAX Configuration Rules	20-19
AJAX Rules: Best Practices	20-20
Accessing Configuration Settings	20-21
Configuration Settings	20-22
Pending Configurations Settings	20-23
Summary	20-24

21 Oracle CPQ Configurable Attribute Arrays

Objectives	21-2
Configurable Attribute Arrays	21-3
Array Components	21-5
Adding an Array Set	21-6
Associating Attributes with an Array Set	21-7
Displaying Indicator Icons for Editable Fields	21-8
Controlling Page Size for Configuration Arrays	21-9
Manage Columns for Configuration Vertical Arrays	21-10
Manage Rows for Configuration Horizontal Arrays	21-11
Freezing Columns for Configuration Vertical Arrays	21-12
Hiding Columns for Configuration Vertical Arrays	21-13
Hiding Rows for Configuration Horizontal Arrays	21-14
Summary	21-15

22 Oracle CPQ Bulk Data Services

Objectives	22-2
Bulk Data Upload/Download	22-3
Accessing Bulk Data Download Services	22-5
Bulk Download Categories	22-6
Selecting a Download Type	22-7
Bulk Download Status	22-8

Bulk Data Upload: Best Practices 22-9
Accessing Bulk Data Upload Services 22-10
Bulk Data Upload File Selection 22-11
Bulk Data Upload Logs 22-12
Summary 22-13

