



# Manage & Govern Enterprise Data Assets with Enterprise Data Management Cloud

Student Guide

D105787GC10

Learn more from Oracle University at [education.oracle.com](https://education.oracle.com)



**Copyright © 2025, Oracle and/or its affiliates.**

### **Disclaimer**

This document contains proprietary information and is protected by copyright and other intellectual property laws. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

### **Restricted Rights Notice**

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

### **Trademark Notice**

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

### **Third-Party Content, Products, and Services Disclaimer**

This documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

1009102025

# Contents

## **1 Introduction to Oracle Enterprise Data Management Cloud**

- Objectives 1-2
- Enterprise Data Management Use Cases 1-3
- Enterprise Data Management Process 1-4
- Summary 1-5

## **2 Registering Applications**

- Objectives 2-2
- Enterprise Data Management Applications 2-3
- Registering Applications 2-4
- Application Types 2-5
- Application Connections 2-6
- Defining Applications 2-7
- Completing Registration 2-8
- Application Registration Examples 2-9
- Summary 2-11

## **3 Understanding the Information Model**

- Objectives 3-2
- Application Objects 3-3
- Application Objects: Additional Views 3-4
- Data Chain Objects: Node Type 3-5
- Data Chain Objects: Hierarchy Set 3-6
- Data Chain Objects: Node Set 3-7
- Data Chain Objects: Viewpoint 3-8
- Data Chains for Lists 3-9
- Data Chains for Hierarchies 3-10
- Lists and Hierarchies 3-11
- Properties 3-12
- Alternate Hierarchies and Top Nodes 3-13
- Shared Nodes 3-14
- Summary 3-15

## **4 Working with Enterprise Data Using Views**

- Objectives 4-2
- Views 4-3
- Time Labels 4-4
- Viewpoints 4-5
- Duplicate Viewpoint Tabs 4-6
- Exploring and Managing Data 4-7
- Validating Data 4-8
- Comparing Data 4-9
- Compare Profiles 4-10
- Node Links in Viewpoint Comparisons 4-11
- Creating and Saving Compare Profiles 4-12
- Downloading Compare Results 4-13
- Inspecting Viewpoints 4-14
- Inspecting Viewpoints: General Tab 4-15
- Inspecting Viewpoints: Definition Tab 4-16
- Inspecting Viewpoints: Related Viewpoints 4-17
- Inspecting Viewpoints: Properties Tab 4-18
- Inspecting Viewpoints: Queries Tab 4-19
- Inspecting Viewpoints: Subscriptions Tab 4-20
- Inspecting Viewpoints: Lineage Tab 4-21
- Inspecting Viewpoints: Data Chain Tab 4-22
- Viewpoint Queries 4-23
- Defining Queries 4-24
- Private and Public Queries 4-25
- Promoting Queries 4-26
- Orphan Node Queries to Reconcile and Complete Hierarchies 4-27
- Downloading Viewpoints 4-28
- Summary 4-29

## **5 Changing Enterprise Data with Requests**

- Objectives 5-2
- Using Requests to Change Data 5-3
- Changing Data 5-4
- Change Actions 5-5
- Model After Overview 5-6
- Adding a Node by Modeling After an Existing Node 5-7
- Considerations for Model After 5-8
- Creating a Node in the Same Viewpoint 5-9
- Visualizing Request Changes 5-10
- Working with the Node Clipboard 5-11

- Loading Request Items from a File 5-12
- Validating Requests 5-13
- Working with Request Comments 5-14
- Working with Request Attachments 5-15
- Request Actions 5-16
- Considerations for Assigning Requests 5-17
- Collaborating 5-18
- Considerations for Collaborating 5-19
- Setting Request Priority 5-20
- Submitting Requests 5-21
- Working with Request Activity 5-22
- Inspecting Requests 5-23
- Downloading Requests to Files 5-24
- Summary 5-25

## **6 Matching and Merging**

- Objectives 6-2
- Matching and Merging 6-3
- Use Cases 6-4
- Process Overview 6-5
- Data Sources 6-6
- Creating Data Sources 6-7
- Matching Rules 6-8
- Creating Matching Rules 6-9
- Editing Matching Rules: General Parameters 6-10
- Match Scores Explained 6-11
- Editing Matching Rules: Definition Parameters 6-12
- Survivorship Rules 6-13
- Creating Survivorship Rules 6-14
- Editing Survivorship Rules: General Parameters 6-15
- Editing Survivorship Rules: Definition Parameters 6-16
- Creating a Change Request 6-17
- Creating and Running Matches 6-18
- Matching Workbench 6-19
- Accepting, Rejecting, or Skipping Match Results 6-20
- Applying or Discarding Changes from Match Results 6-21
- Selecting the Properties to Keep During a Merge 6-22
- Submitting the Change Request 6-23
- Summary 6-24

## **7 Creating Views and Viewpoints**

- Objectives 7-2
- Creating Views 7-3
- Viewpoints Overview 7-5
- Alternate Viewpoints 7-6
- Related Viewpoints 7-7
- Example: Same Nodes 7-8
- Example: Different Nodes 7-9
- Example: Different Relationships 7-10
- Example: New Node Types 7-11
- Understanding Bindings and Bound Data Objects 7-12
- Binding Rules 7-13
- Binding Status 7-14
- Creating Viewpoints 7-15
- General Settings 7-16
- Defining the Viewpoint 7-17
- Property Groups 7-18
- Creating and Assigning Property Groups 7-19
- Setting Properties as Columns 7-20
- Copying Viewpoints 7-21
- Viewpoint Copy: Filtering 7-22
- Viewpoint Copy: What-if Scenarios 7-23
- Viewpoint Copy: Sandbox 7-24
- Time Labels 7-25
- Time-Labeled Viewpoints 7-26
- Creating a Time Label 7-27
- Working with Time-Labeled Viewpoints 7-28
- Archiving, Unarchiving, and Deleting Viewpoints 7-29
- Summary 7-30

## **8 Working with Properties**

- Objectives 8-2
- Properties 8-3
- Property Data Types 8-4
- Property Origin 8-5
- Inherited Properties 8-6
- Derived Properties 8-7
- Derived and Stored Properties 8-8
- Sequence Properties 8-9
- Email and Hyperlink Subtypes for String Properties 8-10
- Node List Data Type Properties 8-11

- Defining Allowed Values for a Property 8-12
- Defining Invalid Values for a Property 8-13
- Configuring Properties for Viewpoints 8-14
- Downloading Property Definitions 8-15
- Summary 8-16

## **9 Building Expressions**

- Objectives 9-2
- Expressions 9-3
- Expression Contexts 9-4
- Expression Terminology 9-6
- Defining Expressions in the Expression Builder 9-7
- Testing Expressions in the Expression Builder 9-8
- Copying and Pasting in Expressions 9-9
- Saving and Loading Expressions 9-10
- Calculating Name for Nodes Added to Viewpoints 9-11
- Example: Calculating Name Based on Sibling Name or Parent Name 9-12
- Calculating the Parent of a Node 9-14
- Example: Calculating the Parent of a Node 9-15
- Example: Loading a Request from File with Unknown Parent 9-16
- Best Practices for Building Expressions 9-17
- Summary 9-18

## **10 Configuring Validations**

- Objectives 10-2
- Validations and Constraints 10-3
- System Validations 10-4
- Predefined Validations 10-5
- Custom Validations 10-6
- Creating Custom Validations 10-7
- Configuring Custom Validations 10-8
- Request Validation Scope 10-9
- Validation Severity and Timing Execution 10-10
- Best Practices for Configuring Custom Validations 10-11
- Running Validations 10-12
- Running Selected Validations for Nodes 10-13
- Constraints 10-14
- Summary 10-15

## **11 Sharing Enterprise Data Across Applications**

- Objectives 11-2
- Sharing Enterprise Data Across Applications 11-3
- Example: Sharing Enterprise Data Across Applications 11-4
- Example: Aligning Enterprise Data Across Applications 11-5
- Node Type Converters 11-6
- Converting Node Types 11-7
- Property Transformations 11-8
- Node Type Qualifiers 11-9
- Data Sources and Node Links 11-10
- Viewing Node Links 11-11
- Lookup Sets 11-12
- Lookup Dimensions 11-13
- Node Name Transformations 11-14
- Node Parent Transformations 11-15
- Example: Parent Transformation Part 1 – Adding Nodes 11-16
- Example: Parent Transformation Part 2 – Comparing Viewpoints 11-17
- Example: Parent Transformation Part 3 – Expression 11-18
- Example: Parent Transformation Part 4 – Result 11-19
- Aligning Nodes 11-20
- Aligning Relationships and Properties 11-21
- Summary 11-23

## **12 Synchronizing Data Across Applications**

- Objectives 12-2
- Synchronizing Changes across Applications 12-3
- Change Management Architecture: Application Design Patterns 12-4
- Best Practices for Subscription Design 12-5
- Security Considerations 12-7
- Defining Subscriptions 12-8
- Defining Subscriptions: Definition 12-9
- Copy and Model After Operations in Subscriptions 12-10
- Defining Subscriptions: Filters 12-11
- Considerations for Name Transformations and Calculated Parent 12-12
- Considerations for Removes and Deletes 12-13
- Process Flow for Subscription Requests 12-14
- Example: Single Subscription Assignee for Request Items 12-16
- Example: Multiple Subscription Assignees for Request Items 12-17
- Example: Standalone Requests 12-18
- Top Node Filters for Subscriptions 12-19
- Working with Subscription Requests 12-20

Taking Action on Assigned Requests 12-21  
Viewing Request Lineage 12-22  
Viewing Viewpoint Lineage 12-23  
Summary 12-24

### **13 Mapping Data Across Applications**

Objectives 13-2  
Mapping One Source to Multiple Targets 13-3  
Viewpoints for One Source to Multiple Target Applications 13-4  
Mapping Multiple Sources to a Single Target Application 13-5  
Mapping Hierarchies for Multiple Sources to Single Target 13-6  
Map Bindings and Mapping Data Chain 13-7  
Creating Map Bindings 13-9  
Mapping Nodes Interactively 13-10  
Mapping Nodes Interactively: Example 13-11  
Mapping Keys 13-12  
Example: Mapping Keys 13-13  
Special Use Cases for Mapping 13-14  
Implicit Data Maps for Oracle EPM Cloud 13-15  
Implicit Data Maps: How They Work 13-16  
Custom Data Sets for Mappings in Oracle Financials Cloud General Ledger 13-17  
Managing Mappings for a Chart of Accounts Redesign 13-18  
Configurations Using Legacy GL Node Types 13-19  
Creating Legacy GL Node Types 13-20  
Predefined Properties for Legacy GL Node Types 13-21  
Creating Map Bindings Using the Legacy GL Node Type 13-22  
Summary 13-23

### **14 Controlling User Access**

Objectives 14-2  
Security Levels 14-3  
Assigning Application Roles 14-4  
Data Security Explained 14-5  
Permissions and Permission Levels 14-6  
Inclusive and Additive Permissions 14-7  
Combining Inclusive and Additive Permissions 14-8  
Permissions and Data Access 14-9  
Assigning Permissions 14-10  
Configuring Data Access: Coarse Grain 14-11  
Configuring Data Access: Fine Grain 14-12  
Uploading and Downloading Node Type Permissions 14-13

Tailoring the End User Experience 14-14  
Creating View Filters 14-15  
Configuring Allowed Actions and Property Settings for a Viewpoint 14-16  
Summary 14-17

## **15 Governing Data**

Objectives 15-2  
Governing Enterprise Data 15-3  
Governing Enterprise Data in Any Change Context 15-4  
Policies 15-5  
Where Policies Are Defined 15-6  
Use Cases for Fine-Grain Policies: Node Type 15-7  
Use Cases for Fine-Grain Policies: Hierarchy Set 15-8  
Policy Definition Level Example 15-9  
Policies and Permissions 15-10  
Request Workflow Stages 15-11  
Submit Stage 15-12  
Approve Stage 15-13  
Approve Stage: Recall, Reject, or Withdraw 15-14  
Commit Stage 15-15  
Comments and Attachments 15-16  
Disabling Request Workflow for Applications 15-17  
Blockout Periods 15-18  
Application and Dimension Blockout Periods 15-19  
Blockouts in Affected Viewpoints 15-20  
Recurring Blockout Periods 15-21  
System Settings for Requests 15-22  
Prevented Actions by Request Type 15-23  
Prevent Deletion of Submitted Requests 15-24  
Purge Completed Request Actions 15-25  
Delegating Users to Approve and Commit Requests 15-26  
Approval Methods 15-27  
Parallel Approval 15-28  
Serial Approval 15-29  
Ownership Approval 15-30  
Required Setup 15-31  
Ownership Approval Method Configuration 15-32  
Example: Dynamic Ownership Approvals 15-33  
Management Hierarchy Approval 15-34  
Management Hierarchy Approval: Fixed Fulfillment 15-35  
Management Hierarchy Approval: Variable Fulfillment 15-36

Creating Policies	15-37
Configuring Approval Policy Settings: Definition	15-38
Configuring Approval Policies: Filters	15-40
Configuring Commit Policies	15-41
Configuring Notification Policies	15-42
Policy Order Processing	15-43
Policy Ordering Use Cases	15-44
Viewing the Policy Execution Plan	15-45
Viewing the Request Workflow	15-46
Consolidation Requests: Governance in Multiple Rounds	15-47
Consolidating Requests	15-48
Escalation Management	15-49
Escalation Examples	15-50
Summary	15-51

## **16 Loading Data from External Applications**

Objectives	16-2
Loading Enterprise Data from External Applications	16-3
Comparison of Loading Methods	16-4
Working with Dimension Imports	16-6
Importing Dimensions	16-7
Import Configuration	16-8
Sources for Importing Data	16-9
Import Modes	16-10
System Process for Merge Imports	16-12
Reviewing Import Status	16-13
Viewing Imported Data	16-14
Viewpoint Loads	16-15
Working with Viewpoint Loads	16-16
Viewpoint Loads Versus Imports	16-17
Viewpoint Load Modes	16-18
Default and Defined Loads	16-19
Defined Load Columns	16-20
Defined Load Options	16-21
Defined Load Merge Options	16-22
Load File Format	16-23
Running Viewpoint Loads	16-24
Summary	16-25

## **17 Distributing Data to External Applications**

- Objectives 17-2
- Consuming Enterprise Data 17-3
- Consumers of Enterprise Data 17-4
- Comparison of Distribution Methods 17-5
- Exporting Dimensions and Mappings 17-7
- Exporting Dimensions to a Connection 17-8
- Export Order for Nodes and Relationships 17-9
- Exporting Mappings 17-10
- Considerations for Exporting Mappings 17-11
- Exporting to External Applications 17-12
- Exporting One Dimension to Multiple External Applications 17-13
- Global Connections 17-15
- Viewpoint Extracts 17-16
- Viewpoint Extracts Versus Dimension Exports 17-17
- Creating Extracts 17-18
- Full Extracts 17-19
- Configuring Full Extracts: General 17-20
- Configuring Full Extracts: Columns 17-21
- Configuring Full Extracts: Options – Filter Parameters 17-22
- Configuring Full Extracts: Options – File and Data Format 17-23
- Incremental Extracts 17-24
- Configuring Incremental Extracts: General 17-25
- Configuring Incremental Extracts: Columns 17-26
- Incremental Extracts: Compare and Output Settings 17-27
- Configuring Incremental Extracts: Incremental 17-28
- Configuring Incremental Extracts: Options 17-29
- Generational Extracts 17-30
- Configuring Generational Extracts: General 17-31
- Configuring Generational Extracts: Columns 17-32
- Configuring Generational Extracts: Generational 17-33
- Configuring Generational Extracts: Options 17-34
- Link Extracts 17-35
- Configuring Link Extracts: General 17-36
- Configuring Link Extracts: Columns 17-37
- Configuring Link Extracts: Link 17-38
- Configuring Link Extracts: Options 17-39
- Extract Visibility 17-40
- Copying Extracts 17-41
- Extract Packages 17-42
- Considerations for Extract Packages 17-43

Combined Output Example: Reporting	17-44
Combined Output Example: Integration	17-45
Creating Extract Packages	17-46
Configuring Extract Packages: General	17-47
Configuring Extract Packages: Extracts	17-48
Running Extracts and Extract Packages as Reports	17-49
Running Extracts for Data Integration	17-50
Running Extract Packages for Data Integration	17-51
Summary	17-52

## **18 Reporting and Analysis**

Objectives	18-2
Reporting and Analysis Overview	18-3
Reports Overview	18-4
Extracts Reports	18-5
Viewpoint Extracts Report	18-6
Extract Packages Report	18-7
Permissions and Policies Reports	18-8
Navigating Permissions and Policies Reports	18-9
Filters in Permissions and Policies Reports	18-10
Subscriptions Report	18-11
Custom Validations Report	18-12
System Activity Report	18-13
Record Count Log Report	18-14
Working with Dashboards	18-15
Working with the Filter Bar	18-16
Saving Filters and Adding Favorites	18-17
Working with the Scoreboard	18-18
Change Management Dashboard	18-19
Performing System Audits	18-20
Auditing Transaction History	18-21
Auditing System Events	18-22
Auditing Permissions	18-23
Auditing Policies	18-24
Auditing Properties	18-25
Summary	18-26

## **19 System Administration**

Objectives	19-2
Working with Templates	19-3
Template Considerations	19-4

Exporting to a Template	19-5
Importing from a Template	19-6
Life Cycle Management	19-7
Automating Tasks Tools	19-8
Summary	19-9