



Manage Global Account Reconciliation Using Account Reconciliation Cloud

Student Guide

D1101016GC10

Learn more from Oracle University at education.oracle.com



Copyright © 2025, Oracle and/or its affiliates.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Trademark Notice

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

1008252025

Contents

1 Account Reconciliation: Solution Overview

- Objectives 1-2
- General Ledger: Overview 1-3
- General Ledger: Components and Best Practice 1-4
- Account Reconciliation: Overview 1-6
- Account Reconciliation: Importance of Account Reconciliation 1-7
- Reconciliation Process: Non-System-Based Approach 1-8
- Reconciliation Process: Non-System-Based Approach: Illustration 1-9
- Reconciliation Process: Disadvantages of Non-System-Based Approach 1-10
- Oracle Cloud EPM Account Reconciliation: Key Capabilities 1-11
- Oracle Cloud EPM Account Reconciliation: Overview 1-12
- Reconciliation Compliance: Types of Compliance Validations 1-13
- Reconciliation Compliance Terminology – 1 1-14
- Reconciliation Compliance Terminology – 2 1-15
- Reconciliation Compliance Methods 1-16
- Balance Comparison Method 1-17
- Account Analysis Method 1-18
- Variance Analysis Method 1-19
- Reconciliation Compliance Process 1-20
- Transaction Matching: Overview 1-22
- Transaction Matching: Terminology 1-23
- Transaction Matching: Setups 1-24
- Transaction Matching: Workflow Process 1-25
- Transaction Matching: Ways of Matching 1-26
- Summary 1-27

2 Navigating Within Account Reconciliation

- Objectives 2-2
- User Roles 2-3
- Home: Log In to Account Reconciliation 2-5
- Home 2-6
- Home: Announcement Panel and Global Header 2-7
- Home: Navigator 2-8
- Home: Cards 2-9
- Home: Clusters 2-10

Home: Dashboards Cluster 2-11
Home: Application Cluster 2-12
Home: Tools Cluster 2-14
Settings and Actions Menu 2-15
Settings and Actions Menu: Preferences – General 2-16
Settings and Actions Menu: Preferences – Teams 2-17
Settings and Actions Menu: Preferences – Notifications 2-18
Filters: Overview 2-19
Filters: Using Filters 2-20
Filters: Filter View – Illustration 2-21
Filters: Creating a New Filter 2-22
Filters: Save a Filter 2-23
Filters: Selecting Saved Filter 2-24
Filters: Export Data to Excel File 2-25
Views 2-26
Views: List View 2-27
Views: List View Customization 2-28
Views: Pivot View 2-29
Views: Customizing Pivot View 2-30
Views: Chart View and Types 2-32
Views: Chart View 2-33
Views: Customizing Chart View 2-34
Accessing Reconciliations 2-36
Accessing Reconciliations: Worklist 2-37
Accessing Reconciliations: Reconciliations 2-38
Accessing Reconciliations: Dashboards 2-39
Summary 2-40

3 Configuring Reconciliation Compliance

Objectives 3-2
Configuring Reconciliation Compliance 3-4
Attributes: Overview 3-6
Attributes: Data Types 3-8
System Attributes: Overview 3-9
Profile Segments: Overview 3-10
Profile Segments: Creating Profile Segment 3-11
Currency 3-12
Currency: Define New Currency 3-13
Currency: Rate Types 3-14
Currency: Currency Rates 3-15
Currency: Currency Rates - Illustration 3-16

Currency: Currency Buckets - Illustration 3-17
Organizations 3-18
Organizations: Calendars - Overview 3-19
Organizations: Calendars – Add New Calendar 3-21
Organizations: Holidays Rules 3-22
Organizations: Holiday: Add Holiday Rules 3-23
Organization: Holiday - Importing Holiday List 3-24
Organization: Creating Organizational Unit 3-25
Organizational: Importing Organizational Units 3-27
System Settings 3-28
Teams 3-30
Teams: Defining Teams 3-31
Teams: Export and Import Team Data 3-32
Teams: Export Team Data 3-34
Periods: Overview 3-35
Periods: Creating Periods 3-36
Periods: Period Status 3-37
Period: Viewing Period History 3-38
Period: Editing and Deleting Periods 3-39
Rules Overview 3-40
Relationship Between Account Reconciliation
 Key Components 3-41
Formats: Overview 3-42
Formats: Reconciliation Compliance Formats 3-43
Formats: Example – Balance Comparison Format 3-44
Formats: Example – Account Analysis 3-45
Formats: Design 3-47
Format: Properties 3-48
Format: Instructions 3-50
Format: Add Attributes 3-51
Format: Questions 3-52
Format: Rules 3-53
Profile: Overview 3-55
Profile: Example 3-57
Profiles: Properties 3-58
Profiles: Instructions 3-60
Profile: Workflow - Overview 3-61
Profile: Workflow 3-62
Profile: Currency 3-64
Profile: Access 3-65
Profile: Attributes 3-66

Profile: Rules 3-67
Profile: History 3-68
Exporting Profiles 3-69
Importing Profile 3-70
Summary 3-71

4 Managing Reconciliations

Objectives 4-2
Reconciliation Types 4-4
Reconciliation Types: Individual Reconciliation 4-5
Reconciliation Types: Summary Reconciliation 4-7
User Roles and Their Tasks 4-8
Manage Period Statuses 4-9
Workflow Tasks for Services Administrator 4-10
Creating Reconciliations: Overview 4-12
Creating Reconciliations: From Periods 4-13
Creating Reconciliations: From Profiles 4-14
Creating Reconciliations: Using EPM Automate Command 4-15
Creating Reconciliations: Missing Reconciliations 4-16
Creating Reconciliations: Missing Reconciliations - Illustration 4-17
Attachments: Overview 4-18
Attachments: Actions 4-19
Attachments: Roles and Permissions 4-20
Attachments: Add Attachments to a Reconciliation 4-21
Attachments: Edit or Delete 4-22
Comments: Required Permissions 4-23
Comments: Add Comments 4-24
Manage Reconciliation: Life Cycle Overview 4-25
Manage Reconciliation: Opening 4-26
Reconciliations Actions: Reopen 4-27
Manage Reconciliation: Summary 4-28
Preparers Role: Workflow Tasks 4-29
Preparers Role: Preparing Reconciliation 4-30
Preparers Role: Submitting Reconciliations 4-31
Reviewers Role: Workflow Task 4-32
Reviewers Role: Approving or Rejecting Reconciliations 4-33
Reconciliation Actions: Requesting Reassignment 4-34
Reconciliations Actions: Reassigning Request - Illustrations 4-35
Reconciliations Actions: Approve or Reject Reassignment Request 4-36
Reconciliations Actions: Add Users to Reconciliations 4-37
Group Reconciliation: Overview 4-38

- Group Reconciliations: Scenario 4-40
- Group Reconciliations: Example 4-41
- Group Reconciliations: Setup 4-42
- Group Reconciliations: Reconciliation View - Illustration 4-44
- Summary Reconciliations: Characteristics 4-45
- Summary Reconciliations: Setup 4-46
- Summary Reconciliations: Setup - Add Accounts 4-47
- Summary Reconciliations: Example 4-48
- Summary Reconciliations: Key Differences 4-49
- Summary 4-51

5 Importing Data into Account Reconciliation

- Objectives 5-2
- Data Integrations 5-4
- Methods of Loading Data into Account Reconciliation 5-5
- Set Up and Configure Data Integration: Overview 5-6
- Set Up and Configure Data Integration: Data Load Process 5-8
- Set Up and Configure Data Integration: Registering Applications 5-9
- Set Up and Configure Data Integration: Registering Applications - Category 5-10
- Set Up and Configure Data Integration: Creating Period Mappings 5-12
- Set Up and Configure Data Integration: Creating Period Mappings - Types 5-14
- Set Up and Configure Data Integration: Creating Category Mappings 5-16
- Set Up and Configure Data Integration: Creating Category Mappings -
Global Mapping 5-17
- Set Up and Configure Data Integration: Creating Category Mappings -
Application Mapping 5-18
- Creating Integration: Steps 5-19
- Creating File-Based Integration 5-20
- Creating File-Based Integration: Set File Import Options 5-21
- Creating File-Based Integration: General Details - Location Attributes 5-22
- Creating File-Based Integration: Mapping Dimensions 5-23
- Creating File-Based Integration: Mapping Members - Overview 5-24
- Creating File-Based Integration: Mapping Members – Mapping Types 5-25
- Creating File-Based Integration: Mapping Dimension Members: Add 5-26
- Creating File-Based Integration: Setting Options 5-28
- Running Integrations 5-29
- Running Integrations: Options tab 5-30
- Running Integration: Workbench 5-32
- Running Integration: Viewing Results in the Workbench 5-33
- Running Integration: Process Details 5-34
- Data Management 5-35

Importing Data Using Data Management: Types of Data Load	5-36
Importing Data Using Data Management	5-37
Data Management Feature Migrated to Data Integration	5-38
Data Management: Navigation	5-39
Data Management: Setup Tab	5-40
Data Management: Workflow Tab	5-41
Importing Data Using Data Management: Import Format	5-42
Importing Data Using Data Management: Import Format - Illustration	5-43
Importing Data Using Data Management: Creating Location	5-44
Importing Data Using Data Management: Creating Location - Illustration	5-45
Importing Data Using Data Management: Mapping Member	5-46
Importing Data Using Data Management: Mapping Member - Illustration	5-47
Importing Data Using Data Management: Define Data Load Rules	5-48
Importing Data Using Data Management: Define Data Load Rules - Illustration	5-49
Importing Data Using Data Management: Run Data Load Rules	5-50
Importing Data Using Data Management: View Process Details	5-51
Importing Data Using Data Management: Workbench	5-52
Using Bank Statement Formats for Data Load	5-53
Using Bank Statement Formats for Data Load: Verifying BAI Bank Statement Balances	5-54
Using Bank Statement Formats for Data Load: Registering Application	5-55
Using Bank Statement Formats for Data Load: Enabling the Verify Statement Balance Option	5-56
Importing Data into Account Reconciliation	5-57
Importing Data into Account Reconciliation: Adding Data Load Definition	5-58
Importing Data into Account Reconciliation: Balances – Import Mode	5-59
Importing Data into Account Reconciliation: Executing Data Load	5-60
Importing Data into Account Reconciliation: Executing Data Load - Illustration	5-61
Importing Data into Account Reconciliation: Viewing Data Load Results	5-62
Importing Data into Account Reconciliation: Account Reconciliation View	5-63
Summary	5-64

6 Create and Manage Rules

Objectives	6-2
Rule: Overview	6-3
Rules: How Rules Work in ARCS	6-4
Format and Profile Rules	6-5
Adding Rules to Formats and Profiles	6-6
Adding Rules to Formats	6-7
Adding Rules to Profiles	6-9
Format and Profile Rules: 1. Auto Approve Reconciliation	6-11

Format and Profile Rules: 1. Auto Approve Reconciliation: Example 6-12

Format and Profile Rules: 2. Auto Submit Reconciliation 6-13

Format and Profile Rules: 2. Auto Submit Reconciliation: Example 6-14

Format and Profile Rules: 3. Prevent Reconciliation Approval 6-15

Format and Profile Rules: 3. Prevent Reconciliation Approval: Example 6-16

Format and Profile Rules: 4. Prevent Reconciliation Submission 6-17

Format and Profile Rules: 4. Prevent Reconciliation Submission: Example 6-18

Format and Profile Rules: 5. Prevent Reconciliation Rejection 6-19

Format and Profile Rules: 5. Prevent Reconciliation Rejection: Example 6-20

Format and Profile Rules: 6. Require Reconciliation Attachment 6-21

Format and Profile Rules: 6. Require Reconciliation Attachment: Example 6-22

Format and Profile Rules: 7. Send Email on Update 6-23

Format and Profile Rules: 7. Send Email on Update: Example 6-24

Format and Profile Rules: 8. Create an Alert 6-25

Format and Profile Rules: 8. Create an Alert: Example 6-26

Format and Profile Rules: 9. Setting Attribute Value 6-27

Format and Profile Rules: 9. Setting Attribute Value: Example 6-28

Format and Transaction Rules 6-29

Format and Transaction Rules: Implementation 6-30

Format and Transaction Rules: 1. Copy Transaction from Prior Reconciliation 6-31

Format and Transaction Rules: 1. Copy Transaction from Prior Reconciliation:
Example 6-32

Format and Transaction Rules: 2. Prevent Amount Edit Rule 6-33

Format and Transaction Rules: 2. Prevent Amount Edit Rule: Example 6-34

Format and Transaction Rules: 3. Prevent Transaction Delete 6-35

Format and Transaction Rules: 3. Prevent Transaction Delete Rule: Example 6-36

Format and Transaction Rules: 4. Prevent Transaction Save Rule 6-37

Format and Transaction Rules: 4. Prevent Transaction Save Rule: Example 6-38

Format and Transaction Rules: 5. Require Transaction Attachment Rule 6-39

Format and Transaction Rules: 5. Require Transaction Attachment Rule:
Example 6-40

Format and Transaction Rules: Illustration 6-41

Summary 6-42

7 Group Attributes

Objectives 7-2

Group Attributes: Overview 7-3

Group Attributes: Uses and Benefits 7-4

Configure Group Attributes: Reconciliation Compliance 7-5

Configure Group Attributes: Transaction Matching 7-6

Group Attribute Properties 7-7

- Defining Member Attributes 7-8
- Specifying Values for Group Member Attributes 7-9
- Exporting Group Attribute Member Values 7-10
- Importing Group Attribute Member Values 7-11
- Editing Group Attributes 7-12
- Deleting Group Attributes 7-13
- Deleting Group Attributes: Illustration 7-14
- Summary 7-15

8 Transaction Matching

- Objectives 8-2
- Transaction Matching: Overview 8-4
- Transaction Matching: Benefits 8-5
- Transaction Matching: Use Cases - 1 8-6
- Transaction Matching: Use Cases - 2 8-7
- Transaction Matching: Use Cases - 3 8-8
- Transaction Matching: Use Cases - 4 8-9
- Transaction Matching: Terminology 8-10
- Transaction Types in Transaction Matching: Illustration 8-11
- Transaction Matching: Status 8-12
- Transaction Matching: Reconciliation Methods 8-14
- Setting Up Transaction Matching 8-15
- Setting Up Transaction Matching: Match Types - Overview 8-16
- Transaction Matching: Creating Match Types 8-17
- Match Types: Properties 8-18
- Match Types: Data Sources 8-19
- Match Types: Data Sources - Illustration 8-20
- Match Types: Data Sources - Attribute 8-21
- Match Types: Transaction Types 8-23
- Match Types: Match Process - Overview 8-24
- Match Types: Match Process - Properties 8-25
- Match Types: Match Process: Rule Types 8-26
- Match Types: Match Process - Rules 8-27
- Match Types: Match Process - Rule Examples 8-28
- Match Types: Match Process - Create Rules 8-29
- Match Types: Match Process: Manual Match 8-30
- Running Auto Match: Overview 8-31
- Match Types: Match Process - Auto Match 8-32
- Match Types: Match Process - Auto Match Illustration 8-34
- Match Types: Match Process: Auto Match - Filtering Transactions 8-35
- Match Types: Match Process: Auto Match - Grouping Transactions 8-36

Match Types: Match Process - Default Adjustment Values 8-37
Duplicate and Reorder Auto Match Rules in Transaction Matching 8-38
Setting Up Formats For Transaction Matching 8-40
Setting Up Profile for Transaction Matching 8-41
Exporting Match Types 8-42
Importing Match Types 8-43
Running Auto Match: Workflow 8-44
Running Auto Match: Illustration 8-45
Matching: Overview 8-46
Importing Transaction to Data Source: Overview 8-47
Importing Transactions to Data Source: File Format 8-48
Importing Transactions to Data Source: Create File 8-49
Importing Transactions to Data Source: Run Import 8-50
Importing Premapped Balances to Data Source: Overview 8-51
Importing Premapped Balances to Data Source: Import 8-52
Matching: Matching and Transaction Tab View 8-53
Matching: Matching Dialog 8-54
Matching: Overview Tab 8-55
Suggested Matches: Overview 8-56
Suggested Matches: Matching and Transaction Tab 8-57
Suggested Matches: Suggested Match Tab 8-58
Suggested Matches: Transactions Matches Tab 8-59
Unmatched Transaction 8-60
Unmatched Transaction: Adjustments 8-61
Reports: Balance Report Summary 8-63
Reports: Balance Report Transaction 8-64
Searching Transactions in Transaction Matching: Features 8-65
Searching Transactions in Transaction Matching: Illustration 8-66
Summary 8-67

9 Balancing Rules

Objectives 9-2
Five Golden Balancing Rules 9-3
Golden Rule #1: Unmatched 9-4
Golden Rule #2: Unmatched 9-5
Golden Rule #3: Matched – Two Sources 9-6
Golden Rule #3: Matched – Single Source 9-7
Golden Rule #4: Matched – All After Period End Date 9-8
Golden Rule #5: Matched – Two Sources 9-9
Golden Rule #5: Matched – Single Source 9-10
Golden Rule #5: Matched – Adjustments 9-11

Golden Rule #5: Matched – Two Sources & Adjustments 9-12
Matching and Period End Date: Real-Time Scenarios 9-13
Real-Time Scenario: Timing Delay 9-14
Real-Time Scenario: Imperfect Match 9-15
Real-Time Scenario: Discrepancy 9-16
Real-Time Scenario: 4 9-17
About Cosmetic and Non-Cosmetic Changes 9-18
Cosmetic Changes to Transactions in Transaction Matching: Overview 9-20
Cosmetic Changes to Transactions in Transaction Matching 9-21
Non-Cosmetic Changes to Transactions in Transaction Matching: Overview 9-22
Non-Cosmetic Changes to Transactions in Transaction Matching 9-23
Closed Through Date 9-24
Locked Through Date 9-25
Reverse Adjustments 9-26
Reverse Adjustments: Example 9-28
Summary 9-29

10 Alerts Management

Objectives 10-2
Alerts: Overview 10-3
Alert Types: Overview 10-4
Creating an Alert Type 10-5
Creating Alert Types: Illustration 10-7
Creating Alert Types: Properties 10-8
Creating Alert Types: Instructions 10-10
Creating Alert Types: Workflow 10-11
Creating Alert Types: Viewers 10-12
Creating Alert Types: Questions 10-13
Creating Alert Types: Attributes 10-14
Creating Alert Types: History 10-15
Creating Alerts: From Alerts 10-16
Creating Alerts: From Reconciliations 10-17
Creating Alerts: From Matching 10-18
Creating Alerts: Illustration 10-19
Viewing Alerts 10-20
Viewing Alerts: Alert Actions 10-21
Alert Actions and Available Roles 10-22
Updating Alerts 10-23
Alert Rules: Overview 10-25

Creating Alert Rules: Process flow at each level 10-26
Creating Alert Rules: New Rule 10-27
Summary 10-28

11 Data Loading Using EPM Automate and Web Services

Objectives 11-2
EPM Automate Overview and Utility Commands 11-3
EPM Automate Overview 11-4
Automating Repeatable Tasks 11-5
Downloading and Installing EPM Automate: Windows 11-6
Downloading and Installing EPM Automate: Linux/UNIX/macOS X 11-7
Launching EPM Automate: Windows 11-8
Launching EPM Automate: macOS X, Linux 11-9
Launching EPM Automate: Login – Windows 11-10
Launching EPM Automate: Login – Linux 11-11
EPM Automate Utility Commands 11-12
EPM Automate Commands Specific to ARCS 11-13
EPM Automate Utility Command: createreconciliations 11-14
Importing Pre-Mapped Balances Using EPM Automate 11-15
Importing Pre-Mapped Balances or Transactions: Types of Data 11-16
Importing Balances Using EPM Automate Command:
 importPreMappedBalances 11-17
Importing Transactions Using EPM Automate Command:
 importPreMappedTransactions 11-18
Importing Pre-Mapped Transactions for Transaction Matching: Using
 epmautomate 11-19
Using REST APIs in Account Reconciliation 11-21
Using REST APIs in Account Reconciliation: Overview 11-22
URL Structure for Account Reconciliation 11-23
Executing REST API Job in Account Reconciliation 11-24
Importing Pre-Mapped Balances: Reconciliation Compliance Using
 REST API 11-25
Importing Pre-Mapped Transactions: Reconciliation Compliance Using
 REST API 11-27
Importing Pre-Mapped Balances: Reconciliation Compliance Using
 REST API 11-28
Importing Balances (Reconciliation Compliance) Using REST API:
 Data Management 11-29
Importing Pre-Mapped Transactions: Transaction Matching Using
 REST API 11-31
Summary 11-33

12 EPM Digital Assistant

- Objectives 12-2
- Oracle Digital Assistant: Overview 12-3
- Understanding Digital Assistant 12-4
- Digital Assistant in EPM Business Process 12-5
- Configure ODA for Account Reconciliation 12-6
- Home: Digital Assistant 12-7
- Default Tasks Configured in Account Reconciliation 12-8
- Using Digital Assistant in Account Reconciliation 12-9
- Using Digital Assistant: Add Comment to Reconciliations 12-10
- Using Digital Assistant: View Reconciliation Balance 12-11
- Using Digital Assistant: View and Update Period Status 12-12
- Customizing Skills for Account Reconciliation 12-13
- Summary 12-14

13 Visualizing and Analyzing Data

- Objectives 13-2
- Views: Overview 13-3
- View Types 13-4
- Objects for Which Views Are Available 13-5
- Views: Illustration 13-6
- Chart View: Overview 13-7
- Chart View: Properties – Types of Charts 13-8
- Chart View: Illustration 13-9
- Chart View: Properties 13-10
- Chart View: Layout 13-11
- Chart View: Chart Axis 13-13
- Chart View: Legend 13-14
- Pivot View: Overview 13-15
- Pivot View: Properties and Layout 13-16
- Pivot View: Illustration 13-17
- List View: Overview 13-18
- Customizing List Views 13-19
- Custom Dashboards: Overview 13-20
- Opening Custom Dashboards 13-21
- Viewing Custom Dashboards 13-22
- Custom Dashboards: Edit (Design) Mode 13-23
- Creating Custom Dashboards 13-24
- Creating Custom Dashboards: Configure Settings – Properties 13-26
- Creating Custom Dashboards: Configure Settings – Access 13-27
- Custom Attributes 13-29

Balance Attributes: Overview	13-30
Creating Balance Attributes	13-31
Process flow - Balance Attributes	13-32
Balance Attributes: Data Aggregation	13-33
Calculated Balance Attributes in Custom Report Queries	13-34
Best Practices for Using Balance Attributes	13-35
Predefined Reports	13-36
Predefined Reports: Illustration	13-37
Generating Custom Reports	13-39
Generating Custom Reports: Step 1 – Creating a Query	13-40
Generating Custom Reports: Step 1 – Adding a Parameter Query to a Report	13-42
Generating Custom Reports: Step 1 – Generating a Query	13-43
Generating Custom Reports: Step 2 – Creating a Template	13-44
Generating Custom Reports: Step 3 – Creating a Report Group	13-45
Generating Custom Reports: Step 4 – Creating a Report Definition	13-46
Generating Custom Reports: Step 5 – Generating the Report	13-47
Summary	13-48

