



Hardware and Software
Engineered to Work Together

Oracle Utilities: Configuration Tools for CCB - GUI

Student Guide
D84604GC20
Edition 2.0 | March 2016 | D95224

Learn more from Oracle University at oracle.com/education/

Author

John Nanavati

**Technical Contributors
and Reviewers**

David Siska

Deb Shapiro

Editor

Vijayalakshmi Narasimhan

Publishers

Joseph Fernandez

Asief Baig

Copyright © 2016, Oracle and/or its affiliates. All rights reserved.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. You may copy and print this document solely for your own use in an Oracle training course. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice. If you find any problems in the document, please report them in writing to: Oracle University, 500 Oracle Parkway, Redwood Shores, California 94065 USA. This document is not warranted to be error-free.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

The U.S. Government's rights to use, modify, reproduce, release, perform, display, or disclose these training materials are restricted by the terms of the applicable Oracle license agreement and/or the applicable U.S. Government contract.

Trademark Notice

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Contents

1 Info Zones

- Switch Gears 1-2
- Practice 1-1: Log On 1-3
- Anatomy of All Pages 1-4
- Older MOs = Object Maintenance Newer MOs = Portal Maintenance 1-5
- Why Evolve? 1-6
- Portals Have Zones 1-7
- Portals Contain Zones 1-8
- Different Types of Zones 1-9
- All Info Zones Have a Similar Layout 1-10
- Explorer Zones: Common Features 1-11
- Virtually Everything Is Configurable 1-12
- Menu Button: Reset Zone 1-13
- Menu Button: Print Zone 1-14
- Menu Button: Export to Excel 1-15
- You Can Download Additional Columns 1-16
- Configurable Info Zones: Zone Help 1-17
- Zone Help 1-18
- Configurable Info Zones: Description Area 1-19
- Info Zones Frequently Describe What They Show 1-20
- Configurable Info Zones: End-User Filters 1-21
- Info Zones Can Have End-User Filters 1-22
- Configurable Info Zones: A Variety of Columns 1-23
- Many Different Types of Columns Can Be Shown 1-24
- You Can Control the Maximum Width of Each Column 1-25
- Colorful Columns 1-26
- HTML in String Columns 1-27
- Configurable Info Zones: A Variety of Sources 1-28
- Many Different Sources 1-29
- BO, BS, and SS Columns 1-30
- Configurable Info Zones: Hyperlinks, BPA Launching, and Broadcasting 1-31
- Columns Can Have Hyperlinks to Other Portals and Pages 1-32
- Rows Can Have Different Hyperlink Destinations 1-33
- Hyperlinks to Launch BPA Scripts 1-34
- Broadcasting Key Values to Other Zones 1-35

Configurable Info Zones: Dragging and Dropping 1-36
Dragging and Dropping 1-37
The Drag-and-Drop Area Is Configurable 1-38
Configurable Info Zones: Columns Have a Default Sort Order 1-39
Ascending and Descending Order 1-40
Configurable Info Zones: Work Lists 1-41
Work Lists 1-42
Working the List 1-43
Viewing Entries 1-44
Practice 1-2: Examine a Customized Control Central 1-45
Review Questions 1-46

2 Query Zones

A Portal Can Contain Query Zones 2-2
Configurable Query Zones: Look-and-Feel 2-3
Query Zones Look Almost Identical to Info Zones 2-4
Configurable Query Zones: Security and Menu Access 2-5
An Aside: Portal Security 2-6
Adding Portals to Menus 2-7
Practice 2-1: Add a Query Portal 2-8
Configurable Query Zones: Zone Types and Zones 2-9
Zone Types Versus Zones 2-10
Zone Types and Zone ERD 2-11
Zones Have Parameters 2-12
Zone Parameters and Mnemonics 2-13
Zone Parameter Validation 2-14
Configuration Mode 2-15
Practice 2-2: Add a Query Zone 2-16
Configurable Query Zones: Dynamic SQL 2-17
Avoid Database-Specific SQL Functions 2-18
Conditional From and Where 2-19
Configurable Query Zones: You Now Have Very Powerful Tools 2-21
Check Your SQL Before Production 2-22
Configurable Query Zones: Columns Are Much More Than FK References 2-23
source= 2-24
Tips Are in the Dashboard 2-25
Configurable Query Zones: There's Another Query Zone Type 2-26
One Zone with Many Filters (and SQL Statements) 2-27
Introducing the Multi-Query Zone Type 2-28
The Pay Back 2-29
Configurable Query Zones: Portal Preferences 2-30

A User Has Portal Preferences 2-31
Changing Portal Preferences 2-33
Settings to Improve Response Time 2-34
Suppress Most Portals 2-35
Default Zone Order 2-36
Zone Refresh Frequency 2-38
Portals Preferences ERD 2-39
Configurable Query Zones: Query and Info Zone Differences 2-40
Additional Differences Between Info and Query Zones 2-41
Configurable Query Zones: Zone Security 2-43
Individual Zones Can Be Secured 2-44
Portal and Zone Security and Portal Preferences 2-45
Portal and Zone Security 2-46
Configurable Query and Info Zones: Validating Filter Values Using Service Scripts 2-47
Use Service Scripts to Validate Filters 2-48
Reminder: A Service Script Defines its own API and logic 2-49
Practice 2-3: Add Another Filter to Your Query Zone 2-50
Configurable Query and Info Zones: Suppressing Zones Using Service Scripts 2-51
Use Service Scripts to Suppress a Zone 2-52
Configurable Query and Info Zones: Suppressing Rows Using Service Scripts 2-53
Use Service Scripts to Include or Exclude Rows 2-54
Configurable Query and Info Zones: Limit the Number of Rows 2-55
Limit the Rows Retrieved from the Database 2-56
Case Study 2-57
Why Two Parameters 2-59
Excel Downloads 2-60
Configurable Info Zones: Changing Search Results Using Service Scripts 2-61
Case Study 2-62
Use Service Scripts as a Conditional Criteria 2-63
Service Scripts to Show Different Rows 2-64
Business Services: Using the Explorer Zone Service to Execute SQL in Plug-in and Service Scripts 2-65
SQL in Plug-in and Service Scripts 2-66
No Inline SQL in Plug-in and Service Scripts 2-68
The Explorer Service Interprets Zone Parameters 2-70
Create a Zone and a Business Service 2-71
Naming Conventions 2-73
Updates Aren't Allowed 2-75
Business Services: Organizing Your SQL Statements 2-76
Multiple SQL Statements in a Single Zone 2-77
Business Services: Dealing with Multiple Rows 2-78

Dealing with Multiple Rows 2-79

Review Questions 2-80

3 UI Maps

UI Map Overview 3-2

Map Zones 3-3

HTML Primer 3-4

Before We Start Discussing UI Maps 3-5

What Are the Pieces? 3-6

HTML: The Basic Elements 3-7

HTML Skeleton 3-8

Tables Allow for Easy Alignment 3-9

HTML Elements Have Attributes (Just Like BO Elements) 3-10

Special Oracle UI Map Attributes 3-11

Other Elements: <input> 3-12

Other Elements: 3-13

Other Elements: <select> 3-14

Dropdowns Aren't Frequently Hard-Coded 3-15

Putting It Together 3-16

CSS: The Basic Elements 3-17

Why CSS? 3-18

Element CSS 3-19

Extracting the CSS 3-20

The New HTML 3-21

Application of Common CSS 3-22

References 3-23

JavaScript: Just the Basics 3-24

Another HTML Attribute 3-25

Basic JavaScript Events 3-26

A Basic JavaScript Function 3-27

Completing Our Panel 3-29

User Interface (UI) Maps: HTML and XML 3-30

HTML (for Formatting) and XML (for Data Values) 3-31

The Source of the HTML 3-32

Explicit Object Map Zone Type 3-33

BO Attributes Control the Formatting: Using Field Metadata 3-34

BO Attributes Control the Formatting: Suppressing Elements 3-35

BO Attributes Control the Formatting: Overriding Field Metadata 3-36

Additional Attributes Are Sometimes Needed 3-37

fkRef= 3-38

Inserting Section Headers 3-39

How This Works at Run Time 3-40

Practice 3-1: Create a Map Zone to Display a Person Business Object 3-41

User Interface (UI) Maps: Suppressing Zones Using Service Scripts 3-42

Use Service Scripts to Suppress a Zone 3-43

Practice 3-2: Suppress Your Map Zone Until a Person Is Broadcast 3-44

User Interface (UI) Maps: UI Maps Contain Pre-specified HTML 3-45

Some Base-Package UI Maps Are Not Generated at Run Time 3-46

Defining the HTML Rather Than Rendering It in “Real Time” 3-47

UI Map Metadata 3-48

Runtime Logic Is Almost Identical 3-49

Practice 3-3: Create a UI Map 3-50

User Interface (UI) Maps: It Isn’t That Painful 3-51

You Don’t Have to Write HTML from Scratch 3-52

... But It’s Not a Magic Wand 3-53

User Interface (UI) Maps: HTML Fragments 3-54

HTML Fragments Allow Reuse 3-55

User Interface (UI) Maps: Help Text 3-56

The Help Icon Appears When There’s Help for a Section or a Field 3-57

Help Text is Located in the Field Metadata 3-58

Help Is Typically on Sections Rather Than Individual Fields 3-59

Overriding Product Help Text 3-60

Embedded Help Authoring Tool 3-61

User Interface (UI) Maps: Populating the Dashboard 3-62

Syncing the Dashboard 3-63

Practice 3-4: Sync the Dashboard 3-64

User Interface (UI) Maps: Consistency 3-65

Enforcing Consistency 3-66

User Interface (UI) Maps: UI Map Tips and Support 3-67

UI Map Tips Dashboard Zone 3-68

Valid HTML Attributes and Supported JavaScript Functions 3-69

UI Map Standards 3-70

Valid Schema Attributes and Node Names 3-71

Use the Tips 3-72

Practice 3-5: Explore the UI Map Tips 3-73

User Interface (UI) Maps: Multiple BOs on a Map 3-74

Elements from Multiple BOs on a Map 3-75

Service Script Refresher 3-76

Map Zone Refresher 3-77

Map Zones and Service Scripts 3-78

Refresher: A Service Script Defines Its API and Its Logic 3-79

uiHints: An Alternate to UI Maps 3-80

uiHints Overview 3-81
uiHints Benefits 3-82
Resources 3-83
Practice 3-6: Explore uiHints 3-84
Review Questions 3-85

4 BPA Scripts

You've Been Using Many BPA Scripts 4-2
A Different Type of Script 4-3
UI-Oriented Scripts 4-4
Invoking BPA Scripts 4-5
The BPA Menu Has Two Functions 4-6
A User's Favorite Scripts 4-7
A User's Favorite Scripts Can Be Dictated 4-8
The Favorite Scripts Zone Is Optional 4-9
The BPA Area 4-10
Review: The Elements of the User Interface 4-11
There's One More Area - The BPA Area 4-12
Refresher: Declaring Data Areas for BPA Scripts 4-13
BPA Scripts: Defining Data Areas 4-14
Naming Data Areas 4-15
Same Thing 4-16
BPA Step Types 4-17
Refresher: Scripts Are Constructed of Steps 4-18
Edit Data Recap 4-19
Height Steps 4-21
Display Text Steps 4-22
Navigate to a Page Steps 4-23
Invoke Map Steps 4-24
Press a Button Steps 4-25
Perform Steps 4-26
Transfer Steps 4-27
Move Data Steps 4-28
The Implications of Common Dialogs 4-29
Common Dialogs Mean Common BPA Scripts 4-30
Scripts and UI Maps 4-31
UI Maps Aren't Only for Display-Only Zones 4-32
An Example 4-33
Review: UI Map Metadata 4-34
BPA Scripts: "Invoke map" Step Type 4-35
How This Works at Run Time 4-36

Pop-Ups Versus Page Area 4-37
Which Target Area? 4-38
Base-Package Patterns 4-39
HTML in UI Maps Invoked by BPA Scripts 4-40
Enforcing Consistency 4-41
HTML Sources 4-42
User Interface (UI) Maps: Dropdown Menus 4-43
Simple Dropdowns on UI Maps 4-44
Updating the Database 4-45
A Strong Pattern: Invoke Map Steps Are Followed by a Step That Invokes a Server-Based Service 4-46
Displaying Errors 4-47
Highlighting the Field That's in Error 4-48
Favorite Links and BPA Scripts 4-49
Favorite Links Can Reference a BPA Script 4-50
Menu Items for BPA Scripts 4-51
Navigation Options Can Reference a BPA Script 4-52
Temporary Storage Is Initiated for Context Menus 4-53
Advanced BPA Script Features: BPA Scripts on Info and Query Zones 4-54
BPA Scripts on Query and Info Zones 4-55
Context Menus Query and Info Zones 4-56
Access Rights 4-57
BPA Scripts Can Be Secured 4-58
When Are Access Rights Checked? 4-59
Advanced BPA Script Features: Learn via Experimentation 4-60
This is Only the Beginning 4-61
Review Questions 4-62

5 Additional UI Features and Tools

Checkpoint 5-2
Auditing Inquiries 5-3
Case Study 5-4
Use Service Scripts to Audit Inquiries 5-5
UI Maps and Explorer Zones 5-6
Another Use for UI Maps 5-7
There Are Two Types of UI Maps 5-8
It's Hard to Tell the Difference 5-9
How to Use a UI Map for Explorer Filters 5-10
UI Maps in Query Zones in the Base-Package 5-11
UI Maps and Idiosyncratic Dropdowns 5-12
Practice 5-1: Create a UI Map Fragment 5-14

- Implementing Pop-Up Searches 5-15
- Case Study 5-16
- Only High-Volume Objects Warrant Pop-Up Searches 5-17
- All Explorer Zone Types Can Be Used 5-18
- Reusing the Same Pop-Up Search 5-19
- Idiosyncratic Pop-Up Searches 5-20
- Additional Information 5-21
- Actions in Explorers 5-22
- Executing an Action Against Multiple Rows 5-23
- Many Options 5-24
- Adding Links in Zone Headers 5-25
- Links in Zone Headers 5-26
- Zone Configuration 5-27
- Practice 5-2: Add a Link to Your Query Zone 5-28
- Overriding Base-Product Zone Parameter Values 5-29
- Overriding Base-Product Settings 5-30
- Help Text 5-32
- Help Text Summary 5-33
- Duplicating Zones 5-35
- Changing the Zone Type 5-36
- Debug Mode 5-37
- Debug Mode Enabled by Suffixing the URL With ?debug=true 5-38
- Dropdown List Descriptions Are Suffixed with Codes 5-39
- The Service Debugger When Many Zones Exist on a Portal 5-40
- Review Questions 5-41

6 Maintenance Patterns

- Predictable Patterns 6-2
- Pattern 1: All-In-One Portal -- Used for Low-Volume Objects 6-3
- An All-In-One Portal 6-4
- Ancillary Zones Are Limited by Your Imagination 6-5
- The Edit Button Starts a BPA Script 6-6
- Menu Items 6-7
- The All-In-One Pattern Is for Low-Volume Objects 6-8
- Pattern 2: Separate Search Portal -- Used for High-Volume Objects 6-9
- Search Portal Separate from Maintenance Portal 6-10
- Search Portal Characteristics 6-11
- Maintenance Portal Characteristics 6-12
- Menu Items 6-13
- Log Zones: Used for Objects with a Status 6-14
- Log Zone 6-15

The Anatomy of a Maintenance Dialog 6-16
The List of Metadata Objects 6-17
As Agnostic as Possible 6-21
Preventing the Proliferation of Metadata Objects 6-22
MOs with Many BOs Are the Challenge 6-23
An Agnostic Portal with an Agnostic Query Zone 6-24
FK Ref's Are the Key to Allowing Info or Query Zones to Be Agnostic 6-25
Place the Portal on the Menu 6-26
Check Point 6-27
Separate Maintenance Portals 6-28
Seeing More Details About a BO 6-29
Use a BO Option to Define a BO's Portal 6-30
Back to the Query Zone 6-31
Preventing the Proliferation of Portals and Zones 6-32
Preventing the Proliferation of Portals and Zones 6-33
Same Zone, Different Objects 6-34
Set Up a BO Option to Define the Display UI Map 6-35
Technical Execution 6-36
Recap: Same Zone, Different Objects 6-37
Display-Only Map Schema 6-38
Check Point 6-39
Practice 6-1: Explore a Zone and Its UI Map 6-40
Agnostic Add BPA Scripts 6-41
The Agnostic Add BPA Script Uses a Different UI Map 6-42
Add / Update UI Map Schema 6-43
The Agnostic Add BPA Script 6-44
Reusing the Add Script 6-45
Check Point 6-46
Agnostic Edit BPA Scripts 6-47
The Agnostic Edit BPA Script Uses the Same UI Map 6-48
The Agnostic Edit BPA Script 6-49
Agnostic Delete BPA Scripts 6-50
The Agnostic Delete BPA Script 6-51
Clarification 6-52
Check Point 6-53
Showing an MO's Log 6-54
If the MO Has a Status, It Has a Log 6-55
Context Menus 6-56
Check Point 6-57
When Child MOs Exists 6-58
The Search Entry Navigates to the Child Object's Query Portal 6-59

The “+” Entry Is the Same BPA Script As on the Main Menu 6-60
Check Point 6-61
Pre-Processing Service Scripts 6-62
Tinkering with the Injected XML 6-63
Declaring a Pre-Script 6-65
Our Standard Schema Bundling Technique for Pre-Processing Scripts 6-66
The Agnostic Maintenance BPA Script Is More Sophisticated Than Originally Explained 6-67
Check Point 6-68
Post-Processing Service Scripts 6-69
We Frequently Update a Single BO from a UI Map 6-70
Create a Similar Post-Script 6-71
The Agnostic Maintenance BPA Script Is Even More Sophisticated 6-72
Anticipating Site-Specific Enhancements 6-73
Designing for Extensions 6-74
BO Extendibility 6-76
Most UI Components Are Delivered BO-Agnostic 6-77
Practice 6-2: Create an All-In-One Portal 6-80
Review Questions 6-81

7 Revision Control

Revision Control Overview 7-2
What It Is (And What It Is Not) 7-3
Using Revision Control 7-4
The Revision Control Zone 7-5
Checked Out Objects Zone 7-6
Revision Control Objects 7-7
Object Revision MO 7-8
Object Revision BO: States 7-9
Revision Control Configuration: Steps to Enable Revision Control 7-10
Revision Control Is Turned Off by Default 7-11
Step 1: Enable the Checked Out Dashboard Zone 7-12
Step 2: Plug-In the Revision-Control Algorithm 7-13
Step 3: Set Up Application Security 7-14
Practice 7-1: Object Maintenance and Revision Control 7-15
Functionality Summary 7-16
Automatic Versus Explicit Check Out 7-17
Check In 7-18
Revert Changes 7-19
Revision Records 7-20
Delete 7-21

Restoring an Object to an Older Version 7-22
Revision History Search 7-23
Forcing a Check In 7-24
Revision Control Configuration: Implementing Revision Control for Other MOs 7-25
Enabling Revision Control for Other MOs 7-26
Step 1: Create a Physical BO 7-27
Step 2: Create an FK Reference 7-29
Step 3: Turn On a Context-Sensitive Zone 7-30
Step 4: Plug-In the Revision Control Algorithm 7-31
Review Questions 7-32

8 Bundling

Bundling Defined 8-2
The Source Environment Has Export Bundles; The Target Environment Has Import Bundles 8-3
How to Export and Import 8-4
Step 1: Create an Export Bundle 8-5
Step 1: Collecting Entities Method 1: Use the Export Bundle's Entity Grid 8-6
Step 1: Collecting Entities in Source Method 2: Use the Entity Search Zone 8-7
Step 1: Collecting Entities in Source Method 3: Use the Current Bundle Zone 8-8
Step 1: Collecting Entities in Source Method 4: Add to a Bundle During Check In 8-9
Step 2: Snapshot the Entities in the Bundle 8-10
Step 3: Copy the XML onto the Clipboard 8-11
Step 4: Paste the XML in the Target 8-12
Aside: Editing the Import Bundle Before Application 8-13
Step 5: Apply the Import Bundle 8-14
Warning: Owner Flags Must Match 8-15
Don't Forget: Set Up Application Security 8-16
The Order of Entities 8-17
A Bundle with Dependent Foreign Keys 8-18
The System Handles Recursive FK 8-19
When the Order Matters 8-20
Recommended MO Order of Bundled Objects 8-22
Practice 8-1: Export and Import a Bundle 8-23
Bundling Configuration: Steps to Enable Bundling for an MO 8-24
What Can Be Bundled? 8-25
Step 1: Make the MO Eligible for Bundling 8-26
Step 2: The Physical BO 8-27
Step 3: Create an FK Reference 8-29
Step 4: Add Zones 8-30
Dealing with Recursive Relationships 8-31

Step 5: Define the MO's Bundling Add BO 8-33
Setup Summary 8-35
Bundle MOs and BOs 8-36
The Same MO Is Used for Exports and Imports 8-37
Export Bundle Business Object 8-38
Import Bundle BO 8-39
Review Questions 8-40