



Oracle AI Database: RAC Administration Workshop

Student Guide
D1112669GC10



Copyright © 2025, Oracle and/or its affiliates.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Trademark Notice

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

1012012025

Contents

I Oracle AI Database: RAC Administration Workshop

- Target Audience 1-2
- Prerequisites 1-3
- Database 23ai: RAC Enhancements 1-4
- Database 23ai: RAC Unsupported Features 1-6
- Learning Outcomes 1-7
- Course Outline 1-9
- What's Next? 1-12

1 Grid Infrastructure & RAC: Overview

- Objectives 1-2
- Cluster 1-3
- Clusterware 1-4
- Oracle Clusterware 1-5
- Clusterware Architecture and Cluster Services 1-6
- Features of Oracle Clusterware 1-7
- Oracle Clusterware Networking 1-8
- Oracle Clusterware Initialization 1-11
- GPnP Architecture: Overview 1-12
- How GPnP Works: Cluster Node Startup 1-15
- GPnP Architecture: Overview 1-24
- Client Database Connections 1-26
- Cluster-Aware Storage Solutions 1-27
- Oracle ASM 1-29
- ASM Features and Benefits 1-30
- Oracle ACFS 1-32
- Oracle Flex ASM 1-33
- Oracle RAC: Overview 1-34
- Typical Oracle RAC Architecture 1-35
- Oracle RAC One Node 1-36
- Oracle RAC One Node and Oracle Clusterware 1-37
- Oracle RAC and Network Connectivity 1-38
- Parallel Execution with RAC 1-40
- Necessity of Global Resources 1-43

- Benefits of Using RAC 1-44
- Clusters and Scalability 1-46
- Scalability 1-47
- Vertical Scalability 1-48
- Horizontal Scalability 1-49
- Speedup/Scaleup and Workloads 1-51
- I/O Throughput Balanced: Example 1-52
- Summary 1-53

2 Installing and Configuring Oracle RAC

- Objectives 2-2
- Installing the Oracle Database Software 2-3
- Creating Oracle RAC Database with DBCA 2-11
- Database Type Selection 2-12
- Database Identification 2-14
- Storage Options 2-15
- Database Content 2-16
- Configuration Options 2-17
- Cluster Database Management Options 2-18
- Passwords for Database Schema Owners 2-19
- Create the Database 2-20
- Monitoring Progress 2-22
- Postinstallation Tasks 2-23
- Background Processes Specific to Oracle RAC 2-24
- Single Instance-to-RAC Conversion 2-26
- Converting Databases to Oracle RAC 2-27
- Single-Instance Databases: Other Items 2-28
- Scenario 1: Converting Single Instance on a Single Server to RAC 2-29
 - Step 1: Create an Image of the Single-Instance Database 2-30
 - Example: Result of Step 1 2-31
 - Step 2: Create an Oracle Cluster for RAC 2-32
 - Example: Result of Step 2 2-33
 - Step 3: Copy the Preconfigured Database Image 2-34
 - Example: Database Structure File (*.dbc) 2-35
 - Example: Result of Step 3 2-36
 - Step 4: Create an Oracle RAC Database 2-37
- Scenario 2: Converting Single Instance on a Cluster to RAC 2-38
 - Check the Database Type 2-39
 - Steps to Convert a Single-Instance Database on a Cluster 2-40
 - Automated Conversion Procedure Using Oracle DBCA 2-41

Verify the Conversion 2-42
Example: Result of Scenario 2 2-43
Summary 2-44

3 Oracle RAC Administration

Objectives 3-2
Oracle RAC and Multitenant Architecture 3-3
Adding a PDB to a RAC CDB 3-5
Dropping a PDB from a RAC CDB 3-6
Redo Log Files and RAC 3-7
Automatic Undo Management and RAC 3-9
Local Temporary Tablespaces 3-10
Local Temporary Tablespace Organization 3-11
Temporary Tablespace Hierarchy 3-12
Local Temporary Tablespace Considerations 3-13
Managing Local Temporary Tablespaces 3-14
Local Temporary Tablespace Dictionary Views 3-15
Starting and Stopping RAC Instances 3-16
Starting and Stopping RAC Instances with srvctl 3-17
Starting and Stopping RAC Instances with SQL*Plus 3-18
RAC Initialization Parameter Files 3-19
SPFILE Parameter Values and RAC 3-20
Manage RAC with SQL Developer 3-21
SQL Developer and SPFILE Parameter Values 3-22
Parameters That Require Identical Settings 3-25
Parameters That Require Unique Settings 3-26
Quiescing RAC Databases 3-27
Terminating Sessions on a Specific Instance 3-28
How SQL*Plus Commands Affect Instances 3-29
Transparent Data Encryption and Keystores in RAC 3-30
Summary 3-32

4 Administering Pluggable Databases in Oracle RAC

Objectives 4-2
Opening a PDB in a RAC CDB 4-3
Closing a PDB in a RAC CDB 4-4
Simplified Database Deployment 4-5
Automatic PDB Resource Management 4-6
Pluggable Database Placement 4-7
PDB Placement Choice: Fill or Spread 4-8
Ranking and CPU 4-9

Rank and CPU: Startup Order 4-10
Failure Handling 4-11
Last Node Standing 4-12
Configuring a PDB with Cardinality and Rank: Example 4-13
Summary 4-15

5 Upgrading and Patching Oracle RAC

Objectives 5-2
Patch and Patch Set: Overview 5-3
Types of Patches 5-4
Patch Download Assistant 5-5
RAC Patching Methods 5-8
Key Considerations for RAC Patching 5-9
Out-of-Place Upgrades with OUI 5-10
Rolling Patches 5-13
OPatch: Overview 5-14
OPatch: General Usage 5-15
Before Patching with OPatch 5-16
Installing a Rolling Patch with OPatch 5-17
OPatch Automation 5-19
OPatch Automation: Examples 5-20
OPatch Log and Trace Files 5-22
Queryable Patch Inventory 5-23
Alternative Methods of Patching 5-24
Single-Server Rolling Database Maintenance: Overview 5-25
Local Rolling Database Maintenance: Overview 5-26
Patching Oracle RAC Database in Local Rolling Mode: Example 5-27
Oracle RAC Two-Stage Rolling Patches: Overview 5-29
Summary 5-30

6 Managing Backup and Recovery for RAC

Objectives 6-2
Buddy Recovery for Reconfiguration 6-4
Smooth Reconfiguration 6-5
Instance Recovery and RAC 6-6
Protecting Against Media Failure 6-7
Media Recovery in Oracle RAC 6-8
Parallel Recovery in RAC 6-9
RAC and the Fast Recovery Area 6-10
RAC Backup and Recovery Using SQL Developer 6-11
Configuring RAC Backup Settings with SQL Developer 6-12

| | |
|--|------|
| Configure Fast Recovery Area Using SQL Developer | 6-13 |
| Oracle Recovery Manager | 6-14 |
| Configuring RMAN Snapshot Control File Location | 6-15 |
| Configuring Control File and SPFILE Autobackup | 6-16 |
| Cross-checking on Multiple RAC Clusters Nodes | 6-17 |
| Channel Connections to Cluster Instances | 6-18 |
| RMAN Channel Support for the Grid | 6-19 |
| RMAN Default Autolocation | 6-20 |
| Distribution of Backups | 6-21 |
| View Archive Logs in SQL Developer | 6-22 |
| Configure Archive Log Format | 6-23 |
| Archived Redo File Conventions in RAC | 6-24 |
| Managing Archived Redo Logs Using RMAN | 6-25 |
| Noncluster File System Local Archiving Scheme | 6-26 |
| Configuring Noncluster, Local Archiving | 6-27 |
| ASM and Cluster File System Archiving Scheme | 6-28 |
| Configuring the CFS Archiving Scheme | 6-29 |
| Restoring and Recovering | 6-30 |
| Summary | 6-31 |

7 Global Resource Management Concepts

| | |
|--|------|
| Objectives | 7-2 |
| Need for Global Concurrency Control | 7-3 |
| Global Resource Directory (GRD) | 7-5 |
| Global Resource Management | 7-7 |
| Global Resource Remastering | 7-9 |
| Global Resource Recovery | 7-11 |
| PDB and Service Isolation | 7-13 |
| Global Resource Management Related Background Processes | 7-14 |
| Global Resource Access Coordination | 7-15 |
| Global Enqueues | 7-16 |
| Instance Locks | 7-17 |
| Global Cache Management: Overview | 7-18 |
| Global Cache Management Components | 7-19 |
| Global Cache Buffer States | 7-20 |
| Global Cache Management Scenarios for Single Block Reads | 7-21 |
| Global Cache Scenarios: Overview | 7-22 |
| Scenario 1: Read from Disk | 7-23 |
| Scenario 2: Read-Write Cache Fusion | 7-27 |
| Scenario 3: Write-Write Cache Fusion | 7-31 |

Scenario 4: Write-Read Cache Fusion 7-35
Global Cache Management Scenarios for Multiblock Reads 7-39
Useful Global Resource Management Views 7-40
Summary 7-41

8 RAC Database Monitoring and Tuning

Objectives 8-2
CPU and Wait Time Tuning Dimensions 8-3
RAC-Specific Tuning 8-4
RAC Tuning Tools 8-5
Analyzing Cache Fusion Impact in RAC 8-6
Typical Latencies for RAC Operations 8-7
Wait Events for RAC 8-8
Wait Event Views 8-9
Global Cache Wait Events: Overview 8-10
Global Enqueue Waits 8-12
Session and System Statistics 8-13
Most Common RAC Tuning Tips 8-14
Index Block Contention: Considerations 8-16
Sequence Usage in Oracle RAC 8-17
Oracle Sequences and Index Contention 8-18
Ordered Sequence Enhancement in Oracle RAC 23ai 8-20
Ordered Sequence Optimization in 19c: Example 8-21
Ordered Sequence Optimization in 23ai: Example 8-22
Undo Block Considerations 8-23
High-Water Mark Considerations 8-24
Concurrent Cross-Instance Calls: Considerations 8-25
Monitoring RAC Database and Cluster Performance Using SQL-Developer 8-26
Review the Instance Operations Using Instance Viewer 8-27
Viewing Connected Sessions CPU and Time Statistics 8-28
Viewing the Cluster Waits 8-29
Viewing Other Waits 8-30
Monitoring RAC Database and Cluster Performance Using EM 8-31
AWR Snapshots in RAC 8-32
AWR Reports and RAC: Overview 8-33
Active Session History Reports for RAC 8-34
Automatic Database Diagnostic Monitor for RAC 8-35
What Does ADDM Diagnose for RAC? 8-37
SQL-Developer Support for ADDM for RAC 8-38
Summary 8-39

9 Managing High Availability of Services

- Objectives 9-2
- Managing PDB Services 9-3
- Affinitizing PDB Services 9-5
- Oracle Services 9-6
- Service Usage in an Oracle RAC Database 9-7
- Parallel Operations and Services 9-8
- Service-Oriented Buffer Cache Access 9-9
- Service Characteristics 9-10
- Default Service Connections 9-12
- Restricted Service Registration 9-13
- Managing Services with Enterprise Manager 9-15
- Creating Services with SRVCTL 9-16
- Managing Services with srvctl 9-17
- Managing Services with SQL Developer 9-18
- Oracle RAC Connection Management: Overview 9-19
- Using Services with Client Applications 9-20
- Services and Connection Load Balancing 9-21
- Services and Connection Load Balancing Goals 9-22
- Distribute Connections Based on Service Attribute 9-23
- Load Balancing Options in Oracle RAC: Example 9-25
- Performance Considerations 9-26
- Smart Connection Rebalance 9-27
- Testing Smart Connection Rebalance: Example 9-28
- Outcome Without Smart Connection Rebalance: Example 9-29
- Outcome with Smart Connection Rebalance: Example 9-30
- Using Services with the Resource Manager 9-31
- Using Services with the Scheduler 9-32
- Managing Scheduler Job Classes Using SQL Developer 9-33
- Scheduler Jobs Attribute “Stickiness” 9-34
- Using Distributed Transactions with RAC 9-35
- Distributed Transactions and Services 9-37
- Services and Transparent Application Failover 9-39
- Service Thresholds and Alerts 9-40
- Services and Thresholds Alerts: Example 9-41
- Validating Service Alert Thresholds: Example 9-42
- Service Aggregation and Tracing 9-43
- Service Aggregation Configuration 9-44
- Service, Module, and Action Monitoring 9-45
- Service Performance Views 9-46
- Summary 9-47

10 High Availability for Applications

| | |
|---|-------|
| Objectives | 10-2 |
| Transaction Guard and Application Continuity | 10-3 |
| What Is Transaction Guard? | 10-4 |
| How Transaction Guard Works | 10-5 |
| Using Transaction Guard | 10-6 |
| Creating Services for Transaction Guard | 10-8 |
| What Is Application Continuity? | 10-9 |
| How Does Application Continuity Work? | 10-10 |
| RAC and Application Continuity | 10-11 |
| Using Application Continuity | 10-12 |
| Creating Services for Application Continuity | 10-14 |
| What Is Transparent Application Continuity? | 10-16 |
| How Does Transparent Application Continuity Work? | 10-18 |
| Session State | 10-20 |
| Dynamic Session State Consistency | 10-22 |
| Creating TAC-Enabled Service | 10-24 |
| Application Continuity and Transparent Application Continuity | 10-25 |
| Summary | 10-27 |

11 AI Vector Search Overview

| | |
|---|-------|
| Objectives | 11-2 |
| Vector Data Type | 11-3 |
| Vector Embeddings | 11-4 |
| Similarity Search | 11-5 |
| Exact Similarity Search | 11-6 |
| Vector Distance Operand | 11-7 |
| Approximate Similarity Search | 11-8 |
| Multivector Similarity Search | 11-9 |
| Comparison | 11-10 |
| Vector Indexes | 11-12 |
| Why do we need Vector Indexes? | 11-13 |
| In-Memory Neighbor Graph Vector Index (HNSW) | 11-14 |
| Neighbor Partition Vector Index (IVF) | 11-15 |
| Vector Pool | 11-16 |
| Creating a Basic Vector Index | 11-17 |
| Comparison | 11-18 |
| Using Vector Indexes | 11-19 |
| Best Practices | 11-20 |
| RAG Workloads on Oracle RAC | 11-21 |
| Deploy AI Vector Search Workloads on Oracle RAC | 11-22 |

| | |
|--|-------|
| Benefit from AI Vector Search with Business Data to Leverage AI/ML | 11-23 |
| AL/ML and Vector Workloads on Oracle RAC | 11-24 |
| AL/ML and AI Vector Search with Oracle RAC | 11-25 |
| Seamlessly Integrate AI Vector Search on Business Data | 11-26 |
| Summary | 11-27 |

