



Oracle GoldenGate 26ai: Advanced Configuration

Student Guide
D111288GC10



Copyright © 2026, Oracle and/or its affiliates.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Trademark Notice

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

1001202026

Contents

1 Instantiation

- Objectives 1-2
- Overview 1-3
- GoldenGate Multicloud 1-5
- GoldenGate as part of Oracle AI Database @ Google Cloud 1-6
- Architecture 1-8
- What is Instantiation? 1-9
- Instantiation Methods 1-10
- Instantiation Method Process 1-11
- Instantiation Using GoldenGate Initial Load 1-12
- Instantiation Initial Load Method 1-13
- Creating an Initial Load Extract 1-14
- Prerequisites 1-15
- Step 1: Add Continuous Replication Extract 1-16
- Step 1: Add Continuous Replication Extract - Cont 1-17
- Step 2: Start Continuous Replication Extract 1-18
- Step 3: Perform the Initial Load 1-19
- Step 3: Perform the Initial Load - Cont 1-20
- Step 4: Route Initial Load Data to the Target 1-21
- Step 5: Add/Start Continuous Replication DistPath 1-22
- Step 6: Add/Start Target System Replicat 1-23
- Instantiation Using Oracle Data Pump 1-24
- Instantiation Using Oracle Data Pump 1-25
- Instantiation Using Oracle Data Pump 1-26
- Instantiation Using Oracle RMAN 1-28
- Instantiation Using RMAN 1-33
- Instantiation for a Standby system 1-34
- Instantiation Using Data Guard / Active Data Guard 1-35
- Summary 1-37

2 DownStream Capture

- Objectives 2-2
- Overview 2-3
- DownStream Capture: Mine the Logs on a Different Database 2-4
- DownStream Capture for Oracle GoldenGate 26ai Deployment 2-5

Configure DownStream Capture 2-6
DownStream Capture with a DownStream Database 2-7
Configuration Source and DownStream Database for Downstream Capture 2-9
Task 1: Database Parameter Settings for GoldenGate 2-11
Task 2: Configure Source and Mining Databases 2-13
Task 3: Configure DownStream Database 2-15
Archive Logs in Downstream Capture 2-16
Task 3: Configure DownStream Database 2-17
Task 4: Oracle GoldenGate 26ai for DownStream Database 2-20
Cascaded DownStream with Active Data Guard 2-23
Cascaded DownStream with Active Data Guard (ADG) 2-24
Summary 2-26

3 Maximum Availability Architecture (MAA)

Objectives 3-2
Impact of Downtime 3-3
Key Terminology 3-4
Existing High Availability Topologies: On-Premises 3-6
Oracle GoldenGate 26ai MAA Best Practices 3-7
HUB & Data Hosted 3-8
Existing High Availability Topologies: On-Premises 3-9
GoldenGate 26ai Hub MAA Configuration 3-10
Existing High Availability Topologies: On-Premises 3-14
Local GoldenGate MAA Configuration: Using Database File System (DBFS) 3-15
Existing High Availability Topologies: Hyperscalers 3-17
Managing Traffic to the Database 3-18
Reducing Planned Outages for Application Changes 3-20
GoldenGate and EBR to Further Protect Your Applications 3-21
Edition-Based Redefinition 3-23
GoldenGate and EBR to Further Protect Your Applications 3-24
Oracle GoldenGate 26ai Architecture 3-25
Summary 3-26

4 Active-Active

Objectives 4-2
Active-Active 4-3
What is Active-Active? 4-4
Active-Active 4-6
Considerations when Designing Active-Active 4-7
Supplemental for Active-Active 4-8
Sequences 4-10

- Sequence Strategies 4-12
- Things to remember 4-13
- Key Points on GoldenGate 26ai DDL Replication for Oracle 4-14
- Active-Active Topology Diagram 4-16
- Parameters for DDL Replication 4-17
- DDL Replication: Best Practices 4-19
- Looping 4-20
- Updating Without Loop Detection 4-21
- Data Looping 4-22
- Summary 4-23

5 Conflict Detection and Resolution

- Objectives 5-2
- Overview 5-3
- What is a Conflict? 5-4
- Conflict Types 5-6
- Conflict Avoidance 5-8
- Avoiding, Rather than Resolving, Conflicts 5-9
- Application Segmentation Through Workload Partitioning 5-11
- Conflict Avoidance Through Data Segmentation 5-12
- Conflict Avoidance Through Sequence Generation 5-13
- Automatic Conflict Detection and Resolution 5-14
- Automatic Conflict Detection and Resolution (ACDR) 5-17
- Automatic Conflict Detection and Resolution Methods 5-18
- Configure Databases and Oracle GoldenGate 26ai for CDR Between Oracle
AI Databases 5-22
- What is a Data Conflict Resolution? 5-24
- ACDR: Latest Timestamp Conflict Detection and Resolution 5-25
- DBMS_GOLDENGATE_ADM 5-27
- Configuring Latest Timestamp Conflict Detection and Resolution 5-28
- Configuring Column Grouping Conflict Detection and Resolution 5-30
- Configuring Delta Conflict Detection and Resolution 5-31
- ACDR: Delta Conflict Detection and Resolution 5-32
- Configuring Removing Conflict Detection and Resolution 5-33
- Manual Conflict Resolution (CompareCols / ResolveConflict) 5-34
- Configuring Oracle GoldenGate 26ai CDR 5-35
- Make Required Column Values Available to Extract 5-36
- Configure GoldenGate 26ai Parameter files for Conflict Resolution 5-37
- Configure GoldenGate 26ai Parameter file for Error Handling 5-39
- What is a Data Conflict Resolution? 5-40
- Conflict Resolution 5-41

Making the Required Column Values Available to Extract On Parameters 5-42
MAP Statement with Conflict Resolution Specifications 5-43
Conflict Detection and Resolution 5-44
Summary 5-46

6 REST APIs

Objectives 6-2
REST APIs Set Up for Oracle GoldenGate 26ai 6-3
Rest API 6-4
Environment Set Up for REST API Communication with Oracle
GoldenGate 26ai 6-5
Best Practice for Authentication 6-7
cURL 6-8
HTTP Methods 6-10
Things to Remember 6-12
Additional Information 6-14
Endpoint 6-15
How to View the restapi.log File 6-16
Set DEBUG via Admin Client 6-17
Use a Browser to Create REST API 6-18
REST API Documentation 6-20
Common Oracle GoldenGate commands Using REST APIs 6-21
Create an Alias in the Credential Store 6-22
Create the Distribution Path User on Target 6-23
Create the Distribution Path Alias on the Source 6-24
Create a Custom Profile 6-25
Make the Custom Profile Default 6-26
Disable Default Profile 6-27
Create and Verify Supplemental Logging 6-28
Create Heartbeat Table 6-29
Create Checkpoint Table 6-30
Create and Register the Integrated Extract Group 6-31
Create the Distribution Path 6-32
Create an Integrated Replicat Group 6-33
Use REST APIs to Monitor OGG Lag 6-34
Summary 6-35

7 Data Streams

Objectives 7-2
Overview 7-3
What is Oracle GoldenGate 26ai Data Streams? 7-4

| | |
|---|------|
| Oracle GoldenGate 26ai Data Streams Architecture & Components | 7-5 |
| Oracle GoldenGate 26ai Data Streams Architecture | 7-6 |
| Components of Oracle GoldenGate 26ai Data Streams | 7-7 |
| Benefits of Oracle GoldenGate 26ai Data Streams | 7-9 |
| Key Features | 7-10 |
| Add an Oracle GoldenGate 26ai Data Streams | 7-11 |
| Add Data Streams | 7-12 |
| Run GoldenGate 26ai Data Streams Code Generator | 7-19 |
| Data Streams cURL Commands | 7-26 |
| Use a REST API to Add a Data Streams | 7-27 |
| Other REST API Calls | 7-28 |
| Summary | 7-30 |

8 Migration, Upgrade, and Patching

| | |
|--|------|
| Objectives | 8-2 |
| Oracle GoldenGate Migration Utility | 8-3 |
| GoldenGate Migration | 8-4 |
| Prerequisites for the Migration Utility | 8-5 |
| GoldenGate Migration Process | 8-7 |
| Step 1: Install Oracle GoldenGate Microservices Architecture | 8-8 |
| Step 2: Create a Deployment (using oggca.sh) | 8-9 |
| Step 3: Stop Classic Architecture | 8-10 |
| Step 4: Migration Commands | 8-11 |
| Postmigration | 8-14 |
| Step 5: Start New Processes | 8-15 |
| Step 6: Alter Distribution Path (Optional) | 8-16 |
| GoldenGate Migration Use Cases | 8-17 |
| Upgrade Oracle GoldenGate | 8-18 |
| GoldenGate Upgrade | 8-19 |
| Leveraging 26ai Features | 8-20 |
| Upgrade Oracle GoldenGate Microservices: GUI Based | 8-21 |
| Tips and Considerations Before Upgrading GoldenGate | 8-23 |
| Additional Considerations After Upgrading GoldenGate | 8-24 |
| Patch Oracle GoldenGate | 8-25 |
| Patching | 8-26 |
| Apply a Patch Using runInstaller: Out-of-Place Patching | 8-28 |
| Update Service Manager Home: GUI Based | 8-29 |
| Update Deployment Home: GUI Based | 8-31 |
| Update Service Manager Home: GUI Based | 8-32 |
| Summary | 8-33 |

9 Running GoldenGate with Containers and Kubernetes

- Objectives 9-2
- Terms 9-3
- Deployment Types 9-4
- Deployment Model 9-6
- GoldenGate on Kubernetes 9-7
- GoldenGate Mesh “Advanced Installation” 9-8
- Key Features and Benefits 9-9
- Sample Deployment and Best Practices 9-11
- Steps to Deploy GoldenGate on Kubernetes 9-12
- Build, Test, Upload a Container 9-13
- Define Storage 9-17
- Define Container Deployment 9-20
- Define Network Access 9-25
- Configuration Management 9-30
- Optional: Define Monitoring Metric Export 9-31
- Additional Information 9-39
- Summary 9-40

10 Security Features

- Objectives 10-2
- GoldenGate Security Features 10-3
- GoldenGate 26ai Security Features 10-4
- Secure GoldenGate 26ai Deployments 10-5
- Authentication 10-7
- Difference Between Authentication and Authorization 10-8
- Oracle GoldenGate 26ai Authentication 10-9
- Oracle GoldenGate 26ai Authentication with User Credentials 10-11
- Oracle GoldenGate 26ai Authentication with Certificates 10-13
- Adding a Deployment 10-15
- Set OS Environment to Certificate for Secure Deployment 10-17
- Oracle GoldenGate 26ai Authentication with IAM 10-18
- Connecting Securely to Oracle GoldenGate 26ai 10-19
- Implement IAM/IDCS for GoldenGate 10-20
- Configure IAM with GoldenGate 10-22
- Configure Authorization Profile 10-24
- Enable Authorization Profile 10-26
- Authentication in GoldenGate 26ai using the Identity Cloud Service 10-27
- Database Authentication Information Used by GoldenGate 26ai 10-28
- Authorization 10-29

Authorization in Oracle GoldenGate 26ai 10-30
Data at Rest 10-34
Encryption in Oracle GoldenGate 26ai 10-35
Encrypting Trail Files 10-37
Trail Encryption with Wallet 10-38
Prerequisites for Configuring OCI KMS on Oracle GoldenGate 26ai 10-39
Implement OCI KMS Encryption in GG Microservices Architecture 10-40
Create a Master Key in OCI KMS 10-41
Create API Key 10-43
Create an Encryption Profile 10-45
Assign Encryption Profile: Extract/Replicat 10-46
Data in Transit 10-47
Transport Layer Security 10-48
Assign Encryption Profile: Distribution Path 10-51
Target-Initiated Paths 10-52
adminclient: Target-Initiated Paths 10-54
Summary 10-55

11 Advance Transformation

Objectives 11-2
Overview 11-3
Data Mapping and Manipulation: Overview 11-4
Data Transformation 11-6
Advance Transformation Examples 11-7
DML Statement Filtering 11-8
GETINSERTS/IGNOREINSERTS 11-9
GETUPDATES/IGNOREUPDATES 11-10
GETDELETES/IGNOREDELETES 11-11
Combination 11-12
GETUPDATEBEFORE Image 11-13
Column Values Functions 11-15
@COLTEST Function 11-16
Date Functions 11-17
Adding or Subtracting Time from a Date Column 11-20
Strings and Numbers Functions 11-21
DDL Filter 11-22
DML Conversion Parameters for Transformation 11-23
Summary 11-25

12 Oracle GoldenGate Foundation Suite

| | |
|--|-------|
| Objectives | 12-2 |
| Overview | 12-3 |
| GoldenGate Foundation Suite | 12-4 |
| Veridata | 12-5 |
| Oracle GoldenGate Veridata | 12-6 |
| Avoiding, Rather than Resolving, Conflicts | 12-7 |
| Veridata Architecture | 12-8 |
| GoldenGate Veridata: Comparison Workings | 12-9 |
| Oracle GoldenGate Veridata Supported Databases | 12-10 |
| Oracle GoldenGate Veridata Features Summary | 12-11 |
| Modern User Experience | 12-12 |
| Out-Of-Sync Report | 12-13 |
| OEM Plug-In | 12-14 |
| What is OEM Plug-In for Oracle GoldenGate? | 12-15 |
| Actively Monitor and Resolve Issues | 12-16 |
| EM Plugin for Oracle GoldenGate: Architecture | 12-18 |
| EM Plugin Features Summary | 12-20 |
| EM Plugin for Oracle GoldenGate: Dashboard | 12-21 |
| GoldenGate Studio Free | 12-22 |
| How to Replicat Data | 12-25 |
| Connections | 12-27 |
| Manage Pipeline | 12-29 |
| Monitor Pipeline | 12-30 |
| Summary | 12-32 |