



# Oracle B2C Service Administration

Student Guide – Volume I

D105846GC10

**Copyright © 2025, Oracle and/or its affiliates.**

#### **Disclaimer**

This document contains proprietary information and is protected by copyright and other intellectual property laws. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

#### **Restricted Rights Notice**

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

#### **Trademark Notice**

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

#### **Third-Party Content, Products, and Services Disclaimer**

This documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

121127202525C

# Contents

## 1 B2C Service Administration Overview

- Objectives 1-2
- Oracle B2C Service 1-3
- Oracle B2C Service for High-Volume Transactions 1-4
- Oracle B2C Service: Self-Service Is the Aim 1-5
- Oracle B2C Service: Assisted Service 1-6
- Oracle B2C Service: Service Console 1-7
- Oracle B2C Service: Service Console Automation Features 1-8
- Key Business Objects in B2C Service 1-9
- Contact 1-10
- Organization 1-11
- Incident 1-12
- Queue 1-13
- Answer 1-14
- Community Discussion 1-15
- Sample Flow 1-16
- Architecture 1-17
- Site Versus Interface 1-18
- Hosting 1-19
- Customer Portal 1-20
- Customer Portal: Search 1-21
- Service Console: .NET Service Console Client 1-22
- Service Console Installation 1-23
- Considerations 1-24
- Resources 1-25
- Support Site (cx.rightnow.com) 1-26
- B2C Service Documentation 1-27
- Documentation Home Page (docs.oracle.com) 1-28
- Webinars 1-29
- Oracle B2C Service Learning Subscription 1-30
- Topic Highlights 1-31
- Practices 1-32

## 2 .NET Service Console User Interface

- Objectives 2-2
- Service Console (Agent Desktop) 2-3

- Core Administrator Areas 2-4
- Agent Desktop Layout (default look and feel) 2-5
- Navigation Pane (Left) 2-6
- Content Pane 2-7
- Reports 2-8
- Workspace 2-9
- Workspaces: Multi Edit 2-10
- Explorers 2-11
- Dashboard 2-12
- Navigation Pane (Right) 2-13
- Customizable Layout 2-14
- Ribbon 2-15
- Quick Access Toolbar 2-16
- File Menu 2-17
- File > Links 2-18
- File > Help 2-19
- Context Sensitive Help 2-20
- File > Community 2-21
- File > Options 2-22
- File > Record 2-23
- Shortcut Keys (or HotKeys) 2-24
- Lesson Highlights 2-25
- Practice 2-26

### **3 Browser UI for Administrators**

- Objectives 3-2
- Agent Browser User Interface 3-3
- BUI Default Layout after Login: Action Center 3-4
- Browser User Interface: Common Toolbar Options 3-5
- Browser User Interface: A Contacts Navigation Example 3-6
- Navigation Pane 3-7
- Administrator Start Page 3-8
- Content Pane 3-9
- Reports 3-10
- Workspace: Contact Example 3-11
- Dashboard 3-12
- Preferences: Customizable Themes 3-13
- Preferences: Reports, Chat and Email 3-14
- Ribbon 3-15
- New Business Objects Button 3-16
- Lesson Highlights 3-17
- Practices 3-18

## **4 Configuration Settings**

- Objectives 4-2
- Business Scenario 4-3
- Configuration Settings 4-4
- Change Configuration Settings 4-5
  - 1. Verify Permission 4-6
  - 2. Locate the Configuration Setting 4-7
- Navigate to Configuration Settings 4-8
- Use Report Filters to Narrow the List 4-9
- Browse Folders 4-10
- Search for a Value 4-11
- Verify the Setting 4-12
- 3. Edit and Save the Change 4-13
- 4. Validate the Result 4-14
- Export/Import Configuration Settings 4-15
- Configuration Setting Examples 4-16
- Custom Configurations 4-18
- Create New Custom Configuration 4-19
- Recommendations / Considerations 4-20
- Topic Highlights 4-21
- Practice 4-22

## **5 Navigation Sets, Profiles and Staff Accounts**

- Objectives 5-2
- Business Scenario 5-3
- Staff Management in Oracle B2C Service 5-4
- Navigation Sets 5-5
- As-Delivered Application 5-6
- Create a Navigation Set 5-7
- Create a New Navigation Set 5-8
- Select Navigation Panels 5-9
- Select Reports And Components to Display 5-10
- Navigation Set Customization in the Browser UI 5-11
- Navigation Set Customization in the .NET console 5-12
- Select File Shortcut Options 5-13
- Profiles 5-14
- Create a Profile 5-15
- Create a New Profile 5-16
- Administration Permissions 5-18
- Organizations and Contacts Permissions 5-19
- Service Permissions 5-20

Feedback, Tasks, and Custom Objects Permissions 5-22  
Analytics and Reports Permissions 5-23  
Staff Account 5-24  
Departments 5-25  
Create a Staff Account 5-26  
Create a New Staff Account (Browser UI) 5-27  
Set Account Details 5-28  
Set Department Details 5-29  
Disabling Staff Accounts 5-30  
Password Configuration (.NET Console) 5-31  
Topic Highlights 5-32  
Practices 5-33

## **6 Customizable Menus**

Objectives 6-2  
Customizable Menus 6-3  
System Menus 6-4  
Common System Menus 6-5  
Incident Statuses 6-6  
Incident Statuses: Considerations 6-8  
Answer Access Levels Menu 6-9  
Answer Access Levels: Considerations 6-10  
Answer Statuses Menu – Knowledge Foundation 6-11  
Answer Statuses Menu 6-12  
Answer Statuses Menu: Considerations 6-13  
Other Service Customizable Menus 6-14  
Other Common Customizable Menus 6-15  
Customizable Menus Administrator Permissions 6-16  
Custom Menu Objects 6-17  
Countries and Provinces 6-18  
Country Input Masks 6-20  
Topic Highlights 6-21  
Practices 6-22

## **7 Products, Categories and Dispositions**

Objectives 7-2  
Business Scenario 7-3  
Classifying Answers 7-4  
Classifying Incidents 7-5  
Products, Categories, and Dispositions 7-6  
Products 7-7

- Categories 7-8
- Dispositions 7-9
- Managing Classifications 7-10
- Creating and Editing Classifications 7-11
- Setting Classification Visibility 7-12
- Reordering Classifications 7-13
- Using Built-In Reports to View Classification Usage 7-14
- Deleting Classifications 7-15
- Restricting Classification Availability by Product 7-16
- Linking Products to Categories and Dispositions 7-17
- Manual Linking 7-18
- Auto-Building Links 7-19
- Copying Product Links 7-20
- Product Linking: Considerations 7-21
- Ensuring Consistent Selection of Classifications 7-22
- Classification Level 7-23
- Set Minimum Level 7-24
- Steps to Configure Products, Categories, and Dispositions 7-25
- Lesson Highlights 7-26
- Practices 7-27

## **8 Service Level Agreements**

- Objectives 8-2
- Business Scenario 8-3
- Service Level Agreements (SLAs) in Oracle B2C Service 8-4
- Before Creating SLAs 8-5
- Holidays 8-6
- Default Response Requirements 8-7
- Define Default Response Requirements 8-8
- Due Dates 8-9
- Response Metrics 8-10
- Answer Access Levels 8-11
- Non-Default Service Level Agreement 8-12
- Limits 8-13
- Term 8-14
- Specific Response Requirements 8-15
- Access Levels 8-16
- SLA Facts 8-17
- Apply an SLA 8-18
- Credit an Incident Against an SLA Instance 8-19
- Considerations 8-20

Reports 8-21  
Lesson Highlights 8-22  
Practices 8-23

## **9 Incident Queues**

Objectives 9-2  
Business Scenario 9-3  
Queues in Oracle B2C Service 9-4  
Queue Types 9-5  
Standard Queue 9-6  
Round Robin (All) Queue 9-7  
Round Robin (Logged In) Queue 9-8  
Queue Settings for Pull Queue Types 9-10  
Queue Settings 9-11  
Inbox Limit 9-12  
Pull Quantity 9-13  
Pull Policy 9-14  
Manual (Pull Policy) 9-15  
Strict Priority (Pull Policy) 9-16  
First Due (Pull Policy) 9-17  
Queue Summary 9-18  
Implementing Queues 9-19  
Define the Queue(s) 9-20  
Assign the Queue to a Profile 9-21  
Pull From Single Round Robin Logged In Queue Option 9-22  
Considerations 9-23  
Reports 9-24  
Assignments 9-25  
Queue Deletes 9-26  
Topic Highlights 9-27  
Practices 9-28

## **10 Mail and Mailboxes**

Objectives 10-2  
Business Scenario 10-3  
Overview of Email Handling 10-4  
Service Mailbox Types 10-5  
Service Inbound Mail Processing 10-6  
Techmail 10-7  
Service Outbound Mail Processing 10-9  
Outreach Mail Processing 10-10

- Configuration Settings 10-11
- Setting Up Email Handling in B2C Service 10-13
- Configuring a Service Mailbox 10-14
- Enabling an Oracle-Managed Service Mailbox Type 10-15
- Default Oracle-Managed Email Outgoing Settings 10-16
- Customizing Oracle-Managed Email Outgoing Settings 10-17
- Default Oracle Managed Email Incoming Settings 10-18
- Customizing Oracle-Managed Email Incoming Settings 10-19
- Enabling a General Service Mailbox 10-20
- Security Configuration 10-21
- Enabling Techmail 10-22
- Enabling EGW 10-23
- Configuring an Outreach Mailbox 10-24
- Troubleshooting and Email Considerations 10-25
- Email Considerations 10-26
- Bounced Email 10-27
- Invalidated Contacts 10-28
- Recommendations 10-29
- More Information 10-30
- Topic Highlights 10-31
- Practice 10-32

## **11 Notifications**

- Objectives 11-2
- Business Scenario 11-3
- Internal Notifications 11-4
- Types of Notification 11-5
- Broadcast Notifications 11-6
- Send Broadcast Notifications 11-7
- Viewing Notifications 11-8
- Configure Your View of Notifications 11-9
- Service Notifications 11-10
- Service Notification Messages 11-11
- External Notifications: Answer Updates 11-12
- Sign Up for Answer Update Notifications 11-13
- Viewing Answer Update Notifications 11-14
- Topic Highlights 11-15
- Practice 11-16

## **12 Surveys**

- Objectives 12-2

Business Scenario 12-3  
Surveys in Oracle B2C Service 12-4  
Questions 12-5  
Question Types 12-6  
Choice 12-7  
Matrix 12-8  
Text 12-9  
Create a Survey 12-10  
Create a new survey 12-11  
Determine Survey Type 12-12  
Add Questions 12-14  
Work with Survey Tasks 12-15  
Determine Audience 12-18  
Create Invitation 12-19  
Test Survey 12-20  
Add Reminders 12-21  
Launch Survey 12-22  
Analyze Results 12-23  
Proxy Survey 12-24  
Apply Mobile Optimization 12-25  
Considerations 12-26  
Topic Highlights 12-27  
Practices 12-28

### **13 Community Self Service**

Objectives 13-2  
Business Scenario 13-3  
Community Self Service 13-4  
Community Questions 13-5  
Community Ratings 13-6  
Locating Community Discussions 13-7  
Discussion Navigation 13-8  
Access Control 13-9  
Permission Sets 13-10  
Permission Set Filters 13-11  
Roles 13-12  
Community Users 13-13  
Enable Access Control for Administrators 13-14  
Adjust Profile Settings 13-15  
Set Access Control Filter to be used 13-17  
Adjust Navigation Set 13-18

- Create Custom Contact Workspace 13-19
- View and Adjust Access Control Elements 13-20
- View and Modify Elements 13-21
- Deploy 13-22
- View Community Users 13-23
- Considerations 13-24
- Topic Highlights 13-25
- Practices 13-26

## **14 Element Manager**

- Objectives 14-2
- How to configure Element Manager Access 14-4
- How to use Element Manager to Export: Name Package 14-5
- How to use Element Manager to Export: Search and Confirm Elements 14-6
- How to use Element Manager to Export: Review Package and then Export 14-7
- Importing an Exported Package: Choose the Package File to Import 14-8
- Importing an Exported Package: Validate Package 14-9
- Importing an Exported Package: Manage Configurations 14-10
- Business Benefits: Element Manager 14-11
- Topic Highlights 14-13
- Practice 14-14

## **15 Data Lifecycle Management**

- Objectives: Data Lifecycle Management (DLM) 15-2
- Data Lifecycle Management 15-3
- What are the Benefits of Using DLM? 15-4
- Which Objects are supported by DLM? 15-5
- Procedure for applying a Template based Policy 15-6
- Template Based Policy – Incidents Example 15-7
- Procedure for applying a Report based Policy 15-9
- Report Based Policy: Contacts Example 15-10
- Requirement for Reports used for DLM filtering 15-11
- Requirements to Use Data Lifecycle Management 15-12
- Summary: 15-13
- Demonstrations: Overview 15-14

## **15 Demo 1: Data Lifecycle Management Template Based Policy**

- Agenda – Data Lifecycle Management 15-2
- Summary: Demo 1 – Data Lifecycle Management 15-3

## **15 Demo 2: Data Lifecycle Management Report Based Policy**

Agenda – Demo 2: Data Lifecycle Management 15-2

Summary: Demo 2 – Data Lifecycle Management 15-3

## **16 Business Rules: Essentials of Legacy and Enhanced Editors**

Objectives 16-2

Business Scenario 16-3

Business Rules in Oracle B2C Service 16-4

Business Rule 16-5

Rule State for Rules 16-6

Rule State for Records 16-7

Rule Processing 16-8

Rule Condition: “If Condition” 16-10

Rule Condition: “Switch Condition” (Enhanced Rule Editor Only) 16-11

Rule Actions 16-12

Rule Action: Common Incident Actions 16-13

Rule Action: Transition Actions 16-14

Transition State and Stop 16-15

Transition State and Continue 16-16

Stop Processing Rules 16-17

Legacy Rules Editor: Service Console 16-19

Creating an Incident Rule in the Legacy Editor 16-20

Create an Edit Set of Active Rules 16-21

Create a Rule State 16-22

Create Rule 16-23

Order Rules 16-25

Compile 16-26

Activate 16-27

Enhanced Rules Editor: Browser UI 16-28

Creating an Incident Rule in the Enhanced Editor 16-29

Create an Edit Set of Active Rules 16-30

Create a Rule State 16-31

Create Rule 16-32

Create Rule: Enhanced Editor 16-33

Order Rules 16-34

Searching Rules 16-35

Deploy and Rollback 16-36

Testing Rules 16-37

Incident Information (Service Console Only) 16-38

Rule Log 16-39

Naming Recommendations 16-40

Implementation Recommendations 16-41  
Migrating Legacy Rules to the Enhanced Rules Editor 16-42  
Topic Highlights 16-43  
Practices 16-44

## **17 Business Rules: Managing Rules with the Enhanced Editor – Additional Use**

### **Cases**

Objectives 17-2  
Additional Common Incident Rule Topics 17-4  
Text Filtering Rule 17-5  
Text Filtering Rule: IF Condition 17-6  
Text Filtering Rule Example: Prevent Incident Creation 17-7  
Text Filter Rule Recommendations: Preventing Incident Creation 17-8  
Escalation 17-9  
Escalation Steps 17-10  
Escalation Rules 17-11  
Timer Rule 17-12  
Timer Rule Actions 17-13  
Scheduling Options 17-14  
Action Rule 17-16  
Escalation Rule Recommendations 17-17  
Function 17-18  
Function Processing 17-20  
Escalation Rules in a Function 17-21  
Business Rules: Using Variables 17-22  
Business Rules: Creating a Variable 17-23  
Variables: Setting Values and Using Values 17-24  
Additional Rule Editing Options 17-25  
Edit, Copy, and Disable Rules 17-26  
Rollback 17-27  
Exporting Rules 17-28  
Rule Maintenance Considerations 17-29  
Topic Highlights 17-30  
Practices 17-31

## **18 Advanced (Skills Based) Routing**

Objectives 18-2  
Business Scenario 18-3  
When to use Skills-Based Routing 18-4  
Skills-Based Routing 18-5  
Advanced Routing in Oracle B2C Service 18-6

Setting up Advanced Routing 18-7  
Adding and Editing Products and Categories 18-8  
Creating an Advanced Routing Queue 18-9  
Use a Business Rule to route requests to an Advanced Queue 18-10  
Assigning permissions to a profile related to Advanced Routing 18-11  
Add Core Skill Options and Supported Languages 18-12  
Add Product Skills 18-13  
Assign Profile Default Skills/Scores 18-14  
Assign Skill Scores to Staff Accounts 18-15  
Advanced Routing Flexibility 18-16  
Queue Prioritization 18-17  
Queue Overflow 18-18  
Skill Relaxation 18-20  
Test Routing by Using Analytic Reports 18-21  
Topic Highlights 18-22  
Practice 18-23

## **19 Chat**

Objectives 19-2  
Business Scenario 19-3  
Chat in Oracle B2C Service 19-4  
Chat Location 19-5  
Chats, Incidents, and Rules 19-6  
Connecting a Customer Chat Request to an Agent 19-7  
Chat Profile Permissions 19-8  
Chat Workspaces: .NET Service Console 19-9  
Chat Workspace Options: .NET Service Console 19-10  
Chat Incident Creation 19-11  
Chat Preferences: Browser UI 19-12  
Customer Chat Request Availability 19-13  
Agent Availability for Chat - Chat Agent Statuses 19-14  
Service Console: Agent Availability for Chat 19-15  
Agent Browser UI: Agent Availability for Chat 19-16  
Setting Chat Service Operating Hours 19-17  
Chat Queues 19-18  
Distributing Chats to Specialized Queues 19-19  
1. Create Specialized Chat Queues 19-20  
2. Create Business Rules to Assign Chats 19-21  
3. Create Profiles with Specialized Queues 19-22  
4. Assign a Profile with Specialized Chat Queues 19-23  
Analytics and Monitoring 19-24

Agent Productivity Tools 19-25  
Advanced Routing (Skills Based Routing) 19-26  
Topic Highlights 19-27  
Practices 19-28

## **20 Workspaces**

Objectives 20-2  
Business Scenario 20-3  
Workspaces in Oracle B2C Service 20-4  
Workspace 20-5  
Workspace Layout in the Browser User Interface 20-6  
Workspace Layout in the .NET Service Console 20-7  
Workspaces Explorer: .NET Service Console Only 20-8  
Workspace Object Type 20-9  
Standard Workspaces 20-10  
Workspace Designer 20-11  
Workspace Components 20-13  
Workspace Object 20-14  
Multi-Edit Workspaces 20-15  
Profile Workspace Assignment 20-16  
Workspace Fields and Tabs 20-17  
Standard Object Fields 20-18  
Workspace Controls 20-19  
Field Permissions 20-20  
Field Default Values 20-21  
Profile Functional Permissions 20-22  
Workspace Rules 20-23  
Workspace Considerations 20-24  
Workspace Analytics 20-25  
Workspace Embedded Reports 20-26  
Exporting and Importing Workspaces 20-27  
Topic Highlights 20-28  
Practices 20-29

## **21 Workspace Rules**

Objectives 21-2  
Business Scenario 21-3  
Workspace Rules in Oracle B2C Service 21-4  
Managing Workspace Rules 21-5  
Rule Execution 21-6  
Rule Wizard 21-7

- Workspace Rule Components 21-8
- Triggers 21-9
- Conditions 21-10
- Actions 21-11
- Properties 21-12
- Considerations 21-13
- Rule Conflicts 21-14
- Workspace Rules and Business Rules Best Practices 21-16
- Topic Highlights 21-17
- Practice 21-18

## **22 Workflows and Workflow Components**

- Objectives 22-2
- Business Scenario 22-3
- Workflow in Oracle B2C Service 22-4
- How are workflows triggered? 22-5
- Workflow Example 22-6
- Workflow Components 22-7
- Working Record 22-8
- User Interface Elements 22-10
- Automation Elements 22-11
- Search Elements 22-12
- Decision Elements – Yes/No branching 22-13
- Decision Elements – Multi-value branching 22-14
- Decision Elements – branching to different UIs 22-15
- Connector 22-16
- Connector Events and Conditions 22-17
- Comment 22-18
- Topic Highlights 22-19
- Practice 22-20

## **23 Creating Workflows**

- Objectives 23-2
- Create Workflows 23-3
- Create a New Workflow 23-4
- Add Elements and Connectors 23-5
- Set Element Properties 23-6
- Add Branching 23-7
- Test Workflow 23-8
- Assign Workflow to Profile 23-10
- Creating a Workflow from a Template 23-11

- New vs. Edit 23-12
- Add Task 23-13
- Copy Incident 23-14
- Create Contact 23-15
- Export Workflow 23-16
- Import Workflow 23-17
- Considerations 23-18
- Topic Highlights 23-19
- Practices 23-20

## **24 Message Bases**

- Objectives 24-2
- Business Scenario 24-3
- Message Base 24-4
- Advantages of Message Bases 24-5
- Message Base Names 24-6
- Change a Message Base 24-7
- Verify Permission to Edit Message Bases 24-8
- Identify Message Base to Change 24-9
- Locate Message Base in Editor 24-10
- Edit Value 24-11
- Save Value 24-12
- Validate New Value 24-13
- Language Packs 24-14
- Export/Import 24-16
- New Message Bases 24-17
- Recommendations 24-18
- Topic Highlights 24-19
- Practice 24-20

## **25 Message Templates**

- Objectives 25-2
- Business Scenario 25-3
- Messages in Oracle B2C Service 25-4
- Message Examples 25-5
- Message Templates in Oracle B2C Service 25-6
- Message Templates 25-7
- Message Templates Types 25-8
- Message Template Content 25-9
- Merge Fields 25-10
- Incident Thread Control 25-11

Conditional Sections	25-12
Global Template	25-13
Disabling Messages	25-14
Editing Message Templates	25-15
Select the Template	25-16
If Necessary, Edit Subject	25-17
If Necessary, Turn Off the Global Template	25-18
Select the Version	25-19
Edit Content	25-20
Validating Message Templates	25-22
Spelling	25-23
Preview	25-24
Proof	25-25
Compare	25-26
Activating Message Templates	25-27
Step 1: Accept Changes	25-28
Step 2: Save Changes	25-29
Step 3: Deploy Changes	25-30
Step 4: Save Deployment Changes	25-31
Restore	25-32
Editing the Global Template	25-33
Incident Response Tracking	25-34
Incident Response Tracking Reports	25-35
Incident Message Transactions	25-36
Considerations	25-37
Topic Highlights	25-39
Practices	25-40

## **26 Guided Assistance**

Objectives	26-2
Business Scenario	26-3
Guided Assistance in Oracle B2C Service	26-4
Guide Availability	26-5
Guided Assistance Components	26-6
Questions	26-7
Responses and Branching	26-8
Creating a Guide	26-10
Create a Guide	26-11
Add a Question	26-12
Edit Question and Responses	26-13
Add Additional Questions	26-14

- Add Response Actions 26-15
- Validate 26-16
- Preview 26-17
- Save 26-18
- Add Guide to Workspace 26-19
- Export Guide 26-20
- Import Guide 26-21
- Considerations 26-22
- Guided Assistance : Going further 26-23
- Topic Highlights 26-24
- Practices 26-25

## **27 Agent Scripts**

- Objectives 27-2
- Business Scenario 27-3
- Agent Scripts 27-4
- Scripts Explorer 27-5
- Creating an Agent Script 27-6
- Script Types 27-7
- Pages 27-8
- Headers and Footers 27-9
- Navigation Panel Control 27-10
- Fields 27-11
- Controls 27-12
- Questions 27-13
- Branches 27-14
- Advanced Branching 27-15
- Rules 27-16
- Rule Events 27-17
- Managing Agent Scripts 27-19
- Providing Agents Access to Scripts 27-20
- Exporting and Importing Scripts 27-21
- Agent Script Considerations 27-22
- Topic Highlights 27-23
- Practices 27-24

## **28 Standard Text and Variables**

- Objectives 28-2
- Business Scenario 28-3
- Standard Text in Oracle B2C Service 28-4
- Use Standard Text in an Incident Response - BUI 28-5

- Use Standard Text in an Incident Response - Console 28-6
- Create or Modify Standard Text 28-7
- Hotkey 28-8
- Variables 28-9
- Using Variables 28-10
- Variable Types 28-11
- Custom Variables 28-12
- Use Variables in Standard Text 28-13
- Create a New Custom Variable (.NET Console only) 28-14
- Edit a Variable 28-15
- System-Defined Variables 28-16
- Add System-Defined Variables to Standard Text 28-17
- Recommendations 28-18
- Topic Highlights 28-19
- Practice 28-20

## **29 Standard Reports**

- Objectives 29-2
- Business Scenario 29-3
- Reports in Oracle B2C Service 29-4
- Running / Viewing Reports 29-5
- Reports Explorer .NET Service Console 29-6
- Reports Explorer Browser UI 29-7
- Report Identifier 29-8
- Finding a Report: .NET Service Console 29-9
- Finding a Report: Browser UI 29-10
- Report Types 29-11
- Search Reports - .NET Service Console 29-12
- Search Reports – Browser UI 29-13
- Grid Reports 29-14
- Chart Reports 29-15
- Chart and Tabular 29-16
- Dashboard 29-17
- Share Report Data Options 29-18
- Publish (only available in .NET Console) 29-19
- Schedule (only available in .NET Console) 29-20
- Forward 29-21
- Export 29-22
- Data in Reports 29-23
- Report Results 29-24

Report Definition (.NET Console only) 29-25  
Viewing the Report Definition 29-26  
Report Management (.NET Console only) 29-27  
Topic Highlights 29-28  
Practices 29-29

### **30 Custom Reports Introduction**

Objectives 30-2  
Business Scenario 30-3  
Data 30-4  
Data Dictionary 30-5  
Custom Reports 30-6  
Copy and Edit a Standard Report 30-7  
Create New 30-8  
Report Designer 30-9  
Edit Columns 30-10  
Preview 30-11  
Make the Custom Report Available 30-12  
Data Relationships 30-13  
Report Analyzer 30-14  
Additional Report Features 30-15  
Filters 30-16  
Rollup Levels 30-17  
Slicing 30-18  
Cross Tabs 30-19  
Drilldown Levels 30-20  
Report Links 30-21  
Inline Edit 30-22  
Record Commands 30-23  
Computations 30-24  
Additional Report Styling 30-25  
Data Exceptions 30-26  
Report Styles 30-27  
Report Definition: Export and Import 30-28  
Recommendations 30-29  
Topic Highlights 30-30  
Practice 30-31

