



Deepdive into Exadata Cloud Administration

Student Guide
S1104621GC10

Copyright © 2025, Oracle and/or its affiliates.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Trademark Notice

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

1001062025

Table of Contents

Exadata Database Service - Exadata Overview	11
Objectives	12
Exadata Vision	13
Best Infrastructure for a Database Platform	14
Exadata Full-Stack Integration Reduces Operations Costs	15
Exadata Includes Dozens of Unique “Smart” Technologies	16
Exadata Advantages Increase Every Year	17
Fastest OLTP	18
Fastest Analytics	19
Best Consolidation	20
Thousands of Critical Deployments, On-Premises, and in the Cloud	21
Summary	22
Exadata Database Service Overview - Exadata Performance on Dedicated Exadata Cloud Infrastructure or Exadata Cloud@Customer	23
Objectives	24
Exadata Database Service	25
What Is Exadata Database Service?	26
Database Services on Exadata in Oracle Cloud	28
Exadata Database Service: Service Details	29
Exadata Database Service on Dedicated Infrastructure	30
Exadata Database Service on Cloud@Customer	31
Exadata Database Service: High Availability	32
Exadata Database Service	33
Oracle Exadata Database Service Cloud Architecture	34
Database Server Architecture	35
Hybrid Cloud: Public Cloud Simplicity and Elasticity Behind Your Firewall	36
Exadata Database Service Cloud@Customer Architecture	37
Exadata Database Service	38
Elastic OCPU Scaling: Pay Only for What You Use	39
Cost-Effective Software Licensing Models	40
Summary	41
Exadata Database Service Overview - OCI Database Security Overview	43
Objectives	44
Exadata Database Service	45
Integrated Security from Data to Identity	46
Exadata Database Service	47
Data Security	48
Data Safe – Database Security Control Center	49
Exadata Database Service	50
Operator Access Control (OpCtl)	51
Summary	52

Exadata Database Service Overview - Infrastructure & Storage

Configuration Options	53
Objectives	54
Exadata Database Service	55
Exadata Cloud Infrastructure Configuration Options for Exadata Database Service	56
Fixed Shape Infrastructure Configuration Options for Exadata Database Service	57
Oracle Exadata Public Cloud X9M-2 (AMD) System Specifications	58
Oracle Exadata Cloud@Customer X9M-2 (Intel) System Specifications	59
Exadata Database Service	60
Exadata Database Service: Storage Configuration Options	61
Summary	62
Exadata Database Service - Management Responsibilities & Management Interfaces	63
Objectives	64
Exadata Database Service: Management Responsibilities Simple Cloud Management Model	66
Cloud Automation for Life Cycle Management	68
OCI Management Interfaces	69
Oracle Cloud Web-Based UI	70
Oracle Cloud Infrastructure Console	71
Exadata Database Service	72
REST	73
REST API	74
Command-Line Interface (CLI)	75
OCI Command-Line Interface (OCI CLI)	76
OCI CLI: Examples	77
SDKs	78
Software Development Kit (SDK)	79
Terraform	80
Terraform for Exadata Database Service	81
Ansible	83
Summary	85
Exadata Database Service - Preparing for Exadata Database Service	87
Objectives	88
Exadata Database Service	89
Plan Your Storage Configuration Settings	90
Allocation of Exadata Storage Space Options	91
Exadata Snapshot Databases	92
Sparse Test Masters	93
Exadata Database Service: ASM Storage Allocation Percentage	94
Exadata Database Service	95
Site Requirements: Receiving, Unpacking and Accessing	96
Site Requirements: Space	97
Site Requirements: Weight	98

Flooring for Exadata Cloud@Customer Racks	99
Electrical Power for Exadata Cloud@Customer Racks	100
Site Requirements: Temperature and Humidity	101
Summary	102
Exadata Database Service - Network Setup for Exadata Database Service	103
Objectives	104
Exadata Database Service	105
Service Architecture	106
Network Architecture	107
Exadata Database Service	111
Public Client Subnet with Internet Gateway	112
Private Client Subnet with Dynamic Routing Gateway	113
Service Gateway for the VCN	114
DNS Resolution in Virtual Cloud Network	115
DNS Resolution Considerations	116
Configure a Static Route for Accessing the Object Store	117
Exadata Database Service	118
Implementing Security Rules	119
Exadata Database Service	120
Planning IP Addresses for Exadata Database Service	121
Exadata Database Service	122
Additional Network Requirements for ExaDB-C@C	123
Planning IP Addresses for Exadata Database Service on Cloud@Customer	124
Data Center Network Services for Exadata Database Service on Cloud@Customer	125
Uplinks for Exadata Database Service on Cloud@Customer	126
Network Cabling for Exadata Database Service on Cloud@Customer	127
Summary	128
Exadata Database Service - Provisioning Exadata Database Service Instance	
- 1	129
Objectives	130
Exadata Database Service	131
Oracle Cloud Infrastructure (OCI) Console	132
Exadata Database Service	133
Exadata Database Service: Resource Model	134
ExaDB-D: VM Cluster Resource Overview	135
Summary	136
Exadata Database Service - Provisioning Exadata Database Service Instance	
- 2	137
Objectives	138
Exadata Database Service	139
Provisioning ExaDB-C@C Infrastructure Process	140
ExaDB-C@C: Planning for the Control Plane Configuration	141
ExaDB-C@C: Plan for Exadata System Networks	142
ExaDB-C@C: Plan for DNS & NTP servers	143

Exadata Database Service	144
Activate ExaDB-C@C Infrastructure	145
Exadata Database Service	146
ExaDB-C@C: VM Cluster Network Overview	147
Exadata Database Service	148
ExaDB-C@C: VM Cluster Resource Overview	149
Summary	150
Exadata Database Service - Managing Exadata Cloud Infrastructure Resources	151
Objectives	152
Infrastructure Maintenance Process	157
Infrastructure Update Types	158
Critical Infrastructure Update Process	159
ExaDB-D: Managing Automatic Infrastructure Maintenance	160
ExaDB-D: Scheduling Automatic Infrastructure Maintenance	161
ExaDB-C@C: Scheduling Automatic Infrastructure Maintenance	162
ExaDB-C@C: Automatic Infrastructure Maintenance Scheduling	163
ExaDB-C@C: Editing Automatic Maintenance Schedule	164
Infrastructure Maintenance Scheduling Policies	165
Compute Server Scaling for Exadata Database Service	167
Additional Compute Server Scaling Considerations for Exadata Cloud@Customer	168
Storage Server Scaling for Exadata Database Service	169
Additional Storage Server Scaling Considerations for Exadata Cloud@Customer	170
Terminating Exadata Cloud Infrastructure	172
Summary	173
Exadata Database Service - Managing Exadata VM Cluster Resources	175
Objectives	176
ExaDB: Navigation to VM Cluster	178
ExaDB: Power Management of Resources	180
ExaDB: Updating License Type	182
Moving Exadata Database Service to Another Compartment	184
ExaDB: Checking Status of Exadata Cloud Resources	186
Network Security Groups	188
Adding an SSH Key	190
Removing an SSH Key	191
Scaling Exadata VM Cluster Resources	194
Summary	196
Exadata Database Service - Managing Resources with Multi-VM	197
Objectives	198
Multi-VM on Exadata Database Service	200
VM Cluster Node Subsetting on Exadata Database Service	201
Considerations for Multi-VM & VM Cluster Node Subsetting	202
Oracle Exadata Public Cloud X9M-2 (AMD) Limits for Multi-VM & VM Cluster Node Subsetting ..	203
.....	203

Oracle Exadata Cloud@Customer X9M-2 (Intel) Limits for Multi-VM & VM Cluster Node Subsetting	204
Scale Down Memory Operation Guidelines	208
Scale Down Local Space Operation Guidelines	212
Calculate Lowest Local Storage Value You Can Scale To	213
Calculating the Space Available for the Next VM	214
Scale Down Exadata Storage Operation Guidelines	216
Calculating Lowest Exadata Storage Value You Can Scale To	217
Provision VM Cluster on a Subset of DB Servers	219
Expand an Existing VM Cluster by Adding VMs	221
Shrink an Existing VM Cluster by Removing VMs	223
Summary	224
Exadata Database Service - Managing Oracle Homes	225
Exadata Database Service	227
Exadata Database Service - Provision & Manage Oracle Databases	231
Objectives	232
Managing Exadata Database Service Database: Overview	234
Creating Exadata Database Service Databases: Prerequisites	236
Provisioning and Configuring Oracle Databases on Oracle Exadata Database Service	238
Moving a Database to a New Home	240
Terminating a Database	242
Summary	243
Exadata Database Service - Managing I/O Resources	245
Objectives	246
Exadata Database Service	247
I/O Resource Management (IORM): Overview	248
I/O Scheduling, the Traditional Way	249
I/O Scheduling, the Exadata Way	250
Best Practice Consolidation Architecture	251
Resource Management: Conceptual	252
Exadata Storage	253
When Does I/O Resource Manager Help the Most?	254
Intra-Database I/O Resource Management	255
How Are Intra-Database Plans Used?	256
Managing Multiple Databases	257
Resource Plans for Managing Multiple Databases	258
How Does Exadata Use Interdatabase Plans?	259
Resource Manager Controls	260
IORM Possibilities	261
Summary	262
Exadata Database Service - Managing Encryption and HugePages	263
Objectives	264
Exadata Database Service	265
Database Encryption Overview	266
Tablespace Encryption	268
Exadata Database Service	269

Oracle Key Vault	275
Exadata Database Service	276
Managing HugePages	277
Summary	279
Exadata Database Service - Managing Database Backup & Recovery	281
.....
Objectives	282
Exadata Database Service	283
Backup and Recovery: Overview	284
Backup Operations Available for Oracle Exadata Database Service	285
Exadata Database Service	286
Required Prerequisites for Conducting Backups	287
Prerequisites for Backup Destinations for Exadata Database Service on Cloud@Customer: NFS	288
.....
Prerequisites for Backup Destinations for Exadata Database Service on Cloud@Customer: ZDLRA	289
Exadata Database Service	290
Database Backups Using the OCI Console	291
Automatic Backups for Exadata Database Service	292
Configure Automatic Backup During DB Creation	293
Configure Automatic Backups for Existing Database	294
Exadata Database Service	295
Create an On-Demand Full Backup of a Database	296
Exadata Database Service	297
View a List of Available Backups with the Console	298
Delete On-Demand Database Backup Using OCI Console	299
Exadata Database Service	300
Demo: Editing Backup Settings Using OCI Console for ExaDB-C@C	301
Demo: Editing Backup Settings Using OCI Console ExaDB-C@C	302
Exadata Database Service	303
Restore Options for Oracle Exadata Database Service	304
Restore Database Using Console	305
Exadata Database Service	306
Demo: Move Backup Destination to Another Compartment	307
Exadata Database Service	309
Demo: Using the Console to Delete a Backup Destination	310
Summary	311
Exadata Database Service - Enabling & Managing HA Solutions with DG & ADG	313
Objectives	314
Exadata Database Service	315
What Is Oracle Data Guard?	316
Types of Standby Databases	317
Types of Data Guard Services	319
Role Transitions: Switchover and Failover	320
Data Protection Modes	321

Benefits of Implementing Oracle Data Guard	322
Benefits of Implementing Oracle Active Data Guard	323
Prerequisites for Data Guard Setup on Exadata Database Service	324
Using Data Guard with Exadata Database Service	325
Exadata Database Service	326
Data Guard Password Requirements	327
Oracle Cloud Network Topology with Data Guard	328
Exadata Database Service	329
Data Guard Feature Availability by Software Editions	330
Cloud Data Guard Configuration	331
Oracle Cloud Automation	332
Exadata Database Service: Protection out of the box	333
Exadata Database Service: Data Guard via Control Plane	334
Hybrid Cloud: Hybrid Sources & Destinations	335
Exadata Database Service	336
Exadata Database Service : Data Guard Best Practices	337
Summary	338
Exadata Database Service - Managing Patching & Upgrades	339
Objectives	340
Exadata Database Service	341
VM Cluster: Current Patch Levels	344
VM Cluster: Updates	345
VM Cluster: Update History	346
Exadata Database Service	347
Exadata Guest VM OS Image Updates	358
Exadata Guest VM OS Image Upgrades	360
Exadata Database Service	362
Summary	369
Exadata Database Service - Connecting to an Exadata Database Service	371
Objectives	372
Exadata Database Service	373
Prerequisites for connecting to an Exadata Database Service	374
Prerequisites for creating Bastion sessions in OCI Console	376
Demo: Connect to an Exadata Database Service (SSH Command Example)	377
Summary	378
Exadata Database Service - Monitoring & Managing Storage Servers with ExaCLI	379
Objectives	380
Exadata Database Service	381
Exadata Storage Server Architecture: Overview	382
Exadata Database Service	383
ExaCLI Command	384
Finding Storage Server IP for Connecting with ExaCLI	386
ExaCLI: Command Syntax	387

ExaCLI: Username	388
ExaCLI Options: [-l Username] and [--xml]	389
ExaCLI: Password	390
ExaCLI Options: -c [username@]RemoteHost[:port]	391
ExaCLI Options: [-e {command 'command[; command]' @batchfile}]	392
ExaCLI Options: [-n OR --no-prompt]	393
ExaCLI Options: [--cookie-jar filename]	394
ExaCLI: Using Cookies Example	395
Exacli: Command Parameters	396
Exacli: Examples	397
Summary	398