



Fusion Service Redwood Implementation

Student Guide
S1108553GC10

Copyright © 2026, Oracle and/or its affiliates.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Trademark Notice

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

1002052026

Contents

1 Introduction

- Objectives 1-2
- Course Audience 1-3
- Course Prerequisites 1-4
- Course Goal 1-5
- Key Topics 1-6
- Key Topics (continued) 1-7
- Course Methodology 1-8
- Course Materials 1-9
- Summary 1-10

2 Overview

- Objectives 2-2
- Course Focus 2-3
- Purpose of Fusion Service 2-4
- Oracle Modern Best Business Practice 2-5
- Implementation Overview 2-12
- Extensibility at a Glance 2-13
- Jumpstart: Moving from Fusion Classic to Fusion Redwood 2-14
- What the Jumpstart Tool can migrate 2-15
- Summary 2-16
- Practices 2-17

3 Getting Started

- Objectives 3-2
- Service 3-3
- Service Setup 3-4
- Enable Service 3-5
- Enable Redwood User Interface for Service 3-8
- Enable Service 3-10
- Enable Service: Restrictions Redwood vs Classic Interfaces 3-11
- Configure Service Features 3-12
- Configure SR Processing 3-13
- Configure Communication Channels 3-14
- Enable Agent Productivity Tools 3-15

- Manage Service Request Profile Options 3-16
- Service Request > Manage Global Search Profile Options 3-17
- Manage Service Request Profile Options 3-18
- Other Configurations 3-21
- Summary 3-22
- Practices 3-23

4 Security

- Objectives 4-2
- SR Access 4-3
- Grant Agents Access to SRs 4-6
- Access Service Center in Redwood 4-7
- SR Security: Access and Security Options for SRs 4-8
- Access Groups 4-9
- Access Group-Based Security Policies 4-10
- Assign Data Security Policies Based on Business Unit 4-12
- Summary 4-13
- Practices 4-14

5 Service Requests

- Objectives 5-2
- Service Requests 5-3
- Service Request Activities 5-4
- Status and Status Types 5-6
- SR Life Cycle 5-8
- Service Center Home Page 5-9
- Service Home Page 5-10
- Overview of the My Open Service Requests Page 5-11
- Create a Service Request from the Open Service Requests Page 5-14
- Service Request Overview Page 5-15
- Service Request Overview Page: Action Bar 5-16
- Service Request Activities Page 5-17
- Service Request Details Page 5-18
- Summary 5-31
- Practices 5-32

6 Service Request Options

- Objectives 6-2
- Organizing SRs 6-3
- Categories 6-4
- Catalogs 6-8

Service Processes 6-14

Analytics 6-16

Summary 6-23

Practices 6-24

7 Service Entitlements

Objectives 7-2

Service Entitlement 7-3

Objects Related to Service Entitlements 7-4

Configure Service Entitlements 7-5

Milestones: An example 7-6

Milestone Types 7-7

Milestone Configuration 7-8

Coverage 7-10

Standard Coverages 7-11

Schedules and Exceptions 7-12

Standard Coverage Rules 7-14

Manage Standard Coverages 7-15

Edit Standard Coverage 7-16

Apply Default Coverage to All Customers 7-17

Apply Coverage to a Specific Customer 7-18

Milestones for Installed Base Assets 7-19

Milestones for Installed Base Assets: Example 7-20

Summary 7-21

Practices 7-22

8 Monitoring Service Entitlements

Objectives 8-2

Monitoring Service Entitlements 8-3

Run a Scheduled Process 8-4

Take Actions Based on Milestone Status 8-5

View Milestone Diagnostics 8-6

Report on Entitlement Performance 8-8

Summary 8-10

9 Queues

Objectives 9-2

Queues Work Assignment Process Overview 9-3

Queues 9-4

Queue Resources 9-5

Configure a New Queue 9-6

- Queue Types 9-7
- Default Queue 9-8
- Rule-Based Queue Assignment 9-9
- Rules and Rule Sets 9-10
- Rule Categories 9-11
- Queuing Real-Time Work 9-12
- How Service Categories are used in Rules 9-13
- Category and Product Group Hierarchy Rules 9-14
- Rule-Based Queue Assignment Using Scoring 9-15
- Specifying Scores 9-17
- Important Configuration Options 9-18
- Queues Dashboard 9-19
- Recommended Practices 9-20
- Summary 9-21
- Practices 9-22

10 Routing

- Objectives 10-2
- Work Assignment Process Overview 10-3
- Routing 10-4
- Omnichannel 10-5
- Presence, Availability, and Capacity 10-6
- Non-Real-Time Work 10-7
- Real-Time Work 10-8
- Global Capacity Limits 10-9
- Individual Capacity Limits 10-10
- Agent Presence and Capacity Options 10-11
- Work Starvation Prevention 10-12
- Queue Overflow 10-13
- Configure Omnichannel and Queue Overflow 10-14
- Recommended Practices 10-17
- Summary 10-19
- Practices 10-20

11 Notifications

- Objectives 11-2
- Notifications 11-3
- General Notifications 11-4
- Omnichannel Notification Examples 11-5
- Real-Time Notifications 11-6
- Notification Preferences Manager 11-7

Configure Omnichannel Notifications 11-10
Summary 11-11
Practices 11-12

12 Internal Conversations (Collaboration)

Objectives 12-2
Internal Conversations 12-3
Internal Conversations and SR Message Forward 12-6
Create a Channel for Collaboration 12-7
Using Slack for Collaboration 12-8
Using MS Teams for Collaboration 12-9
Summary 12-10

13 Email

Objectives 13-2
Email Processing Overview 13-3
Email Processing Overview – Outbound 13-4
Inbound Email Processing 13-5
Email to SR Fields Mapping 13-7
Auto-Populated SR Fields 13-8
Implement Inbound Email Processing 13-9
1. Enable Default Processing 13-10
2. Redirect Inbound Email 13-11
3. Create an Email Channel 13-12
4. Create Email Filters 13-13
5. Configure Profile Options 13-14
5. Configure Profile Options: New Email Profile Options Page 13-15
5. Configure Profile Options: Microsoft Exchange Integration Overview 13-16
Microsoft Exchange Integration Overview 13-17
6. Register Inbound Email Channels 13-18
7. Set Up a Scheduled Process 13-20
8. Periodically Purge Inbound Email Messages 13-21
Troubleshooting 13-22
Outbound Email 13-23
Setup and Configuration for Outbound Email 13-25
Outbound Email Profile Options 13-26
Email Loops 13-28
Summary 13-29
Practices 13-30

14 Email Templates

- Objectives 14-2
- Review: Outbound Email 14-3
- Review: Message Types 14-4
- Email Template 14-5
- Email Template Types 14-6
- Creating and Editing Email Templates 14-7
- Fields and Data in the Email Template 14-8
- Assigning Templates to Message Types 14-10
- Using Templates 14-11
- Preview the Response 14-12
- Troubleshooting 14-13
- Summary 14-14
- Practices 14-15

15 Personal Signatures

- Objectives 15-2
- What are Personal Signatures? 15-3
- Where do you define your signature? 15-4
- How to Create a Personal Signature 15-5
- Example of a Signature in Use within an SR Email Message 15-6
- Recommended Signature Best Practices 15-7
- Summary 15-8

16 Interactions

- Objectives 16-2
- What are Interactions? 16-3
- Example of Interactions in the Activity Stream 16-4
- Example of Interaction from Service Center Console (Phone) 16-5
- Example of Interaction from Service Center Console (Chat) 16-6
- Interaction Model: Data and Relationships 16-7
- Interaction Model 16-8
- Accessing Interactions 16-9
- Interactions: Supported Channels 16-10
- Cross-Channel Interactions: Use Cases 16-11
- Cross-Channel Use Case 16-12
- How do Cross-Channel Interactions work? 16-15
- Configuring Cross-Channel Interactions 16-16
- Cross-Channel Options 16-17
- Child Interactions: When Created 16-18
- Child Interactions: Use Cases 16-19

Child Interactions: Examples 16-20
Interaction Security 16-21
Summary 16-22

17 Using Computer Telephony Integration (CTI)

Objectives 17-2
Computer Telephony Integration (CTI) 17-3
Multichannel Architecture (MCA) 17-4
Redwood Toolbar 17-5
Notifications 17-6
Cross-Channel Interactions 17-7
Call Flow 17-8
Example of Call Flow 17-9
Call Flow Features 17-10
Reverse Lookup 17-11
Caller Verification 17-12
Screen Pop 17-13
Wrap-Up 17-14
Interaction Logging 17-15
Summary 17-16

18 Configuring Computer Telephony Integration (CTI)

Objectives 18-2
Configuring CTI and Call Flow 18-3
Configure Redwood Toolbar 18-4
Configure Cross-Channel Interactions 18-5
Configure Call Flow 18-6
Configure Screen Pop 18-8
Screen Pop Rules 18-9
Screen Pop Pages 18-10
Screen Pop Tokens 18-11
Summary 18-13

19 Chat Capabilities

Objectives 19-2
Chat 19-3
Chat for a DCS Application User 19-4
Chat for a Website User 19-5
Chat for the Agent 19-6
Handling Chats 19-7
Typical Chat Flow 19-8

Chat Flow to DA as Agent (Oracle Digital Assistant) 19-9
Chat Flow from DA as Agent to a Live Agent 19-10
Chat Transcript 19-11
Summary 19-12

20 Chat Implementation

Objectives 20-2
Chat Implementation – Detailed Steps 20-3
Implement Web Chat Widget on a DCS Application 20-4
Implement Engagement Engine Tag on Another Website 20-5
Configure Web Chat Component in Engagement Engine 20-6
Configure Your Site and Rule in Engagement Engine 20-7
Settings in Engagement Engine 20-8
Implement Web Chat Widget 20-9
Implement Chat for the Agent 20-10
Configure Chat Processing 20-11
Configure Chat Transcript 20-14
Configure Service Center Console 20-15
Configure Digital Assistant as an Agent 20-16
Summary 20-17

21 Action Plans

Objectives 21-2
What are action plans? 21-3
How an Action Plan Is Assigned by an Agent 21-4
Action Precedence 21-5
Admin Tasks 21-6
Creating an Action Plan Template 21-7
Manage Action Categories (Optional) 21-8
Manage Action Plan Template Categories (Optional) 21-9
Creating Actions 21-10
Attribute Mappings 21-12
Status Mapping 21-14
Dependencies 21-15
Create an Action Plan Template 21-16
Setup: Create Relationship from Action Plan 21-18
Setup: Create Relationship from Action Plan Action 21-19
Copy Attachments 21-20
Administrator's Action Plan Template Diagram View 21-21
Action Plan Default Calendar View 21-22
Selecting the Schedule Source 21-23

- Action Plan Analytics 21-24
- Action Plan Analytics (contd.) 21-25
- Actions and Plans: Service Agent Features 21-26
- Service Agent Action Plan Diagram View 21-27
- Spotlight Area 21-28
- Relationships 21-29
- Relationships: Action Bar Assistant Commands 21-30
- Relationships: Add 21-31
- Relationships: View 21-32
- Relationships: Update 21-33
- Setup: Create Relationship from Action Plan 21-34
- Summary 21-35
- Practice 21-36

22 Activity Stream Setup and Configuration

- Objectives 22-2
- Activity Stream 22-3
- Activity Setup Tasks – Configure Activities Display 22-4
- Activity Setup Tasks – Generate Feed Elements and Publish 22-6
- What if activity streams are not available despite being set up? 22-8
- Summary 22-9

23 Creating and Using SmartText

- Objectives 23-2
- Agent Productivity 23-3
- What is SmartText? 23-4
- Enable SmartText 23-5
- SmartText Privileges 23-6
- Author SmartText 23-7
- Create and Edit SmartText for the Service Domain 23-8
- Creating a SmartText: Tools/SmartText 23-9
- Naming and Organizing SmartTexts 23-10
- Creating a Public SmartText 23-11
- Editing a SmartText – Using the @ Key 23-12
- Saving and Publishing a SmartText 23-13
- Using SmartText 23-14
- How is SmartText invoked? 23-15
- Recommended Practices 23-16
- Summary 23-17
- Practices 23-18

24 Creating and Using Keyboard Shortcuts

Objectives 24-2

Agent Productivity 24-3

Keyboard Shortcuts 24-4

Keyboard Shortcut Configuration 24-5

Recommended Practices 24-6

Summary 24-7

Practices 24-8

25 Intelligent Advisor Integration

Objectives 25-2

How Is Intelligent Advisor Used in Service 25-3

Intelligent Advisor Can Be Integrated into Key Service Business Flows 25-4

How Is Intelligent Advisor Used in Service 25-5

How to Set Up and Configure IA Integration to Service Center 25-6

Summary 25-7