

# Contents

## 1 Account Reconciliation: Solution Overview

- Objectives 1-2
- General Ledger: Overview 1-3
- General Ledger: Components and Best Practice 1-4
- Account Reconciliation: Overview 1-6
- Account Reconciliation: Importance of Account Reconciliation 1-7
- Reconciliation Process: Non-System-Based Approach 1-8
- Reconciliation Process: Non-System-Based Approach: Illustration 1-9
- Reconciliation Process: Disadvantages of Non-System-Based Approach 1-10
- Oracle Cloud EPM Account Reconciliation: Key Capabilities 1-11
- Oracle Cloud EPM Account Reconciliation: Overview 1-12
- Reconciliation Compliance: Types of Compliance Validations 1-13
- Reconciliation Compliance Terminology – 1 1-14
- Reconciliation Compliance Terminology – 2 1-15
- Reconciliation Compliance Methods 1-16
- Balance Comparison Method 1-17
- Account Analysis Method 1-18
- Variance Analysis Method 1-19
- Reconciliation Compliance Process 1-20
- Transaction Matching: Overview 1-22
- Transaction Matching: Terminology 1-23
- Transaction Matching: Setups 1-24
- Transaction Matching: Workflow Process 1-25
- Transaction Matching: Ways of Matching 1-26
- Summary 1-27

## 2 Navigating Within Account Reconciliation

- Objectives 2-2
- User Roles 2-3
- Home: Log In to Account Reconciliation 2-5
- Home 2-6
- Home: Announcement Panel and Global Header 2-7
- Home: Navigator 2-8
- Home: Cards 2-9
- Home: Clusters 2-10

Home: Dashboards Cluster 2-11  
Home: Application Cluster 2-12  
Home: Tools Cluster 2-14  
Settings and Actions Menu 2-15  
Settings and Actions Menu: Preferences – General 2-16  
Settings and Actions Menu: Preferences – Teams 2-17  
Settings and Actions Menu: Preferences – Notifications 2-18  
Filters: Overview 2-19  
Filters: Using Filters 2-20  
Filters: Filter View – Illustration 2-21  
Filters: Creating a New Filter 2-22  
Filters: Save a Filter 2-23  
Filters: Selecting Saved Filter 2-24  
Filters: Export Data to Excel File 2-25  
Views 2-26  
Views: List View 2-27  
Views: List View Customization 2-28  
Views: Pivot View 2-29  
Views: Customizing Pivot View 2-30  
Views: Chart View and Types 2-32  
Views: Chart View 2-33  
Views: Customizing Chart View 2-34  
Accessing Reconciliations 2-36  
Accessing Reconciliations: Worklist 2-37  
Accessing Reconciliations: Reconciliations 2-38  
Accessing Reconciliations: Dashboards 2-39  
Summary 2-40

### **3 Configuring Reconciliation Compliance**

Objectives 3-2  
Configuring Reconciliation Compliance 3-4  
Attributes: Overview 3-6  
Attributes: Data Types 3-8  
System Attributes: Overview 3-9  
Profile Segments: Overview 3-10  
Profile Segments: Creating Profile Segment 3-11  
Currency 3-12  
Currency: Define New Currency 3-13  
Currency: Rate Types 3-14  
Currency: Currency Rates 3-15  
Currency: Currency Rates - Illustration 3-16

Currency: Currency Buckets - Illustration 3-17  
Organizations 3-18  
Organizations: Calendars - Overview 3-19  
Organizations: Calendars – Add New Calendar 3-21  
Organizations: Holidays Rules 3-22  
Organizations: Holiday: Add Holiday Rules 3-23  
Organization: Holiday - Importing Holiday List 3-24  
Organization: Creating Organizational Unit 3-25  
Organizational: Importing Organizational Units 3-27  
System Settings 3-28  
Teams 3-30  
Teams: Defining Teams 3-31  
Teams: Export and Import Team Data 3-32  
Teams: Export Team Data 3-34  
Periods: Overview 3-35  
Periods: Creating Periods 3-36  
Periods: Period Status 3-37  
Period: Viewing Period History 3-38  
Period: Editing and Deleting Periods 3-39  
Rules Overview 3-40  
Relationship Between Account Reconciliation  
    Key Components 3-41  
Formats: Overview 3-42  
Formats: Reconciliation Compliance Formats 3-43  
Formats: Example – Balance Comparison Format 3-44  
Formats: Example – Account Analysis 3-45  
Formats: Design 3-47  
Format: Properties 3-48  
Format: Instructions 3-50  
Format: Add Attributes 3-51  
Format: Questions 3-52  
Format: Rules 3-53  
Profile: Overview 3-55  
Profile: Example 3-57  
Profiles: Properties 3-58  
Profiles: Instructions 3-60  
Profile: Workflow - Overview 3-61  
Profile: Workflow 3-62  
Profile: Currency 3-64  
Profile: Access 3-65  
Profile: Attributes 3-66

Profile: Rules 3-67  
Profile: History 3-68  
Exporting Profiles 3-69  
Importing Profile 3-70  
Summary 3-71

## **4 Managing Reconciliations**

Objectives 4-2  
Reconciliation Types 4-4  
Reconciliation Types: Individual Reconciliation 4-5  
Reconciliation Types: Summary Reconciliation 4-7  
User Roles and Their Tasks 4-8  
Manage Period Statuses 4-9  
Workflow Tasks for Services Administrator 4-10  
Creating Reconciliations: Overview 4-12  
Creating Reconciliations: From Periods 4-13  
Creating Reconciliations: From Profiles 4-14  
Creating Reconciliations: Using EPM Automate Command 4-15  
Creating Reconciliations: Missing Reconciliations 4-16  
Creating Reconciliations: Missing Reconciliations - Illustration 4-17  
Attachments: Overview 4-18  
Attachments: Actions 4-19  
Attachments: Roles and Permissions 4-20  
Attachments: Add Attachments to a Reconciliation 4-21  
Attachments: Edit or Delete 4-22  
Comments: Required Permissions 4-23  
Comments: Add Comments 4-24  
Manage Reconciliation: Life Cycle Overview 4-25  
Manage Reconciliation: Opening 4-26  
Reconciliations Actions: Reopen 4-27  
Manage Reconciliation: Summary 4-28  
Preparers Role: Workflow Tasks 4-29  
Preparers Role: Preparing Reconciliation 4-30  
Preparers Role: Submitting Reconciliations 4-31  
Reviewers Role: Workflow Task 4-32  
Reviewers Role: Approving or Rejecting Reconciliations 4-33  
Reconciliation Actions: Requesting Reassignment 4-34  
Reconciliations Actions: Reassigning Request - Illustrations 4-35  
Reconciliations Actions: Approve or Reject Reassignment Request 4-36  
Reconciliations Actions: Add Users to Reconciliations 4-37  
Group Reconciliation: Overview 4-38

Group Reconciliations: Scenario 4-40  
Group Reconciliations: Example 4-41  
Group Reconciliations: Setup 4-42  
Group Reconciliations: Reconciliation View - Illustration 4-44  
Summary Reconciliations: Characteristics 4-45  
Summary Reconciliations: Setup 4-46  
Summary Reconciliations: Setup - Add Accounts 4-47  
Summary Reconciliations: Example 4-48  
Summary Reconciliations: Key Differences 4-49  
Summary 4-51

## **5 Importing Data into Account Reconciliation**

Objectives 5-2  
Data Integrations 5-4  
Methods of Loading Data into Account Reconciliation 5-5  
Set Up and Configure Data Integration: Overview 5-6  
Set Up and Configure Data Integration: Data Load Process 5-8  
Set Up and Configure Data Integration: Registering Applications 5-9  
Set Up and Configure Data Integration: Registering Applications - Category 5-10  
Set Up and Configure Data Integration: Creating Period Mappings 5-12  
Set Up and Configure Data Integration: Creating Period Mappings - Types 5-14  
Set Up and Configure Data Integration: Creating Category Mappings 5-16  
Set Up and Configure Data Integration: Creating Category Mappings -  
Global Mapping 5-17  
Set Up and Configure Data Integration: Creating Category Mappings -  
Application Mapping 5-18  
Creating Integration: Steps 5-19  
Creating File-Based Integration 5-20  
Creating File-Based Integration: Set File Import Options 5-21  
Creating File-Based Integration: General Details - Location Attributes 5-22  
Creating File-Based Integration: Mapping Dimensions 5-23  
Creating File-Based Integration: Mapping Members - Overview 5-24  
Creating File-Based Integration: Mapping Members – Mapping Types 5-25  
Creating File-Based Integration: Mapping Dimension Members: Add 5-26  
Creating File-Based Integration: Setting Options 5-28  
Running Integrations 5-29  
Running Integrations: Options tab 5-30  
Running Integration: Workbench 5-32  
Running Integration: Viewing Results in the Workbench 5-33  
Running Integration: Process Details 5-34  
Data Management 5-35

Importing Data Using Data Management: Types of Data Load	5-36
Importing Data Using Data Management	5-37
Data Management Feature Migrated to Data Integration	5-38
Data Management: Navigation	5-39
Data Management: Setup Tab	5-40
Data Management: Workflow Tab	5-41
Importing Data Using Data Management: Import Format	5-42
Importing Data Using Data Management: Import Format - Illustration	5-43
Importing Data Using Data Management: Creating Location	5-44
Importing Data Using Data Management: Creating Location - Illustration	5-45
Importing Data Using Data Management: Mapping Member	5-46
Importing Data Using Data Management: Mapping Member - Illustration	5-47
Importing Data Using Data Management: Define Data Load Rules	5-48
Importing Data Using Data Management: Define Data Load Rules - Illustration	5-49
Importing Data Using Data Management: Run Data Load Rules	5-50
Importing Data Using Data Management: View Process Details	5-51
Importing Data Using Data Management: Workbench	5-52
Using Bank Statement Formats for Data Load	5-53
Using Bank Statement Formats for Data Load: Verifying BAI Bank Statement Balances	5-54
Using Bank Statement Formats for Data Load: Registering Application	5-55
Using Bank Statement Formats for Data Load: Enabling the Verify Statement Balance Option	5-56
Importing Data into Account Reconciliation	5-57
Importing Data into Account Reconciliation: Adding Data Load Definition	5-58
Importing Data into Account Reconciliation: Balances – Import Mode	5-59
Importing Data into Account Reconciliation: Executing Data Load	5-60
Importing Data into Account Reconciliation: Executing Data Load - Illustration	5-61
Importing Data into Account Reconciliation: Viewing Data Load Results	5-62
Importing Data into Account Reconciliation: Account Reconciliation View	5-63
Summary	5-64

## **6 Create and Manage Rules**

Objectives	6-2
Rule: Overview	6-3
Rules: How Rules Work in ARCS	6-4
Format and Profile Rules	6-5
Adding Rules to Formats and Profiles	6-6
Adding Rules to Formats	6-7
Adding Rules to Profiles	6-9
Format and Profile Rules: 1. Auto Approve Reconciliation	6-11

Format and Profile Rules: 1. Auto Approve Reconciliation: Example 6-12

Format and Profile Rules: 2. Auto Submit Reconciliation 6-13

Format and Profile Rules: 2. Auto Submit Reconciliation: Example 6-14

Format and Profile Rules: 3. Prevent Reconciliation Approval 6-15

Format and Profile Rules: 3. Prevent Reconciliation Approval: Example 6-16

Format and Profile Rules: 4. Prevent Reconciliation Submission 6-17

Format and Profile Rules: 4. Prevent Reconciliation Submission: Example 6-18

Format and Profile Rules: 5. Prevent Reconciliation Rejection 6-19

Format and Profile Rules: 5. Prevent Reconciliation Rejection: Example 6-20

Format and Profile Rules: 6. Require Reconciliation Attachment 6-21

Format and Profile Rules: 6. Require Reconciliation Attachment: Example 6-22

Format and Profile Rules: 7. Send Email on Update 6-23

Format and Profile Rules: 7. Send Email on Update: Example 6-24

Format and Profile Rules: 8. Create an Alert 6-25

Format and Profile Rules: 8. Create an Alert: Example 6-26

Format and Profile Rules: 9. Setting Attribute Value 6-27

Format and Profile Rules: 9. Setting Attribute Value: Example 6-28

Format and Transaction Rules 6-29

Format and Transaction Rules: Implementation 6-30

Format and Transaction Rules: 1. Copy Transaction from Prior Reconciliation 6-31

Format and Transaction Rules: 1. Copy Transaction from Prior Reconciliation:  
Example 6-32

Format and Transaction Rules: 2. Prevent Amount Edit Rule 6-33

Format and Transaction Rules: 2. Prevent Amount Edit Rule: Example 6-34

Format and Transaction Rules: 3. Prevent Transaction Delete 6-35

Format and Transaction Rules: 3. Prevent Transaction Delete Rule: Example 6-36

Format and Transaction Rules: 4. Prevent Transaction Save Rule 6-37

Format and Transaction Rules: 4. Prevent Transaction Save Rule: Example 6-38

Format and Transaction Rules: 5. Require Transaction Attachment Rule 6-39

Format and Transaction Rules: 5. Require Transaction Attachment Rule:  
Example 6-40

Format and Transaction Rules: Illustration 6-41

Summary 6-42

## **7 Group Attributes**

Objectives 7-2

Group Attributes: Overview 7-3

Group Attributes: Uses and Benefits 7-4

Configure Group Attributes: Reconciliation Compliance 7-5

Configure Group Attributes: Transaction Matching 7-6

Group Attribute Properties 7-7

- Defining Member Attributes 7-8
- Specifying Values for Group Member Attributes 7-9
- Exporting Group Attribute Member Values 7-10
- Importing Group Attribute Member Values 7-11
- Editing Group Attributes 7-12
- Deleting Group Attributes 7-13
- Deleting Group Attributes: Illustration 7-14
- Summary 7-15

## **8 Transaction Matching**

- Objectives 8-2
- Transaction Matching: Overview 8-4
- Transaction Matching: Benefits 8-5
- Transaction Matching: Use Cases - 1 8-6
- Transaction Matching: Use Cases - 2 8-7
- Transaction Matching: Use Cases - 3 8-8
- Transaction Matching: Use Cases - 4 8-9
- Transaction Matching: Terminology 8-10
- Transaction Types in Transaction Matching: Illustration 8-11
- Transaction Matching: Status 8-12
- Transaction Matching: Reconciliation Methods 8-14
- Setting Up Transaction Matching 8-15
- Setting Up Transaction Matching: Match Types - Overview 8-16
- Transaction Matching: Creating Match Types 8-17
- Match Types: Properties 8-18
- Match Types: Data Sources 8-19
- Match Types: Data Sources - Illustration 8-20
- Match Types: Data Sources - Attribute 8-21
- Match Types: Transaction Types 8-23
- Match Types: Match Process - Overview 8-24
- Match Types: Match Process - Properties 8-25
- Match Types: Match Process: Rule Types 8-26
- Match Types: Match Process - Rules 8-27
- Match Types: Match Process - Rule Examples 8-28
- Match Types: Match Process - Create Rules 8-29
- Match Types: Match Process: Manual Match 8-30
- Running Auto Match: Overview 8-31
- Match Types: Match Process - Auto Match 8-32
- Match Types: Match Process - Auto Match Illustration 8-34
- Match Types: Match Process: Auto Match - Filtering Transactions 8-35
- Match Types: Match Process: Auto Match - Grouping Transactions 8-36

Match Types: Match Process - Default Adjustment Values 8-37  
 Duplicate and Reorder Auto Match Rules in Transaction Matching 8-38  
 Setting Up Formats For Transaction Matching 8-40  
 Setting Up Profile for Transaction Matching 8-41  
 Exporting Match Types 8-42  
 Importing Match Types 8-43  
 Running Auto Match: Workflow 8-44  
 Running Auto Match: Illustration 8-45  
 Matching: Overview 8-46  
 Importing Transaction to Data Source: Overview 8-47  
 Importing Transactions to Data Source: File Format 8-48  
 Importing Transactions to Data Source: Create File 8-49  
 Importing Transactions to Data Source: Run Import 8-50  
 Importing Premapped Balances to Data Source: Overview 8-51  
 Importing Premapped Balances to Data Source: Import 8-52  
 Matching: Matching and Transaction Tab View 8-53  
 Matching: Matching Dialog 8-54  
 Matching: Overview Tab 8-55  
 Suggested Matches: Overview 8-56  
 Suggested Matches: Matching and Transaction Tab 8-57  
 Suggested Matches: Suggested Match Tab 8-58  
 Suggested Matches: Transactions Matches Tab 8-59  
 Unmatched Transaction 8-60  
 Unmatched Transaction: Adjustments 8-61  
 Reports: Balance Report Summary 8-63  
 Reports: Balance Report Transaction 8-64  
 Searching Transactions in Transaction Matching: Features 8-65  
 Searching Transactions in Transaction Matching: Illustration 8-66  
 Summary 8-67

## **9 Balancing Rules**

Objectives 9-2  
 Five Golden Balancing Rules 9-3  
 Golden Rule #1: Unmatched 9-4  
 Golden Rule #2: Unmatched 9-5  
 Golden Rule #3: Matched – Two Sources 9-6  
 Golden Rule #3: Matched – Single Source 9-7  
 Golden Rule #4: Matched – All After Period End Date 9-8  
 Golden Rule #5: Matched – Two Sources 9-9  
 Golden Rule #5: Matched – Single Source 9-10  
 Golden Rule #5: Matched – Adjustments 9-11

Golden Rule #5: Matched – Two Sources & Adjustments 9-12  
Matching and Period End Date: Real-Time Scenarios 9-13  
Real-Time Scenario: Timing Delay 9-14  
Real-Time Scenario: Imperfect Match 9-15  
Real-Time Scenario: Discrepancy 9-16  
Real-Time Scenario: 4 9-17  
About Cosmetic and Non-Cosmetic Changes 9-18  
Cosmetic Changes to Transactions in Transaction Matching: Overview 9-20  
Cosmetic Changes to Transactions in Transaction Matching 9-21  
Non-Cosmetic Changes to Transactions in Transaction Matching: Overview 9-22  
Non-Cosmetic Changes to Transactions in Transaction Matching 9-23  
Closed Through Date 9-24  
Locked Through Date 9-25  
Reverse Adjustments 9-26  
Reverse Adjustments: Example 9-28  
Summary 9-29

## **10 Alerts Management**

Objectives 10-2  
Alerts: Overview 10-3  
Alert Types: Overview 10-4  
Creating an Alert Type 10-5  
Creating Alert Types: Illustration 10-7  
Creating Alert Types: Properties 10-8  
Creating Alert Types: Instructions 10-10  
Creating Alert Types: Workflow 10-11  
Creating Alert Types: Viewers 10-12  
Creating Alert Types: Questions 10-13  
Creating Alert Types: Attributes 10-14  
Creating Alert Types: History 10-15  
Creating Alerts: From Alerts 10-16  
Creating Alerts: From Reconciliations 10-17  
Creating Alerts: From Matching 10-18  
Creating Alerts: Illustration 10-19  
Viewing Alerts 10-20  
Viewing Alerts: Alert Actions 10-21  
Alert Actions and Available Roles 10-22  
Updating Alerts 10-23  
Alert Rules: Overview 10-25

Creating Alert Rules: Process flow at each level 10-26  
Creating Alert Rules: New Rule 10-27  
Summary 10-28

## **11 Data Loading Using EPM Automate and Web Services**

Objectives 11-2  
EPM Automate Overview and Utility Commands 11-3  
EPM Automate Overview 11-4  
Automating Repeatable Tasks 11-5  
Downloading and Installing EPM Automate: Windows 11-6  
Downloading and Installing EPM Automate: Linux/UNIX/macOS X 11-7  
Launching EPM Automate: Windows 11-8  
Launching EPM Automate: macOS X, Linux 11-9  
Launching EPM Automate: Login – Windows 11-10  
Launching EPM Automate: Login – Linux 11-11  
EPM Automate Utility Commands 11-12  
EPM Automate Commands Specific to ARCS 11-13  
EPM Automate Utility Command: createreconciliations 11-14  
Importing Pre-Mapped Balances Using EPM Automate 11-15  
Importing Pre-Mapped Balances or Transactions: Types of Data 11-16  
Importing Balances Using EPM Automate Command:  
importPreMappedBalances 11-17  
Importing Transactions Using EPM Automate Command:  
importPreMappedTransactions 11-18  
Importing Pre-Mapped Transactions for Transaction Matching: Using  
epmautomate 11-19  
Using REST APIs in Account Reconciliation 11-21  
Using REST APIs in Account Reconciliation: Overview 11-22  
URL Structure for Account Reconciliation 11-23  
Executing REST API Job in Account Reconciliation 11-24  
Importing Pre-Mapped Balances: Reconciliation Compliance Using  
REST API 11-25  
Importing Pre-Mapped Transactions: Reconciliation Compliance Using  
REST API 11-27  
Importing Pre-Mapped Balances: Reconciliation Compliance Using  
REST API 11-28  
Importing Balances (Reconciliation Compliance) Using REST API:  
Data Management 11-29  
Importing Pre-Mapped Transactions: Transaction Matching Using  
REST API 11-31  
Summary 11-33

## **12 EPM Digital Assistant**

- Objectives 12-2
- Oracle Digital Assistant: Overview 12-3
- Understanding Digital Assistant 12-4
- Digital Assistant in EPM Business Process 12-5
- Configure ODA for Account Reconciliation 12-6
- Home: Digital Assistant 12-7
- Default Tasks Configured in Account Reconciliation 12-8
- Using Digital Assistant in Account Reconciliation 12-9
- Using Digital Assistant: Add Comment to Reconciliations 12-10
- Using Digital Assistant: View Reconciliation Balance 12-11
- Using Digital Assistant: View and Update Period Status 12-12
- Customizing Skills for Account Reconciliation 12-13
- Summary 12-14

## **13 Visualizing and Analyzing Data**

- Objectives 13-2
- Views: Overview 13-3
- View Types 13-4
- Objects for Which Views Are Available 13-5
- Views: Illustration 13-6
- Chart View: Overview 13-7
- Chart View: Properties – Types of Charts 13-8
- Chart View: Illustration 13-9
- Chart View: Properties 13-10
- Chart View: Layout 13-11
- Chart View: Chart Axis 13-13
- Chart View: Legend 13-14
- Pivot View: Overview 13-15
- Pivot View: Properties and Layout 13-16
- Pivot View: Illustration 13-17
- List View: Overview 13-18
- Customizing List Views 13-19
- Custom Dashboards: Overview 13-20
- Opening Custom Dashboards 13-21
- Viewing Custom Dashboards 13-22
- Custom Dashboards: Edit (Design) Mode 13-23
- Creating Custom Dashboards 13-24
- Creating Custom Dashboards: Configure Settings – Properties 13-26
- Creating Custom Dashboards: Configure Settings – Access 13-27
- Custom Attributes 13-29

Balance Attributes: Overview	13-30
Creating Balance Attributes	13-31
Process flow - Balance Attributes	13-32
Balance Attributes: Data Aggregation	13-33
Calculated Balance Attributes in Custom Report Queries	13-34
Best Practices for Using Balance Attributes	13-35
Predefined Reports	13-36
Predefined Reports: Illustration	13-37
Generating Custom Reports	13-39
Generating Custom Reports: Step 1 – Creating a Query	13-40
Generating Custom Reports: Step 1 – Adding a Parameter Query to a Report	13-42
Generating Custom Reports: Step 1 – Generating a Query	13-43
Generating Custom Reports: Step 2 – Creating a Template	13-44
Generating Custom Reports: Step 3 – Creating a Report Group	13-45
Generating Custom Reports: Step 4 – Creating a Report Definition	13-46
Generating Custom Reports: Step 5 – Generating the Report	13-47
Summary	13-48

