



MySQL HeatWave: DB System Essentials

Student Guide
D1108876GC10



Copyright © 2025, Oracle and/or its affiliates.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Trademark Notice

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

1008072025

Table of Contents

Introducing MySQL HeatWave Service	13
Objectives	14
MySQL HeatWave Service	15
Benefits of a Fully Managed HeatWave Service	16
Customer and Oracle Responsibilities	17
Single Database for Transactional and Analytical Operations	18
HeatWave System Overview: Single System for OLTP, Analytics, and ML	19
HeatWave Solutions for Different Workloads	20
Summary	21
Introduction to Oracle Cloud Infrastructure	22
Objectives	23
Oracle Cloud Infrastructure Physical Architecture	24
Regions	25
Availability Domains	26
Fault Domains	27
Compartments and Tenancy	28
Virtual Cloud Network (VCN)	29
Public and Private Subnets	30
IAM Policies	31
Summary	32
DB System Overview	33
Objectives	34
Overview of HeatWave DB System	35
Prerequisites for Creating a DB System	36
DB System Provisioning	37
Data Security	38

Standalone DB System	39
High Availability DB System	40
Automatic Failover	41
HeatWave Cluster and Nodes	42
HeatWave Storage Layer	43
Summary	44
Creating a DB System	45
Objectives	46
Steps to Create a DB System	47
Navigating to the DB Systems Page	48
Opening the Create DB System Dialog Box	50
Selecting the Production or Development DB System	51
Providing DB System Information	52
Selecting Type and Entering Administrator Credentials	53
Configuring Networking	54
Configuring Placement	55
Configuring Hardware	56
Configuring Backup Plan and Initiating DB System Creation	57
Creating a DB System	58
Inspecting the DB System Endpoint	59
Summary	60
High Availability	61
Objectives	62
HeatWave Service High Availability	63
HeatWave Service with High Availability	64
MySQL Group Replication	65
Group Replication Within OCI	66
Prerequisites for Enabling High Availability on a DB System	67
High Availability for On-Premises Disaster Recovery	68

Benefits of HeatWave Service with High Availability	69
Creating a DB System with High Availability	70
Creating a HeatWave DB System with High Availability	71
Providing Basic Information for the DB System	72
Creating Administrator Credentials and DB System Type	73
Configuring Preferred Primary Placement	74
Limitations	75
Identifying a Failover	76
MySQL Group Replication Within OCI	77
DB System Details Page	78
Failover from the OCI Console	79
Automatic Switchover Due to Failover	80
Failover from Your Application	81
Common Failover Error Messages	82
Failover Messages in the Error Log	83
Performing a Switchover	85
Manual Switchover	86
Testing Failover with Switchover	87
Process of Testing Failover with Switchover	88
Selecting Switchover from the DB System Details Page	89
Switchover Panel	90
Selecting the Availability Domain for a Switchover	91
Monitoring from HeatWave DB System Details Page	92
Failover and Switchover to New Availability Domain	93
Best Practices for Handling a Failover	94
Summary	95
Connecting to a DB System	96
Objectives	97
DB System Endpoint	98

Network Path	100
Connecting to a DB System Using OCI Cloud Shell	101
Accessing Cloud Shell	102
Attaching a Cloud Shell Session to a VCN Subnet	103
Running MySQL Client on Cloud Shell	104
Connecting to a DB System Using Compute Instance	105
Connecting to a DB System from a Compute Instance	106
Connecting to the Compute Instance	107
Connecting from the Compute Instance Using MySQL Shell	108
Summary	109
Managing a DB System	110
Objectives	111
DB System States and Operations	112
DB System Operations	113
DB System States	114
Managing DB Systems	115
Navigating to the DB System Details Page	116
Inspecting the DB System Details Page	117
Stopping a DB System	118
Stopping a DB System: Inactive	119
Starting a DB System	120
Starting a DB System: Active	121
Restarting a DB System	122
Restarting a DB System: Active	123
Deleting a DB System	124
Deleting a DB System: Dialog Box	125
Deleting a DB System: Deleted	126
Summary	127
Backing Up a DB System	128

Objectives	129
Creating a Manual Backup	130
Backing Up a DB System	131
Backup Types	132
Creating a Manual Backup Using the Console	133
Providing Information for DB System Manual Backup	134
Inspecting Manual Backup	136
Managing Backups	137
Navigating to the DB System Details Page	138
DB System Details Page	139
Inspecting Backups	140
Editing a Backup Using the Cloud Shell	141
Editing a Backup Using the Console	142
Moving a Backup Using the Console	143
Moving a Backup Using the Cloud Shell	144
Deleting a Backup Using the Console	145
Deleting a Backup Using the Cloud Shell	146
Point-in-time Recovery	147
Point-in-Time Recovery Benefits	149
Restoring to a DB System	150
Restoring from a Backup at a Point-in-Time	152
Providing DB System Information	153
Configuring Networking	155
Configuring Preferred Primary Placement	156
Configuring Hardware and Storage	157
Configuring Backup Plan	158
Restoring from a Backup Using the Cloud Shell	159
Back Up/Restore Scenarios and Limitations	160
Backup and Restore Scenarios: Standalone and High Availability	161

Restoring DB Systems with a HeatWave Cluster: Limitations	162
Restoring DB Systems with a HeatWave Cluster: HeatWave Data	163
Summary	164
Replicating to a DB System – Part 1	165
Objectives	166
HeatWave Inbound Replication	167
MySQL Replication	168
HeatWave Inbound Replication	169
Limitations	170
Replication Prerequisites and Connectivity Scenarios	171
Source Database Requirements	172
Enabling GTID Mode	173
Enabling GTID Mode Without Restart	174
Row-Based Binary Logging	175
Benefits of Creating a Dedicated Replication User	176
Creating a Replication User	177
Connectivity: Inbound Replication	178
Connectivity with On-Premises MySQL Server in a Public Network	179
Connectivity with On-Premises MySQL Server in a Private Network	180
Connectivity with MySQL Server in an OCI Compute Instance	181
Connectivity when both Source and Target are in OCI	182
Loading Initial Data to your DB System	183
Loading Initial Data from a MySQL Server to a DB System	184
MySQL Shell Instance Dump Utility	185
Storing the Dump Files in an Object Storage Bucket	186
Exporting MySQL Data to an Object Storage Bucket	187
Navigating to the MySQL DB Systems Page	188
Creating a DB System	189
Creating a Pre-Authenticated Request (PAR) URL	190

Creating a Pre-Authenticated Request (PAR)	191
DB System Creation	192
Loading Initial Data from a DB System to a DB System	193
Summary	194
Replicating to a DB System – Part 2	195
Objectives	196
Creating a Replication Channel	197
Navigating to Channels	198
Creating a Channel	199
Source Connection	200
SSL Configuration and Replication Positioning	201
Selecting the Target DB System	202
Verifying the Channel Status	203
Managing Channels	204
Viewing Channel Details	205
Viewing the Channel’s Source and Target	206
Channel States	207
Channel Operations	208
Disabling a Channel	209
Enabling a Channel	210
Resetting a Channel	211
Resuming a Channel	212
Deleting a Channel	213
Editing a Channel	214
Troubleshooting Inbound Replication	215
Identifying Replication Errors	216
Connection Refused	217
Access Denied	218
Insecure Connection	219

Purged Binary Log Files	220
Reasons for Purged Binary Log Files Error	221
Fixing the gtid_purged Setting	222
Fixing Purged Binary Log Files	223
Lock Wait Timeout Exceeded	224
Corrupted Relay Log Files	225
Data Synchronization Issues	226
Summary	227
Replicating to MySQL Server	228
Objectives	229
Outbound Replication Scenarios	230
Replicating from a DB System to a MySQL Server	232
On-Premises MySQL Server Replication	233
MySQL Server in a Compute Instance	234
Compatibility Options	236
Enabling Partial Revokes	237
Enabling GTID Mode	238
Enabling GTID Mode Without Restart	239
Lower Case Table Names	240
Loading Time Zones	241
Loading Time Zone Tables	242
Loading Initial Data to the Replica Database	243
Prerequisites to Replicating from a DB System	244
Loading Initial Data from a DB System to a MySQL Server	245
Exporting Data from a DB System	246
Importing Data to MySQL Server	247
Configuring Outbound Replication	248
Using SQL Statements	249
Configuring a Replication Channel	250

Configuring a Replication Channel: Example	251
Starting and Stopping Replication	252
Resetting Replication	253
Troubleshooting Outbound Replication	254
Viewing Replication Status	255
Identifying Replication Errors	256
Configuring and Starting a Replication Channel: Example	257
Troubleshooting Replication Errors	258
Summary	259
Migrating Your Data to MySQL HeatWave Service	260
Objectives	261
Migrating your data to MySQL HeatWave Service	262
Migrating to HeatWave Service	263
MySQL Dump Utilities	264
List of MySQL Shell Dump Utilities	265
Syntax of MySQL Dump Utilities	266
Examples of MySQL Dump Utilities	267
Dump Utilities: Other Options	268
Dumping data to OCI Object Storage	269
Destination of the Dump Files	270
Example of Object Storage Options	271
Performing a Dry Run	272
HeatWave Compatibility Checks	273
HeatWave Service Compatibility Modifications	275
Incompatible Table Definitions	276
Tables Without a Primary Key	277
Incompatible User Accounts or Grants	278
Objects with Definer Clause	279
Summary	280

Read Replicas	281
Objectives	282
Read Replicas	283
Read Replica Load Balancer	285
Prerequisites for Creating a Read Replica	286
Read Replica Use Cases	287
Creating a Read Replica	288
Entering Read Replica Information	290
Viewing Read Replica Information	291
Monitoring Read Replica Metrics	292
Connecting to a Read Replica	293
Connecting to the Read Replica	294
Connecting to a Read Replica with MySQL Shell	295
Read Replica Maintenance and Limitations	296
Read Replica Maintenance	297
Limitations	298
Summary	