

Oracle Cloud Infrastructure DevOps Professional Ed 4

Volume I

Table of Contents

Module 01: DevOps Introduction

OCI DevOps Professional Course Overview

Course Speakers

For whom is this course intended?

To successfully complete this course, you should have:

OCI DevOps Professional Course Outline

Course Big Picture

What does the DevOps Pro exam validate?

Get the Most Out of This Course

OU Community (Value for you

Ratings and Feedback

DevOps: Overview

A DevOps Story

A DevOps Story: Challenges

A DevOps Story: Turning Point

DevOps Definition

Why DevOps Matters

DevOps Life Cycle

DevOps Life Cycle and CI/CD

The “Continuous” Paradigm

Benefits of DevOps

OCI DevOps Service

What Is DevOps in the Cloud?

OCI DevOps as a Service

DevOps as a Service: Benefits

Case Study: Developing Cloud Native Solutions on OCI

Developing Cloud Native Solutions

Developing Cloud Native Solutions (Continued)

Step 1: Migrating Static Website to OCI Compute Instance

Step 2: Enhancing Static Website using OCI Services

Step 3: Vision Stays online scalable application using OCI Cloud native solutions

Step 4: Set Up Monitoring, Alerting, and Logging Systems to Keep Track of the Application's Performance

Module 02: Microservices and Containerization

Microservices Architecture: Overview

OCI DevOps Journey

What are microservices?

Microservice Architecture:(Sample E-Commerce Application

Microservices Versus Monolithic Architectures

Communication Mechanism in a (Microservices Architecture

Design Methodology of Microservices

12-Factor Methodology for Developing (Microservices-based Applications

Microservices Designs: Benefits

Microservices Designs: Drawbacks

Containerization Overview

What is Containerization?

How is it Different from Virtualization?

Benefits of Containerization

When to Use Docker Containers

Docker Components

Docker Components

Virtual Machines Versus Containers

Basic Docker Commands

Demo: Docker Basic Commands

Working with Docker Images

Dockerfile

Basic Docker Commands

Demo: Working with Docker Images

Oracle Cloud Infrastructure Registry OCIR: Introduction

What is OCIR

Key Benefits

Container Registry Concepts

Terminology: Summary

Managing Oracle Cloud Infrastructure Registry (OCIR)

Managing OCIR

Managing Repository

Managing Images

Managing Security

Preparing for Container Registry

Demo: Managing OCIR

OCIR Images Concepts

Open Container Initiative (OCI)

OCI Image Layout

Anatomy of an Image

Anatomy of an Image

Viewing Image Layers in OCIR

Putting It All Together

Introduction to Container Instances

Container Instances Overview

What are OCI Container Instances

Features and Use Cases of Container Instances

Features of OCI Container Instances

Common Use Cases for OCI Container Instances

Working with Container Instances

Container Instances IAM Policies

Policy Syntax

Container Instances Shapes

Container Instances Shape

Container Instances Basic details

Container Instances Advanced Settings

Container Instances : Configure Containers

Working with Container Instances

Demo: Deploying a fully functional WordPress site using Container Instances

Deploying a fully functional WordPress site using Container Instances

Demo: Working with Container Instances

Module 03: Kubernetes Basics

Introduction to Kubernetes

Container Engine for Kubernetes (OKE): Overview

Container Engine for Kubernetes: When and Why

Components of a Cluster

Node Pools

Supported Shapes and Operating Systems

Supported Kubernetes Versions

Version Drift in Control Plane Nodes and Worker Nodes

Kubernetes: Architecture and Main Components

Kubernetes Architecture: Overview

Kubernetes: Main Components

Kubernetes: Architecture and Features

Kubernetes Architecture: Components

Kubernetes: Features

Kubernetes Basic Commands I

- Cluster Management
- Basic Kubectl Commands
- Managing Pods
- Managing Deployments
- Working with Services

Kubernetes Basic Commands II

- Editing Pods and Deployments
- Configuring and Debugging
- Deleting Resources
- Node operations
- kubectl bash alias

Module 04: Introduction to OKE and working with Managed nodes

Introduction to OKE

- Container Engine for Kubernetes (OKE): Overview
- Components of an OKE Cluster
- Container Engine for Kubernetes: When and Why

Basic Clusters and Enhanced Clusters Overview

- Types of OKE Clusters
- Features Supported by Enhanced Clusters
- Notable Features Not Supported
- Creating Basic and Enhanced Clusters

Serverless Kubernetes with virtual nodes

- Managed Nodes
- Virtual Nodes
- Virtual Nodes Overview

Supported Images and Shapes for Worker Nodes

- Customize the worker nodes in an OKE cluster

Supported Images for Managed Nodes

Shapes for Managed Nodes

Shapes for Virtual Nodes

Prerequisite to Create an OKE Cluster

Prerequisite to Create an OKE Cluster

Policy Configuration for Cluster Creation and Deployment

Policy Configuration for Cluster Creation and Deployment

Required IAM Policies

Policies to create and configure associated new network resources when creating new clusters in the 'Quick Create' workflow

Optional Policies for working with OKE Service

Creating Kubernetes Clusters Using Console Workflows

Ways to create an OKE Cluster

Quick Create Workflow

Custom Create workflow

Ways to create an OKE Cluster

Network Resource Configuration for Custom Cluster Creation and Deployment

Network Resource Configuration (for Custom OKE

Understanding network connectivity for pods running on worker nodes

Container Network Interface (CNI) specification for network resource management

Using the flannel CNI plugin for pod networking

CIDR blocks when using the flannel CNI plugin for pod networking

Using the OCI VCN-Native Pod Networking CNI plugin for pod networking

CIDR blocks when using the OCI VCN-Native Pod Networking CNI plugin for pod networking

Key considerations when using the OCI VCN-Native Pod Networking CNI plugin

Updating the OCI VCN-Native Pod Networking CNI plugin

Examples-Network Resource Configuration for Cluster Creation and Deployment

Example 01: Cluster with Flannel CNI Plugin, Private Kubernetes API Endpoint, Private Worker Nodes, and Public Load Balancers

Example 02: Cluster with Flannel CNI Plugin, Private Kubernetes API Endpoint, Private Worker Nodes, and Public Load Balancers

Example 03: Cluster with OCI VCN-Native Pod Networking CNI Plugin, Public Kubernetes API Endpoint, Private Worker Nodes, and Public Load Balancers

Example 04: Cluster with OCI VCN-Native Pod Networking CNI Plugin, Private Kubernetes API Endpoint, Private Worker Nodes, and Public Load Balancers

Demo: Create Cluster using default settings in the 'Quick Create' workflow- Managed Nodes

Demo: Create Cluster with Explicitly Defined Settings in the ‘Custom Create’ workflow- Managed Nodes

Example : Cluster with Flannel CNI Plugin, Private Kubernetes API Endpoint, Private Worker Nodes, and Public Load Balancers

Module 05: Setting up OKE cluster access

Accessing a Cluster Using Kubectl I

Accessing a Cluster Using Kubectl

Kubeconfig Files

Accessing a Cluster Using Cloud Shell and Local Terminal

Setting Up Cloud Shell Access to Clusters

Setting Up Local Access to Clusters

Set up the kubeconfig file

Setting Up Local Access to Clusters

Demo: Setting Up Cloud Shell Access to OKE Clusters

Demo: Setting Up Local Access to OKE Clusters

Setting Up Local Access to Clusters

Connecting to Managed Nodes Using SSH

Accessing Worker Nodes

Connecting to Managed Nodes Using SSH

SSH to Managed Node in Public Subnet from UNIX Machine

Demo: Connecting to Managed Nodes in Public Subnets Using SSH

Setting Up a Bastion for Cluster Access

Accessing OKE cluster planes

OCI Bastion Overview

Setting up bastions and bastion sessions

Example cluster configuration with a bastion providing secure access to a cluster's Kubernetes API endpoint and worker nodes.

Bastion IAM policies

Setting up a bastion to access the Kubernetes API endpoint

Steps to have SSH access to Kubernetes API endpoint

Setting up IAM policies to limit the use of bastions

Steps to have SSH access to Kubernetes API endpoint

Steps to have SSH access to managed nodes

Demo: Setting up a bastion to access the Kubernetes API endpoint

Demo: Setting up a bastion to provide SSH access to managed nodes

Module 06: Working with OKE Virtual Nodes

Comparing Virtual Nodes with Managed Nodes

Management

Resource Allocation

Load Balancing

Pod Networking

Scaling Kubernetes Clusters and Node Pools

Pricing

Prerequisite to configure Cluster with Virtual Nodes

Required IAM Policies for Using Virtual Nodes

Virtual Node and Node Pool Management and Resource Allocation

Virtual Node Pool Management

Virtual Node Management

Resources Allocated to Pods Provisioned by Virtual Nodes

CPU and memory limits and requests specified in the pod spec for containers

Resources Allocated to Pods Provisioned by Virtual Nodes

Demo: Create Cluster using default settings in the 'Quick Create' workflow- Virtual Nodes

Demo: Managing Virtual Nodes and Virtual Node Pools in a New Cluster

Module 07: Working with Self-Managed Nodes

OKE Self-Managed Nodes Overview and Prerequisite

- OKE Self-Managed Nodes Overview

- OKE Self-Managed Nodes Usage

- Prerequisites for Self-Managed Node Creation

Demo: Creating Self-Managed Nodes

- Creating a Self-Managed Node for OKE Cluster

- Key points

Module 08: Managing Kubernetes Deployments

Demo: Deploying a Multi-Tier App on a OKE Cluster Using Kubectl

- Demo: Guestbook Architecture

Pulling Images from Registry During Deployment

- Pulling Images from Container Registry

- Pull Images That Reside in(Oracle Cloud Infrastructure Registry)

- Create a Docker Registry Secret

- Edit the Application Manifest

Demo: Pulling Images from Registry during Deployment

Supported Labels for Different Usecase

- Supported Labels

- OCI Architecture

- Cloud Regions, Hybrid Cloud, Multi-Cloud

- Availability Domains

- Fault Domains

- Supported Labels

- topology.kubernetes.io/zone

- Supported Labels

- oci.oraclecloud.com/fault-domain

- Supported Labels

node.kubernetes.io/exclude-from-external-load-balancers

OCI Service Operator for Kubernetes

OCI Service Operator for Kubernetes

Integration with Oracle Cloud Infrastructure Services

Demo: Adding OCI Service Operator for Kubernetes to Clusters

Demo: Deploy Oracle MySQL DB System Service from Kubernetes

Defining Kubernetes Services of Type LoadBalancer

Container Engine for Kubernetes Implements the Service of Type LoadBalancer

Specifying the Annotation for an OCI Load Balancer

Terminating SSL/TLS at the Load Balancer

Create a Self-Signed Certificate

Defining Kubernetes Services of Type LoadBalancer

Specifying Alternative Load Balancer Shapes

Specifying Flexible Load Balancer Shapes

Specifying Load Balancer Connection Timeout

Specifying Listener Protocols

Specifying the Annotation for an OCI Network Load Balancer

Specifying Network Security Groups

Specifying the Back-End Set Policy

Specifying Reserved Public IP Addresses

Specifying Health Check Parameters

Note that if you do not explicitly specify health check parameter values, the following defaults are used:

Key Points to Remember

Managing Ingress Controllers

Ingress Controllers: Overview

Setting Up Ingress Controller in OKE

Working with OCI Native Ingress Controller

Steps to Set Up the OCI Native Ingress Controller

Key Points to Note

Running Applications on Arm-Based Nodes

Running Applications on Arm-Based Nodes

Defining a Pod to Run (Only on Arm-Based Nodes

Running Applications on Arm-Based Nodes

Demo: Running Applications on ARM-Based Nodes

Running Applications on GPU Nodes

Running Applications on GPU Nodes

Defining a Pod to Run Only on Nodes That Have a GPU

GPU Shapes Supported by Container Engine for Kubernetes

Demo: Running Applications on GPU Nodes

Protecting Kubernetes Clusters from Resource Leaks in Oracle Kubernetes Engine (OKE)

What is a Resource Leak?

How OKE Protection Works

Default Limits and Webhook Creation

Example Rejection Message

Alternatives to Default Protection

Recommended Actions

Disable and Re-enable Protection

Summary

Module 09: Setting Up Storage for Kubernetes Clusters

Setting Up Storage for Kubernetes Clusters

Storage for Kubernetes Clusters

Storage for Kubernetes Clusters

Provisioning Persistent Volume Claims

Provisioning PVCs on the Block Volume Service

Provisioning PVCs on the Block Volume Service

Creating a PVC on a Block Volume Using the CSI Volume Plugin

Demo: Provisioning PVCs on the Block Volume Service

Expanding a Block Volume

Expanding a Block Volume

Key Points

Demo: Expanding a Block Volume

Specifying Block Volume Performance

Specifying Block Volume Performance

Key Points

Demo: Specifying Block Volume Performance

Specifying File System Types for Block Volumes

File System Types for Block Volumes

Specifying File System Types for Block Volumes

Key Points

Provisioning PVCs on the File Storage Service

File Storage Service to (Provision Persistent Volume Claims (PVCs).

Key Points

Provisioning a PVC on a New File System

Provisioning a PVC on a New File System Using the CSI Volume Plugin

Provisioning a PVC on an Existing File System

Provisioning a PVC on an Existing File System

Oracle Cloud Infrastructure DevOps Professional

Volume II

Table of Contents

Module 10: Administering and Managing OKE Clusters

Accessing the OKE Dashboard

- Kubernetes Dashboard

- Deploying Kubernetes Dashboard

- Accessing a Cluster using the Kubernetes Dashboard

- Using the OKE Dashboard: Considerations

- Demo: Accessing the OKE Dashboard

Modifying Kubernetes Cluster Properties

- Parameters That You Can Change

Managing Node Pools

- Node Pool Management

- Creating a Node Pool

- Listing Node Pools

- Getting a Node Pool's Details

- Updating a Node Pool

- Deleting a Node Pool

- Deleting a Node Pool (Advanced Options)

Demo: Managing Node Pool

Modifying Node Pool and Worker Node Properties

- Properties That You Can Change

- Tips and Considerations

Managing a Worker Node

- Tips and Considerations

- Configuring IMDS for Kubernetes Clusters

- Using the CLI to Disable the IMDSv1 Endpoint

Confirming the IMDSv1 Endpoint Is Disabled

Managing Worker Node Capacity Types

Managing Worker Node Capacity Types

Reserved Capacity

Pre-emptible Capacity

Required IAM Policies for Using Capacity Reservations

Demo: Using Capacity Reservations to Provision Managed Nodes

Using Custom cloud-init Initialization Scripts to Set Up Managed Nodes

Custom cloud-init Initialization Scripts

Example Use Cases for Custom cloud-init Scripts

Demo: Creating a Custom cloud-init Script

Scaling Kubernetes Clusters and Node Pools

Scaling Clusters with Managed Node Pools

Scaling Clusters with Virtual Node Pools

Scaling Node Pools

Autoscaling Kubernetes Node Pools and Pods

Autoscaling Kubernetes Node Pools

Ways to deploy the Kubernetes Cluster Autoscaler

Recommendations When Using the Kubernetes Cluster Autoscaler in Production Environments

Tips and Considerations

Demo: Working with the Cluster Autoscaler Add-on

Working with the Cluster Autoscaler

Kubernetes Metrics Server Overview

Kubernetes Metrics Server Overview

Kubernetes Metrics Server Overview

Demo: Deploying the Kubernetes Metrics Server on a Cluster by Using Kubectl

Deploying the Kubernetes Metrics Server on a Cluster Using Kubectl

Kubernetes Horizontal Pod Autoscaler

Using the Kubernetes Horizontal Pod Autoscaler

Demo: Working with the Horizontal Pod Autoscaler

Working with the Horizontal Pod Autoscaler

Kubernetes Vertical Pod Autoscaler

Using the Kubernetes Vertical Pod Autoscaler

Upgrading Clusters to Newer Kubernetes Versions

Kubernetes Versions and OKE

Upgrading Control Plane Nodes

Demo: Upgrading Clusters to Newer Kubernetes Versions

Upgrading the Kubernetes Version on Worker Nodes in a Cluster

Upgrading Worker Nodes

Managed Node Upgrade

Self-Managed Node Upgrade

Virtual Node Upgrade

Upgrading Clusters Keypoints

Demo: Upgrading the Kubernetes Version on Worker Nodes in a Cluster

Configuring DNS Servers for Kubernetes Clusters

Configuring DNS Servers for Kubernetes Clusters

Configuring Built-in DNS Servers

Configuring ExternalDNS

Observing Kubernetes Clusters I

Observing Kubernetes (Clusters

Monitoring Clusters

Observing Kubernetes Clusters II

Observing Kubernetes (Clusters

Viewing Work Requests

Observing Kubernetes Clusters III

- Observing Kubernetes (Clusters
- Viewing OKE Service Logs

Observing Kubernetes Clusters IV

- Observing Kubernetes (Clusters
- Viewing Kubernetes API Server Audit Logs

Observing Kubernetes Clusters V

- Viewing Application Logs on Virtual Nodes
- Observing Kubernetes (Clusters
- Viewing Application Logs on Managed Nodes and Self-Managed Nodes
- Viewing Application Logs on Virtual Nodes
- Viewing Application Logs on Virtual Nodes
- Observing Kubernetes Clusters VI
- Observing Kubernetes (Clusters
- Container Engine for Kubernetes Metrics

Module 11: OKE Security

Adding a Service Account Authentication Token to a Kubeconfig File

- Adding a Service Account Authentication Token to a Kubeconfig File

Demo: Adding a Service Account Authentication Token to a Kubeconfig File

Access Control and Container Engine for Kubernetes

- IAM for Access Control in OKE
- Demo: Granting the Kubernetes RBAC(cluster-admin ClusterRole
- Demo: Creating a Kubernetes Role and Rolebinding to Enable a Non-administrator User to Read Pods in a Cluster
- Demo: Creating a Kubernetes Role and Rolebinding to Enable a Group to Read Pods in a Cluster
- Demo: Creating a Kubernetes ClusterRole and clusterrolebinding to enable Users and Groups to List Secrets in a Cluster

Managing Secrets for Kubernetes Clusters

- Managing Secrets for Kubernetes Clusters

OKE: Container Image Security

Container images must have the following characteristics:

Security First

Container images must have the following characteristics:

Unaltered Integrity

Container images must have the following characteristics:

Trusted Sources

Demo: Scanning Container Image for Vulnerabilities

Demo: Sign and Verify Container Image for Security

Enforcing the Use of Signed Images from OCIR

Enforcing the Use of Signed Images from OCIR

IAM Policies for Enforcing the Use of Signed Images from OCIR

Demo: Enforcing the Use of Signed Images from OCIR

Encrypting Data at Rest and Data in Transit with the Block Volume Service

Data Encryption in Oracle Cloud Infrastructure Block Volume Service

Block Volume Encryption Options in Kubernetes

Block Volume Encryption Settings Interaction

Configuring a Storage Class to Enable At-Rest and In-Transit Encryption Using the Default Oracle-Managed Key

Configuring a Storage Class to Enable At-Rest and In-Transit Encryption Using a Key that You Manage

Encrypting Data at Rest and Data in Transit with the File Storage Service I

Encrypting Data at Rest and Data in Transit with the File Storage Service

Encrypting Data at Rest on a New File System using Oracle-Managed Keys

Encrypting Data at Rest on a New File System using Own Master Encryption Keys

Encrypting Data at Rest and Data in Transit with the File Storage Service II

Encrypting Data at Rest with the File Storage Service

Encrypting Data at Rest on an Existing File System using Oracle Managed Keys

Encrypting Data at Rest on an Existing File System Own Master Encryption Keys

Encrypting Data at Rest and Data in Transit with the File Storage Service III

Encrypting Data in Transit with the File Storage Service

Encrypting Data in Transit with the File Storage Service

Module 12: OCI DevOps Project Basics

DevOps IAM Policies

IAM Policy Process

DevOps IAM Policy Options

Policy Syntax

Policy Syntax: Examples

Demo: Configuring OCI Security for DevOps

DevOps Projects and Code Repositories

OCI DevOps Service

DevOps Projects: (Overview

DevOps Projects: Benefits

Code Repositories

OCI Code Repository, GitHub, and GitLab

Demo: Create a DevOps Project

Demo: Configuring a SSH authentication token

Demo: Code Repositories

Demo: Mirror Code Repository

Validating an External Connection

Understanding the Importance of External Connection Validation

Steps to Validate External Connections

Demo: Validating an External Connection

Forking Repositories and Managing Pull Requests

Forking a Code Repository

Key Points

Synchronization Strategies

Key Points

Create a pull request to propose changes to the parent repository

- Key Points

- Project Settings

- Code Repository Settings

Demo: Forking Repositories and Managing Pull Requests

Code Repository Insights

- Code Repository Insights: Overview

- Key Metrics and Insights Categories

Demo: Code Repository Insights

Artifacts and Registries

- Artifacts and Registries: Overview

- External Registries

- Accepted Artifact Types

Demo: Artifacts and Registries

Environments

- DevOps Environments

- BM Instances

- VM Instances

- Containers and OKE

- Functions

Module 13: OCI DevOps Project Continuous Integration and Continuous Delivery (CICD)

Continuous Integration and Continuous Deployment (CI/CD): Introduction

- CI/CD: Overview

- OCI DevOps

Build Pipeline

- Build Pipeline and Continuous Integration

- Build Pipeline Flow

- Prerequisites for a Build Pipeline

- Manage Build Pipeline
- Create Build Pipeline
- Build Specification File
- Build Spec Artifacts
- Build Pipeline Stages
- Managed Build
- Deliver Artifacts
- Trigger Deployment
- Wait
- Run a Build
- Trigger a Build
- Trigger Options
- Monitor Builds
- Build Pipeline Progress
- Manage Build Pipelines
- Build Pipeline Demo

Demo: Examining the build_spec.yaml file

Demo: Build Pipeline

Customizing Build Runner Shape

- Customizing Build Runner Shape

Demo: Getting Artifacts from Your Build Pipeline

Deployment Pipeline

- Deployment Pipeline: Concept
- When to Use Continuous Deployment
- Continuous Delivery and Deployment Pipeline
- Deployment Pipeline: Advantages
- Deployment Pipeline Workflow
- Release Strategy

- Manage Deployment Pipeline
- Create Deployment Pipeline
- Deployment Pipeline Stages
- Configure Parameters
- Run a Deployment Pipeline
- Organize a Deployment Pipeline
- Selecting Artifacts for Deployment Pipeline stage
- Monitor or View Deployment
- Rollback
- Manual Rollback
- Automatic Rollback
- Demo: Deployment Pipeline
- Demo: Combining build and deploy pipelines, and automated triggering

Demo: Deployment Pipeline Deploying to Instance Group

Adding a Shell Stage

- Run CLI Commands in DevOps Deployment Pipelines with the New Shell Stage
- Command Specification YAML File
- Key Use Cases for Adding a Shell Stage

Demo: Adding a Shell Stage

Module 14: OCI DevOps Project Deployment Strategies

Deployment Strategies: Blue-Green Deployment

- DevOps Deployment Strategies
- Blue-Green Deployment
- Blue-Green Deployment Environment
- Deployment Stages
- Blue-Green Deployment Benefits
- Blue-Green Deployment Drawbacks

Demo: Blue-Green Deployment Strategy - Part 1

Demo: Blue-Green Deployment Strategy - Part 2

Demo: Blue-Green Deployment Strategy - Part 3

Deployment Strategies: Canary Deployment

- Canary Deployment

- Canary Deployment Environment

- Deployment Stages

- Canary Deployment Benefits

- Canary Deployment Drawbacks

Demo: Canary Deployment Strategy - Part 1

Demo: Canary Deployment Strategy - Part 2

Demo: Canary Deployment Strategy - Part 3

Module 15: OCI DevOps Project Helm chart Deployments

Helm Overview

- What is Helm?

- Helm Architecture

- Helm Basic Concepts

Helm Chart Structure and Basic Commands

- Helm Chart Structure

- Helm Basic Commands

Demo: Helm Basic Commands - I

- Helm Architecture

Demo: Helm Basic Commands - II

Helm Chart Deployments to OKE

- Helm Chart Deployments to OKE

Demo: Using Helm with OCI DevOps to deploy to OKE - Part 1

Demo: Using Helm with OCI DevOps to deploy to OKE - Part 2

Demo: Using Helm with OCI DevOps to deploy to OKE - Part 3

Helm Chart Deployment with Provenance and Integrity

Helm Chart Deployment with Provenance and Integrity

Helm Provenance and Verify

How Helm Attestation Works

Continuous Testing and OCI Support for External Tools

Fitting Continuous Testing Into Your DevOps Pipeline

Automate Testing

DevOps Tools per Lifecycle Phase

External Tools and Plug-Ins

Use Case: Connect Your Jenkin Files with OCI CD Pipeline

Module 16: Terraform Infrastructure as Code

Infrastructure as Code: What is Infrastructure as Code?

What is Infrastructure as Code?

Why Use Infrastructure as Code?

Objectives

Understanding Terraform Concepts: Benefits and Overview

Terraform

Terraform Concepts

Understanding Terraform Concepts: Terraform Commands

Terraform Commands

Understanding Terraform Concepts: Variables

Variables

terraform.tfvars

Understanding Terraform Concepts: Provider

Provider

Understanding Terraform Concepts: Resources

Resources

Understanding Terraform Concepts: Outputs

Outputs

Understanding Terraform Concepts: Modules

Modules

Understanding Terraform Concepts: State

State

Your First Terraform Configuration: Preparing The Environment

Terraform Setup

Parameters Evaluation Order

Provider Configuration

Environment Variables Linux

Environment Variables Windows

Security Token

Your First Terraform Configuration: Terraform Workflow

Your First Terraform Configuration

Terraform Configuration File Structure

main.tf

Your First Terraform Configuration: Change Infrastructure - Updating Your Configuration Files

Modifying Terraform Files

Splitting the Configuration

Incorporating Modules

Creating the Module

Creating the Module - Continued

Incorporating Modules

Module 17: Terraform Infrastructure as Code

OCI Resource Manager: Introduction and Concepts

Resource Manager Concepts

Configuration Source Providers

- Configuration

- Stacks

- Actions

- Jobs

- Templates

- All Together

OCI Resource Manager: Creating Your First Stack

- Creating Your First Stack

OCI Resource Manager: Using Source Providers

- Configuration Source Providers

- Using a Configuration Source Provider

OCI Resource Manager: Importing Existing Infrastructure

- Importing Existing Infrastructure

OCI Resource Manager: Drift Detection

- Drift

- Using Drift Detection

OCI Resource Manager: Templates

- Templates

- Creating Private Templates

OCI Resource Manager: Remote Exec and Endpoints

- Resource Manager Endpoints

- Creating the Endpoint with Terraform

Module 18: DevSecOps

DevSecOps Introduction

- DevOps Workflow

- Potential scenarios that could result in a security breach

- Why does security audits take so long?

- What is DevSecOps

Shift-Left Approach

Applying DevSecOps in OCI

Applying DevSecOps in OCI

DevSecOps Best Practices

DevSecOps Best Practice

OCI Vault: Introduction

OCI Vault

Vaults

Keys

Master and Data Encryption Keys

Master Encryption Keys: Protection Modes

Wrapping Keys

Rotating Keys

OCI Vault: Integration with OCI Services

OCI Services Integration with Vault

Encryption Using Oracle-Managed Keys

Encryption Using Customer-Managed Keys

Example: OCI Object Storage Integration with Vault

OCI Vault: Secrets

What are Secrets?

Secrets

Secret Rules

Demo: Creating OCI Vault Secrets

Using Secrets

Application Dependency Management Overview

Key Concepts and Terminology

Application Dependency Management Overview

Using Application Dependency Management with the OCI DevOps Service

Application Dependency Management - IAM Policies

Policy Syntax

Using Application Dependency Management with the OCI DevOps Service

Demo: Scan for common vulnerabilities and exposures (CVEs) in Maven Builds as part of your OCI DevOps build pipeline execution

Module 19: Observability Services

Observability Platform: Introduction

Your Top Priorities with Observability

Defining Observability in DevOps

Key Services

Observability and Management: Capabilities

Introduction to Monitoring

OCI Monitoring Service: Overview

Metrics

Metric Namespaces

Alarms

Monitoring Queries

Monitoring Query Language (MQL)

Query Components

Sample Queries

Demo: Monitoring

Logging Service: Overview

OCI Logging Service

Types of Logs

Service Flow

Logging Concepts

Log Groups

- Logging Concepts

Service Logs

- Service Log Format

- Object Storage Logs

- Load Balancer Logs

- VCN Flow Logs

Demo: Service Logs

Custom Logs

- Custom Log Ingestion

- Using Unified Monitoring Agent

- Agent Communication Workflow

- Agent Configuration

Demo: Custom Logs

Logging Queries

- Log Search

- Logging Query Specification

- Log Streams

- Fields

- Data Types

- Tabular Operators

- Scalar Operators

Demo: Logging Queries

Events Service

- Overview

- OCI Events Service: Concepts

- What is an event?

- OCI Service Event Types

- Application Dependency Events

What does an event look like?

DevOps Emit Events for Actions

What are rules?

Events Metrics

OCI Events Service in Action: Example

Events Service: Use Cases

Demo: Events Service