



R12.2.9 Install/Patch/Maintain Oracle E-Business Suite

Student Guide – Volume I
D108803GC10 | D109208

Author

Richard Yau

**Technical Contributor
and Reviewer**

Richard Yau

Publishers

Sujatha Nagendra

Pavithran Adka

Michael Sebastian

Veena Narasimhan

1008262020

Copyright © 2020, Oracle and/or its affiliates.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. You may copy and print this document solely for your own use in an Oracle training course. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Trademark Notice

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1 Oracle E-Business Suite Overview

- Objectives 1-2
- Introduction to Oracle E-Business Suite - 1 1-3
- Introduction to Oracle E-Business Suite - 2 1-4
- Overview of Oracle E-Business Suite components - 1 1-5
- Overview of Oracle E-Business Suite components - 2 1-6
- User Interfaces 1-7
- The Oracle E-Business Suite Home Page 1-8
- Oracle E-Business Suite Home Page - 1 1-9
- Oracle E-Business Suite Home Page - 2 1-10
- Two Types of User Interfaces 1-11
- HTML Interface 1-12
- Forms Interface 1-14
- Architecture 1-16
- Oracle E-Business Suite Architecture Overview 1-17
- Oracle E-Business Suite Multi-Tier Architecture 1-18
- Oracle E-Business Suite Architecture contents 1-19
- Technology Stack and Database 1-20
- Notable Features 1-21
- Oracle E-Business Suite notable features 1-22
- Installing Oracle E-Business Suite - 1 1-23
- Installing Oracle E-Business Suite - 2 1-24
- Control Scripts 1-25
- Online Patching 1-26
- Administration Utilities 1-27
- AutoConfig configuration management utility 1-28
- Concurrent Processing 1-29
- Oracle Workflow 1-30
- Cloning tools 1-31
- Summary 1-32

2 Oracle E-Business Suite Architecture

- Objectives 2-2
- Oracle E-Business Suite Architecture Overview 2-3
- Oracle E-Business Suite Multi-Tier Architecture - 1 2-4

Oracle E-Business Suite Multi-Tier Architecture - 2 2-5
Client Tier Services 2-6
Oracle E-Business Suite Multi-Tier Architecture 2-7
Client Tier components 2-8
Application Tier Services 2-9
Application Tier components - 1 2-10
Application Tier components - 2 2-11
Forms Services 2-12
Application Tier: Form Services 2-13
Application Tier: Forms Services Architecture - 1 2-14
Application Tier: Forms Services Architecture - 2 2-16
Web Services – Java/OAF Services 2-17
Application Tier: Java Application Services 2-18
Oracle Applications Framework (OAF) 2-19
Application Tier: HTML-Based Applications 2-20
Application Tier: Oracle Application Framework Processing 2-21
Web Services – HTTP Services 2-22
Oracle HTTP Server (OHS) 2-23
Concurrent Processing Services 2-24
Application Tier: Concurrent Processing Server 2-25
Concurrent Processing Services 2-26
Database Tier 2-27
Oracle Homes from Release 12.2 2-29
Oracle Homes Architecture 2-30
Other Technology Stack components 2-31
Technology Stack components overview 2-32
Technology Stack and Database 2-33
Oracle E-Business Suite Technology Layer 2-34
Applications DBA (AD) 2-35
Oracle Application Object Library (FND) 2-36
Oracle Applications Utilities (AU) 2-38
Oracle Workflow (WF) 2-39
Oracle BI Publisher 2-40
Oracle Alert 2-41
Oracle Web Applications Desktop Integrator 2-42
Oracle Application Manager (OAM) 2-43
Oracle User Management (UMX) 2-44
Oracle Enterprise Command Center Framework 2-46
Summary 2-48

3 Before you Install

- Objectives 3-2
- Overview of Rapid Install - 1 3-3
- Overview of Rapid Install - 2 3-4
- Preparing for Rapid Install 3-5
- Prepare the resources 3-6
- Technology Stack Components 3-7
- Technology Stack product versions information 3-8
- Supported Platforms 3-9
- Platform-Specific Software Requirements 3-10
- CPU Requirements 3-12
- Memory Requirements 3-13
- Disk Space Requirements 3-14
- General Sizing Guidelines 3-16
- Sizing Guidelines for Oracle Application Framework Transactions 3-17
- Sizing Guidelines for Oracle Forms Transactions 3-18
- Overview of Preparatory Tasks 3-19
- Create Operating System Accounts (UNIX) 3-20
- Create Operating System Accounts (Windows) 3-21
- Stage Product Image 3-22
- Stage Area 3-23
- Installation Software 3-24
- Installation Software Components 3-25
- Create the Stage Area 3-26
- Download Software - 1 3-27
- Download Software - 2 3-28
- Run buildStage Script 3-29
- Build Stage Menu 3-30
- Main Menu – Option 1 3-31
- Main Menu – Option 2 3-32
- Main Menu – Option 3 3-33
- Stage Area Structure 3-34
- Global Inventory 3-35
- Prepare the run Rapid Wizard 3-36
- Overview of Installation Procedure 3-37
- How an Installation Works 3-38
- Basic Installation 3-39
- Typical Installation 3-40
- Oracle RAC Installation 3-41
- Oracle Real Application Clusters 3-42
- Oracle RAC: Actions of Rapid Install 3-43

- Run Rapid Install from the Stage Area 3-44
- Using an Alias for the Host Machine 3-45
- Rapid Wizard Considerations 3-46
- Rapid Install – Supply Configuration Values 3-47
- Installation Type 3-48
- Specifying an Installation Environment – Database Types 3-49
- Specifying an Installation Environment 3-50
- Registering Products and Country-Specific Functionalities 3-51
- Selecting NLS Settings 3-52
- Selecting Configuration Parameters 3-54
- Validating Configuration Parameters 3-55
- Complete the Installation Using Rapid Install 3-56
- Restarting an Installation Run 3-57
- Configuration File Usage 3-58
- Rapid Install Log Files 3-59
- Obtaining Help in Rapid Install 3-60
- Summary 3-61

4 Performing an Installation

- Objectives 4-2
- Standard Installation 4-3
- Standard Installation Overview 4-4
- Standard Installation Steps 4-5
- Step 1: Start the Rapid Install Wizard 4-7
- Step 2: Select a Wizard Operation 4-8
- Step 3: Supply Email Details (Main) 4-9
- Step 4: Identify Configuration File 4-10
- Step 5: Specify Global System Settings 4-11
- Step 5: Specify Global System Settings: Ports 4-12
- Step 6: Define Database Node Configuration 4-13
- Step 6: Define Database Node Configuration: Vision Demo Database 4-14
- Step 6: Define Database Node Configuration: Select Folder 4-15
- Step 7: (Optional) Oracle RAC Installation 4-16
- Step 7: (Optional) Oracle RAC Installation: Storage Type 4-17
- Step 7: (Optional) Oracle RAC Installation: Select RAC Nodes 4-18
- Step 8: Select Licensing Type 4-19
- Step 9: License Additional Products 4-20
- Step 10: License Products 4-21
- Step 11: Select Country-Specific Functionality 4-22
- Step 12: Select Internationalization Settings: Overview 4-23
- Step 12: Select Internationalization Settings 4-24

Step 13: Primary Applications Node Configuration (UNIX) 4-25
Step 13: Primary Applications Node Configuration (Windows) 4-26
Step 14: Specify Primary Applications Node Services: Overview 4-27
Step 14: Specify Primary Applications Node Services 4-28
Service Groups and Services in Release 12.2 4-29
Step 15: Supply Application User Information 4-30
Step 16: Review Node Information 4-31
Step 17: Review Pre-Install Checks 4-32
Step 17: Review Pre-Install Checks: Icons 4-33
Step 17: Review Pre-Install Checks: Parameters 4-34
Step 18: Components Installation Review 4-35
Step 19: Begin Installation 4-36
Step 20: Monitor Installation Progress 4-37
Restart the Installation (If Required) 4-38
Step 21: Post-Install Review 4-39
Step 22: Connect to Oracle Applications 4-40
Express Installation 4-41
Overview of Express Installation 4-42
Express Installation Steps 4-43
Step 1: Start Rapid Install Wizard 4-44
Step 2: Select Express installation 4-45
Step 3: Supply Email Details (Main) 4-46
Step 4: Configuration Values 4-47
Step 5: Pre-Install Checks 4-48
Correct Any Problems 4-49
Step 6: Begin Installation 4-50
Summary 4-51

5 After you Install

Objectives 5-2
Post-Installation Steps Overview 5-3
Required Post-Installation Steps 5-4
Update the Technology Stack 5-6
Update to the latest Release Update Pack (RUP) 5-7
Log In to Oracle E-Business Suite 5-8
Verify E-Business Suite Home Page access 5-9
Change Default Passwords 5-10
Run AutoConfig 5-11
Create Your Own JAR File Signature 5-12
Configure Database Initialization Parameters 5-13
Update PL/SQL Log and Out Directory 5-14

Implement Product and Country-Specific Functionality	5-15
Configure Client Software	5-16
Installation-specific Post-Installation Steps	5-17
Conditional Tasks Specific to Your Installation	5-18
Set Up Printers: Generic Steps	5-19
Set Up Printers: Windows-Specific Steps	5-20
Resize Your Database	5-21
Set Up National Language Support (NLS)	5-22
Set Up Unicode Character Sets	5-23
Setup Lightweight MLS	5-24
Complete Oracle Workflow Notification Mailer Configuration	5-25
Convert to a Public Sector, Education, or Not-for-Profit System	5-26
Create Oracle E-Business Suite Back Up process	5-27
Understand System Administration and Maintenance Tasks	5-28
Product-specific post-installation steps	5-29
Summary	5-31

6 Environment Files, Control Scripts and Languages

Objectives	6-2
Introduction to Environment Files - 1	6-3
Introduction to Environment Files - 2	6-4
Application Tier Environment Files	6-5
Database Tier Environment Files	6-6
Notable Environment Files and Settings	6-7
<CONTEXT_NAME>.env Environment File	6-9
Key Parameters in <CONTEXT_NAME>.env to Support Online Patching	6-10
Key Parameters in <CONTEXT_NAME>.env - 1	6-11
Key Parameters in <CONTEXT_NAME>.env - 2	6-12
Key Parameters in <CONTEXT_NAME>.env - 3	6-13
Key Parameters in <CONTEXT_NAME>.env - 4	6-14
Temporary Files	6-15
The adovars.env File - 1	6-16
The adovars.env File - 2	6-17
The adconfig.txt File	6-18
The fndenv.env File	6-19
The devenv.env File	6-20
Control Scripts	6-21
Application Tier Server Control Scripts: Overview	6-22
Control Scripts and Service Groups	6-23
AutoConfig Managed Service Groups and Services	6-24
Service Groups and Services in Release 12.2	6-25

- Application Tier Server Control Scripts: Usage 6-26
- Application Tier Server Control Scripts - 1 6-27
- Application Tier Server Control Scripts - 2 6-28
- Application Tier Server Control Scripts - 3 6-29
- Modifying Environment Files 6-30
- Languages 6-31
- Oracle E-Business Suite Languages: Overview 6-32
- Oracle E-Business Suite Languages - 1 6-33
- Oracle E-Business Suite Languages - 2 6-34
- Character Sets: Introduction 6-35
- Character Sets: Database Tier 6-36
- Character Sets: Application Tier 6-37
- Character Sets: Desktop Tier 6-38
- Globalization and Country-Specific Functionalities 6-39
- Dates 6-40
- Numbers 6-41
- NLS and the Application Tier 6-42
- NLS Patches 6-43
- Translated Language Items 6-44
- Summary 6-45

7 Oracle E-Business Suite File System

- Objectives 7-2
- Oracle E-Business Suite File System Overview 7-3
- Application Tier Key Top-Level directories 7-4
- Database Tier Key Top-Level directories 7-5
- Notable file system details 7-6
- Dual File System to Support Online Patching 7-7
- Dual File System 7-8
- File System Layout 7-9
- Instance Home 7-11
- EBSapps Directory 7-13
- Fusion Middleware Home 7-14
- Common Components Directory 7-15
- appl Directory 7-16
- APPL_TOP Directories: admin 7-17
- APPL_TOP Directories: ad 7-18
- APPL_TOP Directories: au 7-19
- APPL_TOP Directories: fnd 7-20
- Java Files and Directories 7-21
- Product Directories 7-22

Product Directories: Overview 7-23
Product Directories: admin 7-24
Product Directories: bin 7-25
Product Directories: forms 7-26
Product Directories: help 7-27
Product Directories: html 7-28
Product Directories: java 7-29
Product Directories: lib 7-30
Product Directories: mds 7-31
Product Directories: media 7-32
Product Directories: mesg 7-33
Product Directories: patch 7-34
Product Directories: reports 7-35
Product Directories: sql 7-36
Database Directories 7-37
Summary 7-38

8 Key Oracle E-Business Suite Database Features

Objectives 8-2
Oracle E-Business Suite Database Overview - 1 8-3
Oracle E-Business Suite Database Overview - 2 8-4
Oracle E-Business Suite Database Object Types 8-5
Database Schemas 8-6
Oracle E-Business Suite Product Schemas 8-7
APPS Schema 8-8
Additional Schemas 8-9
Notable database features 8-10
APPLSYSPUB Schema Used During Signon 8-11
Scalability Feature: Oracle Real Application Clusters 8-12
Performance Feature: Query Optimization 8-13
Performance Feature: Database Resource Manager 8-14
Performance Feature: Partitioning 8-15
Performance Feature: Oracle Applications Tablespace Model 8-16
Multiple Languages in the Database 8-17
Online Patching database features 8-18
Database Implementation to Support Online Patching 8-19
Three File Systems and One Database 8-20
Three Types of Database Edition 8-21
Editioned and Non-Editioned Objects 8-22
Editioning Views and the Application Data Model 8-23
Database Tier Control Scripts 8-24

Database Tier Server Process Scripts: Overview 8-25
Database Tier Server Process Scripts: List 8-26
Database Tier Server Process Scripts: Usage 8-27
Summary 8-28

9 Introduction to Oracle Application Manager

Objectives 9-2
What is Oracle Applications Manager? 9-3
Benefits of Oracle Applications Manager 9-4
Oracle Applications Manager Integrates with ... 9-5
Management Pack for Oracle E-Business Suite 9-6
Integration with Oracle Enterprise Manager 11g Fusion Middleware Control 9-7
OAM Features 9-8
Navigation in OAM 9-9
OAM Dashboard 9-10
Applications Dashboard Overview 9-11
Applications Dashboard 9-12
OAM Site Map 9-13
Site Map Overview 9-14
Site Map - Administration 9-15
Site Map - Monitoring 9-16
Site Map - Maintenance 9-17
Site Map - Diagnostics and Repair 9-18
OAM License Manager 9-19
Introduction to License Manager 9-20
License Manager Reports 9-21
Accessing License Manager 9-22
License Manager Home Page 9-23
Registering Products 9-24
Registering Oracle E-Business Suite 9-25
Post-Registration Steps 9-30
Registering Component Applications 9-31
Registering Individual Products 9-34
Registering Country-Specific Functionalities 9-36
Registering Languages 9-38
License Manager Reports 9-44
Licensed Products Report 9-45
Shared Products Report 9-46
Country-Specific Functionalities Report 9-47
Languages Report 9-48

License Summary Report 9-49
Summary 9-50

10 Patching Concepts

Objectives 10-2
Patching Overview 10-3
Oracle E-Business Suite Patching Overview 10-4
Patch Types - 1 10-5
Patch Types - 2 10-6
Patch Terminology 10-7
Codelines 10-8
Codelevels 10-9
Patch Components 10-10
Unified Patch Driver Files 10-12
Other Patch Components 10-13
Patch Creation Overview - 1 10-14
Patch Creation Overview - 2 10-15
Patching Order 10-16
Patching Order - 1 10-17
Patching Order - 2 10-18
Using My Oracle Support 10-19
Searching for Patches on My Oracle Support 10-20
Patching Utilities 10-21
Application Database and Technology Stack RUPs 10-22
Patching Utilities 10-23
Command Line Patching Utilities 10-24
AD Online Patching Utility 10-25
AD Merge Patch 10-26
Patch Application Assistant 10-27
OPatch 10-28
Smart Update 10-29
Web-based Patching Utilities 10-30
Summary 10-31

11 Overview of Online Patching

Objectives 11-2
Introduction to Online Patching 11-3
Overview of Online Patching Implementation 11-4
Architectural Changes to Support Online Patching 11-5
File System structure for Online Patching 11-6
Dual File System 11-7

- File System Layout 11-8
- Environment Variables 11-9
- Three File Systems and One Database 11-11
- Database Feature for Online Patching 11-12
- Database Implementation 11-13
- Three Types of Database Edition 11-14
- Edited and Non-Edited Objects 11-15
- Editing Views and the Application Data Model 11-16
- Database Editioning Views 11-17
- Cross Edition Triggers 11-18
- The Online Patching Cycle 11-19
- The Online Patching Cycle: Five Main Phases 11-20
- Special Phases of Patching Cycle 11-21
- Phase 1 - Prepare 11-22
- Phase 2 - Apply 11-23
- Phase 3 - Finalize 11-24
- Online Patching Cycle - Abort 11-25
- Phase 4 - Cutover 11-26
- Phase 5 - Cleanup 11-27
- Summary 11-28

12 Using the adop Utility

- Objectives 12-2
- AD Online Patching Utility 12-3
- Key Points About adop Operation 12-4
- Online Patching Cycle 12-5
- Running the adop Utility 12-6
- adop Commands 12-7
- Executing the Patching Cycles 12-8
- Prepare phase 12-9
- Online Patching Cycle - Prepare 12-10
- Prepare Phase - adop Actions 12-11
- Before you Run the Prepare Phase 12-13
- Running the Prepare Phase 12-14
- Apply phase 12-15
- Online Patching Cycle - Apply 12-16
- Apply Phase - adop Actions 12-17
- Apply Phase – Interactive, Non-Interactive, and Test Modes 12-18
- Applying Patches in Interactive Mode 12-19
- Applying Patches in Non-Interactive Mode 12-22
- Parameters in Input_file 12-24

Parameter in Defaults File 12-26
Order of Parameters 12-27
Applying Patches in Test Mode 12-28
Finalize phase 12-29
Online Patching Cycle - Finalize 12-30
Finalize Phase - adop Actions 12-31
Finalize Phase - Command 12-32
Finalize Phase - Modes 12-33
Cutover phase 12-34
Online Patching Cycle - Cutover 12-35
Cutover Phase - adop Actions 12-36
Running the Cutover Phase 12-37
Cutover Phase and Manual Steps 12-38
Cleanup phase 12-39
Online Patching Cycle - Cleanup 12-40
Cleanup Phase - adop Actions 12-41
Running the Cleanup Phase 12-42
Cleanup Phase - Modes 12-43
Abort phase 12-44
Online Patching Cycle - Abort 12-45
Abort Phase - adop Actions 12-46
Running the abort Phase 12-47
Important Points about Abort 12-48
fs_clone phase 12-49
Online Patching Cycle - fs_clone 12-50
Running the fs_clone Phase 12-51
actualize_all procedure 12-52
Online Patching Cycle – actualize_all 12-53
Running the actualize_all Phase 12-54
Other adop considerations 12-55
Status of a Patching Cycle 12-56
adop Help 12-57
Patching in Multi-Node Environments 12-58
adop Remote Invocation 12-59
Multi-Node Manual Patching 12-60
Hotpatch Mode 12-62
Hotpatch Mode Restrictions 12-63
Downtime Mode 12-65
Preinstall Mode 12-66
Summary 12-67

13 Patching to the Latest Code Level

- Objectives 13-2
- Patching to the Latest Code Level - 1 13-3
- Patching to the Latest Code Level - 2 13-4
- Applying ETCC required patches 13-5
- EBS Technology Codelevel Checker (ETCC) 13-6
- Multiple Technology Components 13-7
- Patching Utilities to Patch Technology Components 13-8
- Patching Order of Technology Components 13-9
- Patching the Database 13-10
- Patching the Middle Tier components - Overview 13-11
- Patching the WebLogic Server 13-12
- Patching OHS and Oracle Common Modules 13-13
- Patching Forms and Reports 13-14
- Applying the STU patch 13-15
- Applying Consolidated Seed Table Upgrade Patch 13-16
- Applying the AD and TXK RUPs 13-17
- Apply latest AD and TXK RUPs - 1 13-18
- Apply latest AD and TXK RUPs - 2 13-19
- Applying the Release 12.2.9 RUP 13-20
- Apply Oracle E-Business Suite 12.2.9 RUP - 1 13-21
- Apply Oracle E-Business Suite 12.2.9 RUP - 2 13-22
- Summary 13-23

14 Using Oracle Applications Manager Patching Features

- Objectives 14-2
- Applied Patches Reporting Tool 14-3
- Use of Applied Patches Reporting Tool 14-4
- Applied Patches Reporting Tool: Additional Information 14-5
- Applied Patches Information 14-6
- adop Modes and Applied Patches Information 14-7
- Accessing Applied Patches Information 14-8
- Applied Patches: Search Pages 14-9
- Applied Patches: Simple Search 14-10
- Applied Patches: Advanced Search 14-12
- File History: Search Pages 14-14
- File History: Simple Search 14-15
- File History: Advanced Search 14-17
- Applied Patches Reports 14-19
- Patch Details Report 14-20
- Files Copied Report 14-22

Bug Fixes Report 14-23
Action Summary Report 14-24
Action Details Report 14-25
Timing Reports 14-26
Accessing Timing Reports 14-27
adop Timing Details 14-28
Run Information 14-29
AD Administration Timing Detail 14-31
Job Timing 14-32
Phase Information 14-34
Product Information 14-35
Product Information – Specific Product Details 14-36
View Log Files 14-37
View Log Details Page 14-38
Summary 14-39

15 Technical Configuration - AutoConfig

Objectives 15-2
Introduction to AutoConfig 15-3
AutoConfig Tasks 15-4
Context Files 15-5
Working with Context Files 15-6
Applications Context File 15-7
Database Context File 15-8
Benefits of the Context Files - 1 15-9
Benefits of the Context Files - 2 15-10
Benefits of the Context Files - 3 15-11
Benefits of the Context Files - 4 15-12
AutoConfig Process Overview 15-13
AutoConfig Operation 15-14
AutoConfig Template Files 15-15
Modify AutoConfig configurations on OAM 15-16
How to Modify the Context Files - Running AutoConfig From OAM 15-17
AutoConfig Main Screens - 1 15-18
AutoConfig Main Screens - 2 15-19
Editing AutoConfig-Managed Configuration Files 15-20
Editing Parameters 15-21
Confirming Changes 15-22
Running AutoConfig to apply changes 15-23
Running AutoConfig on the Server 15-24
AutoConfig Operation: Overview 15-25

Running AutoConfig: Procedure	15-26
Running AutoConfig: Application Tier	15-27
Running AutoConfig: Database Tier	15-28
AutoConfig Log Files	15-29
Rolling back AutoConfig file system changes	15-30
Rolling Back an AutoConfig Session: Overview	15-31
Rolling Back an AutoConfig Session: Procedure	15-32
Restoring AutoConfig database changes	15-33
Restoring an AutoConfig Session	15-34
Restoring a Previous Configuration - 1	15-35
Restoring a Previous Configuration - 2	15-36
Restoring a Previous Configuration - 3	15-37
Comparing Configurations	15-38
AutoConfig Test Mode	15-39
Running AutoConfig In Test Mode: Overview	15-40
Running AutoConfig in Test Mode: Procedure	15-41
AutoConfig in Test Mode: Reports	15-42
File System Changes Report	15-43
Database Changes Report	15-44
Other AutoConfig considerations	15-45
Parallel Run Option	15-46
AutoConfig Profiler	15-47
Context Variable Information Utility	15-48
Using AutoConfig on Oracle RAC	15-49
Steps to Support AutoConfig on Oracle RAC	15-50
Reduced role of AutoConfig in Release 12.2	15-51
Reduced Role for AutoConfig	15-52
Summary of Configuration Changes - 1	15-53
Summary of Configuration Changes - 2	15-54
Summary of Configuration Changes - 3	15-55
Summary	15-56

16 Configuring Web Application Services and Managing OHS

Objectives	16-2
Configuration Tools	16-3
Getting Started With Oracle WebLogic Server	16-4
Oracle E-Business Suite and WebLogic Server	16-5
Oracle WebLogic Server Domain	16-6
Components of a Domain	16-7
Domain Components Explained - 1	16-8
Domain Components Explained - 2	16-9

Domain in Oracle E-Business Suite	16-10
Web Applications	16-11
FMW_HOME Directory Structure	16-12
EBS_ORACLE_HOME Directory Structure	16-13
Utilities for WebLogic Domain Administration	16-14
Overview of Administration Console	16-15
Administration Console: E-Business Suite Specific Restrictions	16-16
Starting the Administration Console	16-17
Elements of Administration Console	16-18
Using the Change Center	16-19
Undoing Changes and Releasing the Configuration Lock	16-20
Elements in the Tool Bar - 1	16-21
Elements in the Tool Bar - 2	16-22
Getting Started With Oracle Fusion Middleware Control	16-23
Fusion Middleware Control	16-24
Displaying Fusion Middleware Console	16-25
Elements of Fusion Middleware Control	16-26
Configuring Web Application Services and Managing OHS	16-27
New AutoConfig Tools for System Configuration	16-28
AutoConfig Tool: adRegisterWLSListeners.pl	16-29
AutoConfig Tool: adSyncContext.pl	16-30
adRegisterWLSListeners.pl vs adSyncContext.pl	16-31
Managing Web Applications	16-33
Managing oacore Configuration Parameters at Application Level: Parameters	16-34
Managing Other Configuration Parameters at Application Level - 1	16-35
Managing Other Configuration Parameters at Application Level - 2	16-36
Customize Configuration via WebLogic Server Administration Console	16-37
Managing Classpath and JVM Arguments of a Managed Server - UI	16-38
Managing Classpath and JVM Arguments of the WebLogic Admin Server	16-39
Changing the Port Number of a Managed Server	16-40
Editing the Port Number from the WebLogic Server Administration Console	16-41
Update the Managed Server Port - 1	16-42
Update the Managed Server Port - 2	16-43
Add a New Managed Server - 1	16-44
Add a New Managed Server - 2	16-45
Delete a Managed Server - 1	16-46
Delete a Managed Server - 2	16-47
Managing OHS Configurations	16-48
Updating AutoConfig-Managed OHS Configurations	16-49
Updating Seeded OHS Configurations	16-50

Modify OHS Protocols or Port Numbers 16-51
Summary 16-52

17 Introduction to AD Utilities

Objectives 17-2
AD Utilities: Overview 17-3
AD Utilities: Configuration and Environment Files 17-4
AutoConfig Managed AD Utility Files 17-5
Non-Auto Config AD Utility Files 17-6
Web-based Utilities 17-7
Web-Based AD Utilities - 1 17-8
Web-Based AD Utilities - 2 17-9
Command Line Utilities 17-10
Command Line AD Utilities - 1 17-11
Command Line AD Utilities - 2 17-12
Command Line AD Utilities: Where do you Run? 17-13
Command Line Utilities Process 17-15
AD Utilities: Setting the Environment 17-16
Running the Command Line AD Utilities 17-17
AD Utilities: Common Features 17-18
Version Matching 17-19
AD Utilities: Prompts 17-20
Interactive and Non-interactive Processing 17-21
Parallel Processing: Introduction 17-22
Parallel Processing: Managers 17-23
Parallel Processing: Workers 17-24
Parallel Processing: Deferred Jobs 17-25
Database Processing Phases - 1 17-26
Database Processing Phases - 2 17-27
Log Files 17-28
Worker Log Files 17-29
Restart Files 17-30
Manager and Worker Log Messages - 1 17-31
Manager and Worker Log Messages - 2 17-33
Command Line Utilities Other Considerations 17-34
Distributed AD 17-35
Distributed AD: Requirements 17-36
Distributed AD: Usage 17-37
Command Line Utilities Arguments 17-38
Command Line Arguments: Overview 17-39
Command Line Arguments: Examples 17-40

- Command Line Arguments: help 17-41
- Command Line Arguments: logfile 17-42
- Command Line Arguments: interactive 17-43
- Command Line Arguments: defaultfile 17-44
- Command Line Arguments: workers 17-45
- Command Line Arguments: localworkers 17-46
- Command Line Arguments: abandon 17-47
- Command Line Arguments: restart 17-48
- Command Line Arguments: menu_option 17-49
- Command Line Arguments: printdebug 17-50
- Command Line Arguments: wait_on_failed_job 17-51
- Command Line Arguments: parallel_index_threshold 17-52
- Command Line Arguments: flags 17-53
- AD Utilities Flags: trace 17-54
- AD Utilities Flags: logging 17-55
- AD Utilities Flags: hidepw 17-56
- Summary 17-57

18 AD Admin: Generate Applications Files

- Objectives 18-2
- AD Administration 18-3
- Preliminary Tasks 18-4
- AD Administration Prompts 18-5
- AD Administration Log Files: Errors 18-6
- AD Administration Log Files: Other Files 18-7
- AD Administration Main Menu 18-8
- Generate Applications Files Menu 18-9
- Generate Message Files Option 18-10
- Generate Message Files 18-11
- Generate Message Files: Example 18-12
- Generate Form Files Option 18-13
- Generate Form Files - 1 18-14
- Generate Form Files - 2 18-15
- Generate Form Files - 3 18-16
- Generate Form Files: Example 18-17
- Generate Report Files Option 18-18
- Generate Report Files - 1 18-19
- Generate Report Files - 2 18-20
- Generate Product JAR Files Option 18-21
- Generate Product JAR Files 18-22
- Summary 18-23

19 AD Admin: Maintain Applications Files

- Objectives 19-2
- Maintain Applications Files 19-3
- Relink Applications Programs Option 19-4
- Relink Oracle E-Business Suite Programs 19-5
- Relink Applications Programs: Example 19-6
- Copy Files to Destinations Option 19-7
- Copy Files to Destinations 19-8
- Convert Character Set Option 19-9
- Convert Character Set: Menu Options 19-10
- Convert Character Set: Scan APPL_TOP 19-11
- Convert Character Set: Scan Custom Directory 19-12
- Convert Character Set Menu Option 19-13
- Convert Character Set: Example 19-14
- Maintain Snapshot Information Option 19-15
- Maintain Snapshot Information: Types 19-16
- Maintain Snapshot Information 19-17
- Maintain Snapshot Information: Menu Options 19-18
- Check for Missing Files Option 19-19
- Check for Missing Files: Example 19-20
- Summary 19-21

20 AD Admin: Maintain Database Entities

- Objectives 20-2
- Maintain Database Entities: Menu Options 20-3
- Validate APPS Schema Option 20-4
- Validate APPS Schema: Report 20-5
- Validate APPS Schema: When do you Run? 20-6
- Recreate Grants and Synonyms Option 20-7
- Recreate Grants and Synonyms 20-8
- Recreate Grants and Synonyms: When do you Run? 20-9
- Check DUAL Table Option 20-10
- Check DUAL Table 20-11
- Check DUAL Table: Example 20-12
- Summary 20-13

21 AD Admin: Compile/Reload Database Entities

- Objectives 21-2
- Compile/Reload Database Entities Menu Options 21-3
- Compile APPS Schema Option 21-4
- Compile APPS Schema 21-5

- Compile APPS Schema: When do you Run? 21-6
- Compile Menu Information Option 21-7
- Compile Menu Information 21-8
- Compile Flexfield Data Option 21-9
- Compile Flexfield Data in Oracle AOL Tables 21-10
- Compile Flexfield Data: Example 21-11
- Reload JAR Files to Database Option 21-12
- Reload JAR Files to Database 21-13
- Summary 21-14

22 AD Admin: Non-Interactive Operations

- Objectives 22-2
- Running AD Administration in Non-Interactive Mode 22-3
- Generating a Defaults File with AD Administration 22-4
- Using adalldefaults.txt with AD Administration 22-5
- Running AD Administration using adalldefaults.txt 22-6
- Menu Options - 1 22-7
- Menu Options - 2 22-8
- Menu Options - 3 22-9
- Summary 22-10

23 AD Configuration and Management Utilities

- Objectives 23-2
- AD Controller 23-3
- Running AD Controller 23-4
- AD Controller 23-5
- AD Controller Menu 23-6
- Reviewing Worker Status 23-7
- Worker Status Values 23-8
- Worker Status Flow 23-9
- Resolving a Failed Worker 23-10
- Determining Why a Worker Failed 23-11
- Restarting a Failed Worker 23-12
- Restarting a Failed Patch Process 23-13
- Terminating a Hanging Worker Process 23-14
- Restarting a Terminated Worker 23-16
- Restarting a Terminated Child Process 23-17
- Restarting an AD Utility After a Machine Crash 23-18
- Shutting Down Managers 23-19
- AD Relink 23-20
- AD Relink Overview 23-21

- Running AD Relink 23-22
- Relink Executable Programs 23-23
- AD Relink Syntax 23-24
- AD Splicer 23-25
- AD Splicer: Introduction 23-26
- AD Splicer: Control Files 23-27
- AD Splicer: Usage 23-28
- AD Splicer: Editing Product Configuration File 23-29
- AD Splicer: Post-Splice Steps 23-30
- File Character Set Converter 23-31
- File Character Set Converter: Introduction 23-32
- File Character Set Converter: Usage 23-33
- Summary 23-36

24 AD Reporting Utilities

- Objectives 24-2
- AD Configuration 24-3
- AD Configuration: Introduction 24-4
- AD Configuration: Features 24-5
- AD Configuration: Examples 24-6
- AD File Identification 24-7
- AD File Identification: Introduction 24-8
- AD File Identification: Examples 24-9
- AD Job Timing Report 24-11
- AD Job Timing Report: Introduction 24-12
- AD Job Timing Report: Features 24-13
- AD Job Timing Report: Introduction 24-14
- AD Job Timing Report: Examples 24-15
- AD Job Timing Report: Reducing Downtime 24-16
- Summary 24-17

25 Cloning Oracle E-Business Suite

- Objectives 25-2
- Cloning Principles and Terminology 25-3
- Cloning Scenarios 25-4
- Overview of the Cloning Process 25-5
- Prerequisite Steps 25-6
- Overview of Prerequisite Steps 25-7
- Disk Space Requirements on Source System 25-8
- Verify OS requirements on Target System 25-9
- Verify Inventory Requirements 25-10

- Location of oraInst.loc 25-11
- Verify Source and Target Nodes Software Versions: Perl 25-12
- Verify Source and Target Nodes Software Versions: Zip 25-13
- Verify Source and Target Nodes Software Versions: Unzip 25-14
- Verify Source and Target Nodes Software Versions: OS Utilities 25-15
- Apply Required Patches 25-16
- Run AutoConfig on the Application Tier 25-17
- Synchronize Applications Utilities on the Database Tier 25-18
- Run AutoConfig on the Database Tier 25-19
- Run ETCC 25-20
- Maintain Snapshot Information 25-21
- Performing the Clone 25-22
- Cloning Phases 25-23
- Prepare the Source System Database Tier for Cloning 25-24
- Prepare the Source System Application Tier for Cloning 25-25
- Copy the Database Tier File System 25-26
- Copying Process Specific to Application Tier from Release 12.2 25-27
- Copy Application Tier from Source to Target Run Edition File System 25-28
- Dual File System Directory Structure 25-29
- Configure the Target System Database 25-30
- Configure the Target System Application Server Nodes 25-31
- Finishing Tasks 25-32
- Finishing Tasks: Overview 25-33
- Finishing Tasks: Update Instance-Specific Settings 25-35
- Finishing Tasks: Final 25-36
- Other considerations 25-37
- Refreshing a Target System - 1 25-38
- Refreshing a Target System - 2 25-39
- Refreshing a Target System - 3 25-40
- Refreshing a Target System 25-41
- Cloning Multi-Node Systems 25-42
- Cloning Multi-Node Systems - Diagram 25-43
- Other Advanced Cloning Options 25-44
- Summary 25-45

26 Additional Configuration Options

- Objectives 26-2
- Shared Application Tier File System: Introduction 26-3
- Shared Application Tier File System: Not In Use 26-4
- Shared Application Tier File System: In Use 26-5
- Shared Application Tier File System: Features 26-6

Shared Application Tier File System: Benefits 26-7
Shared Application Tier File System: Restrictions 26-8
Shared Application Tier File System: Availability 26-9
Summary 26-10

