## Procedure to connect Koenig Data Center from MacBook Pro RDP Client.

Step 1. Install the "Microsoft Remote Desktop" on your MAC Book(from App Store) .



Step 2. Then make a shortcut of the Client on the Dock.



Step 3. Run The Client by clicking on it. ;-)



Step 4. Click on the "New" to create a new connection.

000	Edit Remote Desktops –			
General Session	Redirection	ly Deski	ops	
Connection name	1			
PC name	Host name or IP address			
Gateway	No gateway configured	\$		
Credentials				
User name	Domain\user			
Password	Password			
Resolution	Native	\$		
Colors	Highest Quality (32 bit)	\$		
Full screen mode	OS X native	\$		
	Start session in full screen			

Step 5. Provide the details as provided by the instructor

koenig datacenter lab	
DesktopXXX	
No gateway configured	ţ
koenig-labs\userXXX	
••••••	_
Native	ŧ
Highest Quality (32 bit)	÷
OS X native	<b>*</b>
Start session in full screen	
Scale content	
	koenig datacenter lab DesktopXXX No gateway configured koenig-labs\userXXX Notive Highest Quality (32 bit) OS X native Start session in full screen Scale content

Step 6. Add the RDP Gateway to the Connection.

00	Edit Remote Desktops -	
General Session	Redirection	
Connection name	koenig Datacenter Lab	
PC name	desktopXX.vclass.local	
Gateway	✓ No gateway configured	\$
Credentials	Add gateway	
User name	koenig-labs\userXXX	
Password	•••••	
Resolution	Native	<b>‡</b> ]
Colors	Highest Quality (32 bit)	\$
Full screen mode	OS X native	\$]
	Start session in full screen	
	Scale content	
	Use all monitors	

Step 7. Select the "Add Gateway" Option.

Gateway	Preferences	
	Gateway name	Friendly name for the gateway
	Server	Host name or IP address
	User name	Domain\user
	Password	Password
+ -		

Step 8. Provide the Details for the Gateway provided to connect the Labs.

Cateway Resolution	Preferences	
RDP Gateway	Gateway name	RDP Gateway
	Server	rdgw.koenig-solutions.com
	User name	
	Password	Password
+ -		

Step 9. Select the Gateway added.

	New Start Edit	Preferences Remote Reso
\varTheta 🔿 🔿 Edit Rem	ote Desktops – VMware ICM Lab	-
× P		
General Session I	Redirection	
Connection name	Koenig Datacenter Lab	
PC name	No gateway configured	
Cateway	Add gateway	
Careway	V RDF Galeway	
Credentiais		
User name	koenig-labs\userXXX	
Password	•••••	
	(	
Resolution	Native	÷
Colors	Highest Quality (32 bit)	\$
Full screen mode	OS X native	\$
il.	Start session in full screen	
100	Scale content	A CONTRACTOR OF A CONTRACTOR O

Step 10. Now select the connection created and Start the connection.



Done..